

SAFETY DATA SHEET

1. Identification

Product identifier Rid O' Rust Exterior Rust Stain Remover

Other means of identification

Synonyms Rid O'Rust Exterior Rust Stain Remover (Powder)

Recommended use Rust Stain Remover

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Pro Products LLC

Address 6714 Pointe Inverness Way

Suite 200 Fort Wayne

IN

46804-7935 United States 260-483-2519

Telephone260-483-2519E-mailNot available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalCategory 4Serious eye damage/eye irritationCategory 1

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Causes serious eye damage. Harmful in contact with skin. Harmful if

swallowed.

Precautionary statement

Prevention Keep only in original packaging. Wear protective gloves, protective clothing, eye protection and

face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product.

Response Absorb spillage to prevent material-damage.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. Call a POISON CENTER or doctor if you feel unwell. Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

Storage Store in a corrosion resistant container with a resistant inner liner.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

#25739 Page: 1 of 8 Issue date 29-February-2024

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise classified (HNOC)

None known.

None known

Supplemental information

None.

3. Composition/Information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Ethanedioic acid, dihydrate		6153-56-6	80-100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret.

before reuse.

4. First-aid measures

Inhalation Skin contact If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. IF ON SKIN: Wash with plenty of water. Call a POISON CENTER or doctor if you feel unwell. Specific treatment (see information on this label). Take off contaminated clothing and wash it

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

Most important symptoms/effects, acute and

delayed

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

treatment needed

General information

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

None known.

Specific hazards arising from the chemical

Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

Special protective equipment and precautions for firefighters Firefighters should wear full protective clothing including self-contained breathing apparatus.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards **Hazardous combustion** No unusual fire or explosion hazards noted.

May include and are not limited to: Oxides of carbon.

products

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Ventilate the contaminated area. Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#25739 Page: 2 of 8 Issue date 29-February-2024

cautions for safe handling	prolonged exposure. When using, do i	lear appropriate personal protective equipment. Avoid not eat, drink or smoke. Avoid breathing dust. Wash e or swallow. Avoid contact with eyes, skin and clothing.	
nditions for safe storage, uding any incompatibilities	Store in a corrosion resistant container with a resistant inner liner. Avoid dust formation. Store in closed container away from incompatible materials.		
	8. Exposure controls/Pers	sonal protection	
cupational exposure limits			
	upational Health & Safety Code, Sche	edule 1, Table 2)	
Components	Туре	Value	
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3	
	TWA	1 mg/m3	
Safety Regulation 296/97, as	s amended)	for Chemical Substances, Occupational Health and	
Components	Туре	Value	
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3	
	TWA	1 mg/m3	
Canada. Manitoba OELs (Re Components	eg. 217/2006, The Workplace Safety A Type	nd Health Act) Value	
Ethanedioic acid, dihydrate	STEL	2 mg/m3	
(CAS 6153-56-6)	TWA	1 mg/m3	
Canada. New Brunswick Re Components	gulation 91-191, as amended Type	Value	
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3	
	TWA	1 mg/m3	
Canada. Ontario OELs. (Cor Components	ntrol of Exposure to Biological or Che Type	emical Agents) Value	
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3	
	TWA	1 mg/m3	
(CAS 6153-56-6)	TWA nistry of Labor - Regulation respecting Type	•	
(CAS 6153-56-6) Canada. Quebec OELs. (Mir	nistry of Labor - Regulation respecting	g occupational health and safety)	
(CAS 6153-56-6) Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate	nistry of Labor - Regulation respecting Type	g occupational health and safety) Value	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6)	nistry of Labor - Regulation respecting Type STEL TWA	g occupational health and safety) Value 2 mg/m3	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6)	nistry of Labor - Regulation respecting Type STEL TWA	g occupational health and safety) Value 2 mg/m3 1 mg/m3	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6) Canada. Saskatchewan OEL	Type STEL TWA S (Occupational Health and Safety Re	g occupational health and safety) Value 2 mg/m3 1 mg/m3 egulations, 2020. S-15.1 Reg. 10. Table 18)	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6) Canada. Saskatchewan OEL Components Ethanedioic acid, dihydrate (CAS 6153-56-6)	Type STEL TWA Ls (Occupational Health and Safety Re	g occupational health and safety) Value 2 mg/m3 1 mg/m3 egulations, 2020. S-15.1 Reg. 10. Table 18) Value 2 mg/m3	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6) Canada. Saskatchewan OEL Components Ethanedioic acid, dihydrate (CAS 6153-56-6) US. OSHA Table Z-1 Limits	Type STEL TWA Ls (Occupational Health and Safety Retails of Type 15 minute for Air Contaminants (29 CFR 1910.10	g occupational health and safety) Value 2 mg/m3 1 mg/m3 egulations, 2020. S-15.1 Reg. 10. Table 18) Value 2 mg/m3	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6) Canada. Saskatchewan OEL Components Ethanedioic acid, dihydrate (CAS 6153-56-6) US. OSHA Table Z-1 Limits (Components) Ethanedioic acid, dihydrate	Type STEL TWA Ls (Occupational Health and Safety Retains) Type 15 minute for Air Contaminants (29 CFR 1910.10) Type PEL	g occupational health and safety) Value 2 mg/m3 1 mg/m3 egulations, 2020. S-15.1 Reg. 10. Table 18) Value 2 mg/m3 O00) Value	
Canada. Quebec OELs. (Mir Components Ethanedioic acid, dihydrate (CAS 6153-56-6) Canada. Saskatchewan OEL Components Ethanedioic acid, dihydrate (CAS 6153-56-6) US. OSHA Table Z-1 Limits (Components) Ethanedioic acid, dihydrate (CAS 6153-56-6) US. ACGIH Threshold Limit	Type STEL TWA S (Occupational Health and Safety Rot Type 15 minute for Air Contaminants (29 CFR 1910.10 Type PEL Values	g occupational health and safety) Value 2 mg/m3 1 mg/m3 egulations, 2020. S-15.1 Reg. 10. Table 18) Value 2 mg/m3 O00) Value 1 mg/m3	

7. Handling and storage

DANGER -- CORROSIVE

Precautions for safe handling

US. NIOSH: Pocket Guide to Chemical Hazards

ComponentsTypeValueEthanedioic acid, dihydrateSTEL2 mg/m3

(CAS 6153-56-6)

TWA 1 mg/m3

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance Crystals
Physical state Solid.
Form Solid.

Color Colorless Transparent

Odor Odorless
Odor threshold Not available.
pH 1.3 @ 0.1M Soln
Melting point/freezing point 214.7 °F (101.5 °C)

Initial boiling point and boiling

range

300.2 °F (149 °C) sublimes @140-169°C

Specific gravityNot available.Flash pointNot available.Evaporation rateNot available.Flammability (solid, gas)Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.01 @ 20°C

Vapor density 4.4 Relative density 1.65

Solubility(ies) 10g/100ml H2O @15°C

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Pour point Not available.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Reacts violently with strong alkaline substances. This product may react with reducing agents. Do

not mix with other chemicals. Corrosive to metals.

Incompatible materials

Hazardous decomposition

products

Strong oxidizing agents.

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation May cause irritation to the respiratory system.

Skin contact Harmful in contact with skin.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

May cause severe irritation or burns to the eyes, skin, gastrointestinal tract, and respiratory system. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Harmful by inhalation, in contact with skin and if swallowed.

Components Species Test Results

Ethanedioic acid, dihydrate (CAS 6153-56-6)

Acute

Dermal

LD50 Rabbit 20000 mg/kg, ECHA

Inhalation

LD50 Not available

Oral

LD50 Rat 375 mg/kg, ECHA

9.5 ml/kg, ECHA, male 7.5 ml/kg, ECHA, female

Skin corrosion/irritation Risk of serious damage to eyes.

Exposure minutes Not available.
Erythema value Not available.
Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Ethanedioic acid, dihydrate (CAS 6153-56-6) Irritant

Respiratory sensitization Not available.

Skin sensitization Not available.

MutagenicityNon-hazardous by WHMIS/OSHA criteria.CarcinogenicityNon-hazardous by WHMIS/OSHA criteria.

#25739 Page: 5 of 8 Issue date 29-February-2024

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components Species Test Results

Ethanedioic acid, dihydrate (CAS 6153-56-6)

Crustacea EC50 Daphnia 137.5 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 125 - 150 mg/L, 48 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3261

Proper shipping name Corrosive solid, acidic, organic, n.o.s.

Technical name Ethanedioic acid, dihydrate

Hazard class 8

Subsidiary hazard class Limited Quantity - US

Packing group III

Special provisionsIB8, IP3, T1, TP33
Packaging exceptions
<11lbs - Limited Quantity</p>

Packaging non bulk 213 Packaging bulk 240

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3261

#25739 Page: 6 of 8 Issue date 29-February-2024

Proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Technical name Ethanedioic acid, dihydrate


Hazard class

Subsidiary hazard class Limited Quantity - Canada

Ш Packing group **Special provisions** 16

<5kg - Limited Quantity Packaging exceptions

DOT



15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely No

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Corrosive to metal

categories Acute toxicity (any route of exposure)

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed.

US. Massachusetts RTK - Substance List

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. New Jersey Worker and Community Right-to-Know Act

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. Rhode Island RTK

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date 29-February-2024

Version # 04

Effective date 29-February-2024

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Redbook revision #5, 1/6/17