





FINISHED QUILT SIZE: 62" × 62"

Please check our website www.rileyblakedesigns.com for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

FABRIC REQUIREMENTS

1 Teal Winter Wonder Panel (PD12069)

10" Stacker Winter Wonder (10-12060-42)

1¼ yard Cream Cross Stitch (C12062)

1 yard Charcoal Main (C12060)

1 yard Charcoal Plaid (C12067) includes binding

¾ yard Red Winter Scene (C12061)

Other Notions: 10½" Trim-it™ Ruler (optional)

CUTTING REQUIREMENTS

- Please read instructions before cutting fabrics.
- Label pieces as they are cut.
- Measurements include ¼" seam allowance.

Teal Winter Wonder Panel

Fussy-cut 9 squares 10%" × 10%" from the panel centering the design in each square.

10" Stacker Winter Wonder

Cut $40 - 4" \times 5\%"$ rectangles F



Н

Cream Cross Stitch

2 strips 5%" × WOF; subcut:

8-5%" squares A

4 – 4" squares

7 strips 3" × WOF for outer border

4 strips 1¾" × WOF; subcut:

 $80 - 1\frac{3}{4}$ " squares **G**



Charcoal Main

Cut 2 strips 5½" × WOF; subcut:

8 - 5%" × 10%" rectangles B

2 strips 11" × WOF; subcut:

4 – 11" squares C



Charcoal Plaid

1 strip 11" × WOF; subcut:

2 – 11" squares

7 strips 2½" × WOF for binding



Red Winter Scene

2 strips 11" × WOF; subcut:

6 – 11" squares

Ε


D

QUILT ASSEMBLY

- Refer to quilt images for the placement of each fabric.
- Check your ¼" seam allowance and maintain it throughout.
- Follow pressing arrows in diagrams for successful construction and seam nesting.
- Orient the cut pieces according to their pertinent diagrams. Doing so is essential in following relational terms such as top, bottom, left, right and so on.
- All angled seams are constructed using the Stitch & Flip method. The method is described below and referenced throughout the pattern.

Stitch & Flip Method (S&F)

Place the 2 pieces right sides together (RST) matching raw edges in the corner to be replaced. Draw a diagonal line on the wrong side of the smaller piece across the corner. Stitch on the drawn line. Trim the seam allowance above the sewn line to 1/4". Flip the small piece away from the bottom piece and press, replacing the corner.







V-Blocks

1. Using the S&F method, replace rectangle B's top right corner with an A square to make Unit 1. Make 4 of Unit 1.



Unit 1

2. Using the S&F method, replace rectangle B's top left corner with an A square to make Unit 2. Make 4 of Unit 2.



3. Sew Units 1 and 2 together as shown to complete the V-Block ($10\frac{1}{2}$ " × $10\frac{1}{2}$ "). Make 4 V-Blocks.




Half-Square Triangle Blocks (HST)

1. Draw a diagonal line on the wrong side of the E squares.



- 2. Pair a marked E square RST with a C square (a). Stitch ¼" from the drawn line on both sides (b).
- 3. Cut on the drawn line to make 2 Half-Square Triangles (b & c) HSTs. Trim to 10%" square. Repeat to make 8 EC HSTs.



4. Repeat Steps 2 & 3 using E and D squares. Make 4 ED HSTs.

Quilt Center Assembly

Refer to quilt layout diagram, quilt illustrations and cutting requirement list for fabric placement and block orientation.

- 1. Arrange the panel squares, V-Blocks and HSTs into a 5 x 5 setting.
- 2. Sew blocks and squares together side-to-side into rows. Sew rows together, nesting seams as you go. The Quilt Center now measures 50%" × 50%".

Pieced Border

1. Using the S&F method, replace the top 2 corners of rectangle F with G squares to make a Scallop Unit (4" \times 5½"). Make 40 Scallop Units.



- 2. Sew together 10 Scallop Units side-to-side to make a Pieced Border (50½" × 4"). Make 4 Pieced Borders.
- 3. Sew a Pieced Border to each side of the Quilt Center.
- 4. Sew an H square to each end of the remaining 2 Pieced Borders. Sew one to the top and one to the bottom of the Quilt Center $(57\%'' \times 57\%'')$.

Outer Border

Measure your quilt before cutting border strips. Measurements given are the intended size which may differ from the actual size needed for your quilt. *TIP*: Cut opposing borders the same length to ensure a "true" frame.

- 1. Sew 7 outer border strips 3" × WOF together end-to-end.
- 2. From this strip cut 2 borders 57½" in length. Sew 1 to each side of the quilt.
- 3. Cut 2 more outer borders 62%" in length. Sew 1 to the top, the other to the bottom of the quilt top. The quilt now measures 62%" × 62%".

Finishing

Finish quilt by layering the quilt top, batting, and back. Bind with 2½" Charcoal Plaid strips.

Have fun and enjoy the journey of making your quilt!

Quilt Layout Diagram

