

ZEE LINE

by **MILTON™**

www.zeeline.com



8-Gallon Economy Waste Oil Drain
Model Number: ZE8DC

Use and Operations Manual

Rev: 03/22

Instructions For 8 Gallon Oil Drain

1. Instruction & Specification

Polyethylene reservoir, 8-gallon capacity, mounted on four castors for mobility. Funnel, with filter, on height adjustable tube. Hand grips for manual emptying.

2. Assembly

NOTE: Numbers in brackets refer to item numbers in Figure on page 3.

1. Connect funnel (1) to height adjustable upper tube (2), use clamp (3) to fix upper tube (2).
2. Insert lower tube (4) into the oil tank (8) and secure with tightening screw (5).

3. Operation

Place oil drain under the equipment to be drained on a lift. When draining is complete, lower the drain pan before removing the drainer.

4. Emptying Oil Drain

Disconnect the funnel (1) and the upper (2), lower tube (5) from oil tank (8).

WARNING! DO NOT pollute the environment by allowing uncontrolled discharges of waste oil.

5. Maintenance

Clean the drain pan filter as necessary.

NOTE: It is our policy to continually improve products and as such we reserve the right to alter data specifications and component parts without prior notice.

IMPORTANT: No liability is accepted incorrect use of this product.


¿Necesita instrucciones en español? Escanea aquí.



Besoin d'instructions en français? Scannez ici.



**SPARE PARTS LIST
FOR:**



<u>Part</u>	<u>Description</u>	<u>Quantity</u>	<u>Part</u>	<u>Description</u>	<u>Quantity</u>
1	Funnel with Filter	1	6	Cap	1
2	Upper Tube	1	7	Oil Drain Tank	1
3	Clamp	1	8	Caster	4
4	Lower Tube	1			
5	Tightening Screw	1			



Support Service Assistance

Phone Toll Free: 1-800-231-1525

Email:

saleszeeline@miltonindustries.com

Zeeline™ by Milton™

4500 W Cortland Street
Chicago, IL 60639

WWW.ZEELINE.COM