
The premium quality you've been searching for.



OUR PREMIUM AUTOMOTIVE PRODUCT RANGE.

Primers & Surfacers

AT305 Auto 1K Etch Primer Light Grey

AT305 Auto 1K Etch Primer is a high performance polyvinyl butyral and epoxy based, self-etch coating formulated to provide adhesion and anti-corrosive properties on ferrous metals, zinc coated steels (including galvanized iron) and non-ferrous metals such as aluminium.

It has a smooth, matte surface with good covering power and functions by adhering to the base surface and providing good adhesion for subsequent finishing coats such as 2-pack polyurethanes, enamels and lacquers.

Ratio: 1K
Hardener: N/A
Reducer: AT305
Can sizes: 1L, 4L, 20L



AT820 Auto 2K All Purpose Primer Surfacer

AT820 Auto 2K All Purpose Primer Surfacer is a Refinish Quality, high performance, high solids, 2K Acrylic Polyurethane Primer Surfacer specifically designed to give excellent filling properties & appearance under all basecoats & topcoat Systems.

It is specifically formulated to meet the high-performance requirements of today's Refinish Quality Solvent-borne & Waterborne Basecoat & 2K Low baked Enamel Topcoat systems.

.....

AT820 gives extra film build, fast drying and sanding properties and delivers excellent adhesion & gloss holdout qualities. AT820 is based on the latest acrylic-isocyanate technology.

Ratio: 4:1

Hardener: AT820 Fast, Medium, Slow

Reducer: AT650 Fast,

AT651 Medium, AT652 Slow

Can sizes: 4L

AT825 Auto 2K Wet On Wet Primer Surfacer Grey

AT825 Auto 2K Wet On Wet Primer Surfacer Grey is a Refinish Quality, high performance high solids, 2K Acrylic Polyurethane Primer Surfacer specifically designed for 'wet on wet' applications when fast spot & panel repairs are needed or over new fully cured electro-coat panels which require priming prior to basecoat or topcoat application.

This product gives fast drying, excellent filling properties & appearance under all basecoats & topcoat Systems. It is specifically formulated to meet the high-performance requirements of today's Refinish Quality Solvent-borne & Waterborne Basecoat & 2K Low baked Enamel Topcoat systems.

AT825 gives high build film build in one coat applications, fast drying, no need to sand prior to topcoat if applied as wet on wet and delivers excellent adhesion & gloss holdout qualities and is based on the latest acrylic-isocyanate technology.

Ratio: 4:1

Hardener: AT825 Fast, Medium, Slow

Reducer: AT650 Fast.

AT651 Medium,

AT652 Slow

Can sizes: 4L

ATE215 Auto 2K Wet On Wet Epoxy Primer Light Grey

ATE215 2K Wet On Wet PU Primer Surfacer is a Refinish Quality, high performance "High solids", Auto 2K Wet On Wet Epoxy Primer specifically designed for wet on wet applications when fast spot & panel repairs are needed or over new fully cured electrocoat panels which require priming prior to basecoat or topcoat application.

This product gives fast drying, excellent filling properties & appearance under all basecoats & topcoat Systems. It is specifically formulated to meet the high-performance requirements of today's Refinish Quality Solvent-borne & Waterborne Basecoat & 2K Low baked Enamel Topcoat systems.

ATE215 gives high build film build in one coat applications, fast drying, no need to sand prior to topcoat if applied as wet on wet and delivers excellent adhesion & gloss holdout qualities.

Ratio: 4:1
Hardener: ATE215
Reducer: ATE100
Can sizes: 4L

PE801 Auto 2K All in One Polyester Primer Surfacer

PE800 Series All In One Automotive Polyester Primer Surfacer is used for priming substrates before application of the 888 Automotive Clear over Base System.

It has been specially formulated to give excellent adhesion to correctly prepared substrates such as Metal, Fibreglass, Plastic and Wood.

It exhibits excellent sanding properties to allow it to be recoated with a number of topcoats including Acrylics, Synthetic Enamels, Lacquers and Two Component Polyurethanes.

Available in Grey, Black, Red, Buff, White, Dark Grey & Blue.

Ratio: 4:80ml
Hardener: PE800
Reducer: PE100, PE105

Can sizes: 4L

Basecont



AT888 Auto 1K Premium Basecoat

AT888 Base Coat is a high performance acrylic modified basecoat. Its high performance formulation is very easy to use and features a fast dry time, excellent flow, high coverage and excellent blending characteristics.

We can make this paint in a variety of metallics and pearls upon request or even colour match a provided sample.

Topconts & Clearconts

AT100 Auto 2K Premium Matt Black

AT100 Auto 2K Premium Matt Black is a 2-pack coating designed to maintain a superior appearance for the longest period of time on automotive trim & components applications.

.....

.....

Ratio: 4:1 Hardener: AT100 Reducer: AT650 Fast,

> AT651 Medium, AT652 Slow

Can sizes: 4L



AT150 Auto 2K Premium Gloss

AT150 Auto 2K Premium Gloss is a 2-Component UV stabilised Acrylic Polyurethane, formulated to be applied at higher than normal solids to give maximum levels of gloss and protection.

Available in Clear, White, Jet Black.

Ratio: 2:1 Hardener: AT150

Reducer: AT650 Fast, AT651 Medium,

AT652 Slow

Can sizes: 4L



AT883 Auto 2K Clear

AT883 Clear is a Premium Quality 2-pack high gloss, isocyanate cured acrylic polyurethane clear coat based on the latest acrylic resin technology. The durable coating delivers exceptional reproduction of OEM Original Finishes, excellent weathering and performance properties (when applied over solventborne & waterborne basecoats) and is suitable for use where a premium quality refinish grade 2K PU Clear Coat coating is required.

AT883 Clear will reproduce original finish gloss, flow and image clarity with minimum effort & in the shortest possible time. This clear coat is particularly suitable for use for panel repairs, large sections, blending & all over repaints.

Ratio: 3:1

Hardener: AT883 Ultra Fast,

Fast, Medium, Slow (1.67L)

Reducer: AT651 Medium

Can sizes: 5L



AT884 Auto 2K All Purpose Clear

AT884 All Purpose Clear is a Refinish Quality 2-pack high gloss, isocyanate cured acrylic polyurethane clear coat based on the latest acrylic resin technology. The durable coating delivers excellent weathering and performance properties (when applied over solvent-borne & waterborne basecoats) and is suitable for use where a high quality refinish grade 2K PU Clear Coat coating is required

AT884 will reproduce original finish gloss, flow, and image clarity with minimum effort & in the shortest possible time. This clear coat is suitable for use for spot & panel repairs, large sections, blending & all over repaints.

Ratio: 4:1

Hardener: AT884 Ultra

Fast, Fast, Medium, Slow (1.25L)

Reducer: AT651 Medium

Can sizes: 5L



Reducers & Cleaners



Auto All Purpose Wax & Grease Remover

Wax & Grease Remover is used for degreasing surfaces in preparation for painting.

Available in AT311 Fast & AT312 Regular.

Volume: 4L, 20L



AT550 Auto Basecoat Reducer

AT550 is used in the reduction of automotive basecoats to consistency suitable for use through conventional spray gun systems and for the clean up of equipment.

.....

Volume: 4L, 20L



AT318 Auto All Purpose Anti-static Cleaner

A solvent based cleaner which reduces and cleans static charge from plastic substrates.

Volume: 4L, 20L



AT316 Auto All Purpose Universal Cleaner

AT316 is used in the automotive industry as a universal cleaner and degreaser with an antistatic effect. It is used for both solventborne and waterborne applications as well as plastics.

Volume: 750ml, 5L, 20L



AT650 Auto 2K All Purpose Reducer

Used in conjunction with various automotive products. Available in AT650 Fast, AT651 Medium, AT652 Slow.

Volume: 4L, 20L



ATE100 Auto 2k Wet On Wet Epoxy Primer Reducer

Suitable for the reduction of ATE215 2K Wet On Wet PU Primer Surfacer.

Volume: 4L

VISIT OUR SHOWROOM

STOCKED WITH AUTOMOTIVE EQUIPMENT & ACCESSORIES

Visit us at 14A Williamson Rd. Ingleburn



SPRAY GUNS · SANDERS ABRASIVES CAR FILLERS · PRESSURE POTS · POLISHES SAFETY EQUIPMENT • TOOLS • COMPRESSORS • REGULATORS + MORE!







DEVILBISS









Honeywell

























TEXTURED PROTECTIVE COATING

PREDATOR is a fast dry 2K HS PU texture coating suitable as a bed liner, under body deadener and as an exterior protective texture and barrier coating for all types of vehicles which require high resistance and protection to withstand abrasion, chipping, scratching, marking, impact, and more.

IMPACT, SCRATCH, CHIP, CORROSION, WATER, CHEMICAL **& UV RESISTANT!**

Can be used on various substrates:









CONTACT US FOR MORE INFORMATION

SIMPLE TO USE!





POUR

SHAKE





SPRAY

ROLL

Colours available:







PRIMERS, SURFACERS & HARDENERS

TYPE	CODE	NAME	RATIO	PACK SIZE
Primer	AT305	Auto 1K Etch Primer Light Grey		1L, 4L, 20L
Primer / Surfacer	AT820	Auto 2K All Purpose Primer Surfacer	4:1	4L
Hardener	AT820F	Auto 2K High Solid Primer Surfacer Hardener Fast	4:1	1L
Hardener	AT820M	Auto 2K High Solid Primer Surfacer Hardener Medium	4:1	1L
Hardener	AT820S	Auto 2K High Solid Primer Surfacer Hardener Slow	4:1	1L
Primer / Surfacer	AT825	Auto 2K Wet On Wet Primer Surfacer Grey	4:1	4L
Hardener	AT825F	Auto 2K Wet On Wet Primer Surfacer Hardener Fast	4:1	1L
Hardener	AT825M	Auto 2K Wet On Wet Primer Surfacer Hardener Medium	4:1	1L
Hardener	AT825S	Auto 2K Wet On Wet Primer Surfacer Hardener Slow	4:1	1L
Primer	ATE215	Auto 2K Wet On Wet Epoxy Primer Light Grey	4:1	4L
Hardener	ATE215	Auto 2K Wet On Wet Epoxy Primer Hardener	4:1	1L
Primer	PE801	Auto 2K All in One Polyester Primer Surfacer (Grey, Black, Red, Buff, White, Dark Grey)	4L:80ml	4L
Hardener	PE800	Auto 2K All in One Polyester Hardener	4L:80ml	100ml

BASECOAT

TYPE	CODE	NAME	RATIO	PACK SIZE
Basecoat	AT888	Auto 1K Premium Basecoat	1:1	1L - 20L

TOPCOATS, CLEARCOATS & HARDENERS

TYPE	CODE	NAME	RATIO	PACK SIZE
Topcoat	AT100	Auto 2K Premium Matt Black	4:1	4L
Hardener	AT100	Auto 2K Premium Topcoat Hardener	4:1	1L
Clearcoat	AT150	Auto 2K Premium Gloss Clear	2:1	4L, 20L
Topcoat	AT151	Auto 2K Premium Gloss White	2:1	4L
Topcoat	AT152	Auto 2K Premium Gloss Jet Black	2:1	4L
Hardener	AT150F	Auto 2K Premium Gloss Hardener Fast	2:1	2L, 5L
Hardener	AT150M	Auto 2K Premium Gloss Hardener Medium	2:1	2L, 5L
Hardener	AT150S	Auto 2K Premium Gloss Hardener Slow	2:1	2L, 5L
Clearcoat	AT883	Auto 2K Gloss Clear	3:1	5L
Hardener	AT883UF	Auto 2K Hardener Ultra Fast	3:1	1.67L
Hardener	AT883F	Auto 2K Hardener Fast	3:1	1.67L
Hardener	AT883M	Auto 2K Hardener Medium	3:1	1.67L
Hardener	AT883S	Auto 2K Hardener Slow	3:1	1.67L
Clearcoat	AT884	Auto 2K All Purpose Gloss Clear	4:1	5L
Hardener	AT884UF	Auto 2k All Purpose Hardener Ultra Fast	4:1	1.25L
Hardener	AT884F	Auto 2k All Purpose Hardener Fast	4:1	1.25L
Hardener	AT884M	Auto 2k All Purpose Hardener Medium	4:1	1.25L
Hardener	AT884S	Auto 2k All Purpose Hardener Slow	4:1	1.25L

REDUCERS & CLEANERS

TYPE	CODE	NAME	RATIO	PACK SIZE
Reducer	AT305	Auto 1K Etch Primer Reducer		4L, 20L
Reducer	AT311	Auto All Purpose Wax & Grease Remover Fast		4L, 20L
Reducer	AT312	Auto All Purpose Wax & Grease Remover Regular		4L, 20L
Cleaner	AT316	Auto All Purpose Universal Cleaner		750ml, 5L, 20L
Reducer	AT550	Auto Basecoat Reducer		4L, 20L
Reducer	AT551	Auto Medium Basecoat Reducer		4L
Reducer	AT552	Auto Slow Basecoat Reducer		4L
Reducer	AT650	Auto 2K All Purpose Reducer Fast		4L, 20L
Reducer	AT651	Auto 2K All Purpose Reducer Medium		4L, 20L
Reducer	AT652	Auto 2K All Purpose Reducer Slow		4L, 20L
Reducer	ATE100	Auto 2k Wet On Wet Epoxy Primer Reducer		4L
Cleaner	AT318	Auto All Purpose Anti-static Cleaner		4L, 20L

PREDATOR TEXTURED PROTECTIVE COATING

TYPE	CODE	NAME	RATIO	PACK SIZE
Protective Coating	AT845	Predator Textured Protective Coating (Black, White, TIntable)	4:1	800ml, 4L, 20L
Hardener	AT845	Predator Textured Hardener	4:1	200ml, 1L, 5L

GTSR CONTROL UNIT PRODUCTS



TYPE	CODE	NAME	RATIO	PACK SIZE
Primer	ATGTSR	Auto 2K Premium Grey Undercoat*	4:1	4L
Hardener	ATGTSR	Auto 2K Premium Undercoat Hardener*	1:4	1L

^{*}GTSR Undercoat & Hardener is only available to applicators certified to use the GTSR Control Unit.

ACCELERATE YOUR EFFICIENCY.

GTSR is the patented, revolutionary new curing system with multiple benefits that can drastically reduce production times in your workshop!

NO NO NO NO NO UV CURING! BAKING! INFRA RED!

- **✓ PREMIUM AUTOMOTIVE PRODUCTS**
- ✓ GTSR SUPPORT PACKAGE

 Including installation, training & maintenance!
- **✓** GTSR PERFORMANCE GUARANTEE





Ask if you qualify to receive the GTSR Control Unit with no capital outlay!*

*Terms & conditions apply. Contact Trevor for further information.



GAS TREATMENT SYSTEM REFINISHING

Automotive finishes that stand the test of time.



For more information, contact your sales representative today or call

1300 BCCOAT (222 628)

www.bccoatings.com.au



