Recommended Use:

- Cutting / Heavy Stock Removal on Metal & Fiberglass
- Auto body panels, frame rail, exhaust pipes, clamps & rusted bolts
- Never use cut-off wheels for grinding
- Cut-off wheels are attached to a cut-off wheel tool (sold separately) and must always be used with a wheel guard for safety.

3M Cubitron II Cut-Off Wheel

SKU: GABR3M33456

With Precision Shaped Grain, these discs are engineered to cut faster than competitive ceramic products offering significant productivity gains. The collision repair professionals value its fast cutting action on heat-sensitive metals and its cutting efficiency, yielding 2 to 7x more cuts than conventional cut-off wheels in many cases.



BULK PRICES AVAILABLE

Backing Material: Film
Centre Hole Diameter: 9.398 mm
Attachment Type: Hook & loop
Coat Type: Closed coat
Industries: Cabinetry, Custom

Woodworking and Millwork, Furniture, Primary Wood and Panel Processing

Max Speed: 12,000 RPM
Mineral Type: Aluminum Oxide
Machines: Random Orbital Sanders
For Use On:

• Composites

Paint

Solid SurfaceTopcoats

Use: Wet or dry
Pack Size: Single



Back-up Pad SKU: GPAD3M05503

Page 50

3M Trizact Hookit Film Disc - 150mm

Manufactured using proprietary micro-replication technology where micron-graded oxide particles are formed into tiny pyramids of abrasive mineral and then coated on a film backing. As these pyramids wear, fresh, sharp mineral is continually exposed to produce a consistent cut and fine finish.

Trizact abrasives produce a finer finish, achieve fast results, and last long. The Trizact Hookit Film Disc is suitable for use on a variety of solid surfaces, topcoats, and to accommodate most finishes.

With 3M Hookit attachment system for quick mounting and removal and to hold the disc securely in place during use on rotary or random orbital tools. They can be removed cleanly and easily, and can be re-used for the life of the disc. This disc can be run wet or dry.

- Predictable finishes, improved, consistent results
- Creates high gloss level for glass defect repair and solid surface finishing
- Produces a high-gloss finish
- Suited for mini random orbital sanders to produce a polish-ready finish
- Finer finishes than paper & film-backed abrasives

Colour	Code	Grade	Mineral Type	SKU	Price (each)
Blue	268XA	A10	Aluminium Oxide	GABR3M27491	
Green	268XA	A35	Aluminium Oxide	GABR3M27490	
White	568XA		Cerium Oxide	GABR3M27497	


3M 255P Hookit

51 61 11 1 6 11 6101

Uses an aluminium oxide mineral with a heavy paper backing. From preparation to finish, abrasives play a key role in all bodyshop processes. Aluminium oxide paper abrasive sheet. Uses. Hookit attachment system.

Disc Size	Holes	Grit	SKU	Pack Size	Price
		80	GABR3M0H080		
		120	GABR3M0H120		
		150	GABR3M0H150		
150 mm	0 Hole	180	GABR3M0H180	Pack of 100	
		240	GABR3M0H240		
		320	GABR3M0H320		
		400	GABR3M0H400		
Disc Size	Holes	Grit	SKU	Pack Size	Price
		80	GABR3M15H080		
		80 100	GABR3M15H080 GABR3M15H100		
150 mm	15 Holoo	100	GABR3M15H100	Pools of 100	
150 mm	15 Holes	100 120	GABR3M15H100 GABR3M15H120	Pack of 100	
150 mm	15 Holes	100 120 150	GABR3M15H100 GABR3M15H120 GABR3M15H150	Pack of 100	
150 mm	15 Holes	100 120 150 180	GABR3M15H100 GABR3M15H120 GABR3M15H150 GABR3M15H180	Pack of 100	







3M 260L Hookit Discs - 150mm

SKU: GABR3M15H1500

The discs combine a durable film backing with a fast cutting, long lasting aluminium oxide mineral abrasive for a consistent finish. It's ideal for refined automotive finishing work.

- · Fast cut and long disc life
- Keep dust away with 15 hole design
- Change discs easily with Hookit system

Grits Available: 1500 grit only

Holes: 15

Abrasive Material: Aluminium Oxide

Suggested Applications:

Automotive applications including blending, scuffing, paint prep and removing paint defects.

Pack Size: Pack of 50



3M Cubitron II Hookit Clean - 150mm

- Use for fine feather-edging, last final sanding step before priming, or prepping before blending
- · Speed, comfort and long life
- Long lasting, fast acting disc for paint removal & feather-edging
- Multi-hole pattern for excellent dust extraction

Grit	SKU	Pack Size	Price
40	GABR3M31370	25	
80	GABR3M31371	50	
180	GABR3M31374	50	
240	GABR3M31482	50	
320	GABR3M31483	50	
400	GABR3M31484	50	

Abrasive Material: Aluminium Oxide Suggested Applications:

Automotive applications including blending, scuffing, paint prep and removing paint defects.



BCnet Sanding Discs - 150mm

BCnet is specially developed for the automotive refinishing industry but is also highly effective for most sanding applications including marine, metal, wood and composite processing.

A combination of high performance and a long lifespan makes it a cost-effective solution.

Designed for dry sanding, by machine or by hand, the true dust-free sanding characteristics result in a cleaner work environment, as well as a better surface finish.

Size	Grit	SKU	Price
	80	GABRBCN150MM080	
	120	GABRBCN150MM120	
	150	GABRBCN150MM150	
150mm	180	GABRBCN150MM180	
	240	GABRBCN150MM240	
	320	GABRBCN150MM320	
	400	GABRBCN150MM400	

Grain: Aluminium oxide

Color: Grey

Backing: PA net / PES net **Bonding:** Resin over resin

Coating: Closed
For Use On:

- · Paint stripping / removal
- · Paint sanding
- Lacquers
- Plaster / PuttyPlastics
- Body filler
- Primer
- Glass fibre

Pack Size: Pack of 50



Sunmight Film Velcro Discs

A premium product with strong and even surface film backing that allows better surface finish and longer life. It is also great for corner and edge sanding without problems with tearing.

Size	Grit	SKU	Price
	400	GABRSUN75MM0400	
75mm	800	GABRSUN75MM0800	
	1500	GABRSUN75MM1500	

Grain: Premium Aluminum Oxide

Color: Green
Backing: Velcro

Bonding: Phenolic Resin

Coating: Open Application:

- Automotive
- Marine
 - Aerospace
- Wood & Metal

Pack Size: Pack of 50

Festool Granat Abrasive Disc

The StickFix Granat sanding discs are a special abrasive for repairing compounds, fillers and paintwork.

Recommended for VOC clear coats and hard undercoats. A premium abrasive composed of hardened Aluminium Oxide and Ceramic Grit for scratch resistant coatings and high VOC coatings.


Jetstream design delivers highly efficient dust removal, resulting in cleaner air and better finishes. StickFix hook and loop design for quick and efficient abrasive changes.



Disc Size	Holes	Grit	SKU	Pack Size	Price
		100	GABRFES497168		
		120	GABRFES497169		
		150	GABRFES497170		
		180	GABRFES497171		
125 mm	9 Holes	220	GABRFES497172	Pack of 100	
123 11111	3110165	240	GABRFES497173		
		280	GABRFES497174		
		320	GABRFES497175		
		360	GABRFES497176		
		400	GABRFES497177		
Dies Cies	Heles	Cuit	CIVII	Dook Cine	Drice



Disc Size	Holes	Grit	SKU	Pack Size	Price
		40	GABRFES575160	Pack of 50	
		80	GABRFES575162	Pack of 50	
		120	GABRFES575164		
		150	GABRFES575165		
		180	GABRFES575166		
150 mm	48 Holes	220	GABRFES575167		
		240	GABRFES575168	Pack of 100	
		280	GABRFES575169		
		320	GABRFES575170		
		400	GABRFES575172		
		500	GABRFES575173		



Grain: Ceramic / Aluminium oxide Backing: Latex paper, C-Paper Bonding: Low VOC resin system Coating: Semi-open

Suitable Uses: Automotive
Refinishing, Construction &
Decoration, Wood Processing,
Composites Processing, Marine
Industry, Vehicles Manufacturing
Suitable Materials: Hard wood,
MDF / HDF, Mild steel / carbon steel,
Non-ferrous metal, Paint stripping /
removal, Paint sanding, Lacquers,
Plaster / Putty, Body filler, Primer,
Plastics, Solid surface, Soft / Resinous
wood, Stainless steel, Steel, Synthetic
materials, Veneer, Chipboard,
Composites, Copper alloys / brass /

bronze, Glass fibre

800

Mirka Iridium Sanding Discs

A premium paper abrasive for universal sanding. Perfected for speed and efficiency, it has a mix of ceramic and aluminium oxide grains with precision coating that prevents clogging. It practically repels dust and lifetime is increased as the grains stay sharp for longer. Iridium delivers amazing results on both soft and hard surfaces, making it the ideal paper abrasive choice for professionals in any industry. Perfect for paint removal to primer sanding, Iridium is an excellent automotive sandpaper. When used together with our Mirka sanding tools and dust extractors you can enjoy a dustless work environment.



BULK PRICES AVAILABLE


Grit	Size	Pack size	SKU	Price	Grit	Size	Pack size	SKU	Price
40		50 pack	GABRMII121H040		80			GABRMII133H080	
60		50 pack	GABRMII121H060		120			GABRMII133H120	
80			GABRMII121H080		150			GABRMII133H150	
120			GABRMII121H120		180	200mm		GABRMII133H180	
150	150mm		GABRMII121H150		240	133	50 pack	GABRMII133H240	
180			GABRMII121H180		320	holes		GABRMII133H320	
240	121	100 pack	GABRMII121H240		400			GABRMII133H400	
320	holes	100 pack	GABRMII121H320		500			GABRMII133H500	
400			GABRMII121H400		600			GABRMII133H600	
500			GABRMISA15H500						
600			GABRMISA15H600						

GABRMISA15H800

Smirdex 740 Velcro Abrasive Discs

Ceramic discs are fast cutting and long lasting. A water based sterate coating provides maximum load resistance. Suitable for Automotive / Marine applications.

The self-sharpening ceramic grain ensures consistently aggressive sanding with low contact pressure. Perfect for scratch-resistant varnishes, e-coats, primers and composites, Ceramic 740 provides higher removal rates.



Size	Grit	Holes	SKU	Pack Size	Price
	120		GABRSMI0H120		
	150		GABRSMI0H150		
	180		GABRSMI0H180		
150 mm	240	0 Holes	GABRSMI0H240	Pack of 100	
150 11111	320	U Holes	GABRSMI0H320	Pack of 100	
	400		GABRSMI0H400		
	500		GABRSMI0H500		
	600		GABRSMI0H600		
Size	Grit	Holes	SKU	Pack Size	Price
	120 150		GABRSMI15H120		
			GABRSMI15H150		
	180		GABRSMI15H180		
	240		GABRSMI15H240		
150 mm	320	15 Holes	GABRSMI15H320	Pack of 100	
	400		GABRSMI15H400		
	500		GABRSMI15H500		
	600		GABRSMI15H600		
c:	College College		CIAL	David Circ	p.t.
Size	Grit	Holes	SKU	Pack Size	Price
	120		GABRSMI8H120		
	150		GABRSMI8H150		
	180		GABRSMI8H180		
203 mm	240	8 Holes	GABRSMI8H240	Pack of 100	
	320		GABRSMI8H320		
	400		GABRSMI8H400		
	500		GABRSMI8H500		

Smirdex 750 Velour Net Abrasive Discs

The net fabric structure permits the maximum absorption of sanded particles, providing dust-free sanding and cleaner surfaces. This contributes to a cleaner work environment. Smirdex Net delivers better productivity and profitability since clogging is minimized, offering the possibility of higher performance and better surface finishing.

Thanks to the ceramic grains it contains, Smirdex Net is ideal for tougher and more demanding applications such as hard wood and other surface materials. It also offers an excellent performance and lifespan on primer sanding.



Size	Grit	Holes	SKU	Pack Size	Price
	120		GABRSMI150MM120		
	150		GABRSMI150MM150	Pack of 50	
	180		GABRSMI150MM180		
150	240	0.1.1-1	GABRSMI150MM240		
150 mm	320	0 Holes	GABRSMI150MM320		
	400		GABRSMI150MM400		
	500		GABRSMI150MM500		
	600		GABRSMI150MM600		

Size	Grit	Holes	SKU	Pack Size	Price
	120		GABRSMI203MM120		
	180		GABRSMI203MM180	Pack of 50	
	240		GABRSMI203MM240		
200 mm	320	0 Holes	GABRSMI203MM320		
	400		GABRSMI203MM400		
	500		GABRSMI203MM500		
	600		GABRSMI203MM600		

3M 255P Fre-cut Sandpaper

Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

Grit	Dimensions	SKU	Pack Size	Price
80		GABR3MSP080		
100	230 mm x 280 mm	GABR3MSP100	Pack of 50	
120		GABR3MSP120		
150		GABR3MSP150		
180		GABR3MSP180		
220		GABR3MSP220		
240		GABR3MSP240		
320		GABR3MSP320		
400		GABR3MSP400		



Attachment Type: None Backing Material: Paper Backing Weight: A Weight Mineral Type: Silicon Carbide Overall Length: 228.6 x 139.7 mm

Vacuum Support: No

Sanding Surface: Clear Coat, Clear

Plastic, Paint, Primer Pack Size: Pack of 50

3M 401Q Wetordry Abrasive Sheet

Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's fastest cutting, longest lasting abrasive for saving labour costs and improving quality.

Hand sanding alternative used in step one of the 3M™ Trizact™ Spot and Small Panel Repair System.

Durable backing resists tearing and wrinkling.

Grit	SKU	Pack Size	Price
1500	GABR3M02023	Pack of 50	
2000	GABR3M02044	Fack of 50	



BULK PRICES AVAILABLE

Backing Weight: A Weight, C Weight Bonding Type: Resin Mineral Type: Silicon Carbide Overall Length: 280 x 230mm

Pack Size: Pack of 50

3M 734 Wetordry Paper Sheet

3M Wetordry Paper Sheet 734 is a sharp, abrasive silicon carbide material on a flexible and conformable water resistant paper backing.

With a long product life and good surface quality, it is suitable for use on laminated and/or coated surfaced, fillers, metal, plastics, acrylics and other solid surface materials.

- · Longer life
- Good surface quality
- Flexible and conformable water resistant backing

Grit	SKU	Pack Size	Price
600	GABR3M02008		
800	GABR3M02007	Pack of 50	
1000	GABR3M02006	Fack of 50	
1200	GABR3M02005		



Dimensions: 230 mm x 280 mm Features:

- Optimal aggressiveness to achieve fast and efficient stock removal
- · Possesses high heat endurance
- · A fully resin bonded product
- Extremely good performance in sanding of hard wood & composites

Mirka Q.Silver Fre-cut Sandpaper

With a backing consisting of a flexible and strong impregnated latex paper, Q.Silver features optimal aggressiveness, resulting in fast and efficient stock removal. The high heat endurance of this fully resin bonded abrasive makes it ideal for tough tasks.

Grit	SKU	Pack Size	Price
80	GABRMISSP080	Pack of 25	
120	GABRMISSP120		
150	GABRMISSP150		
180	GABRMISSP180	Pack of 50	
240	GABRMISSP240	Fack of 50	
320	GABRMISSP320		
400	GABRMISSP400		





Mirka Ecowet Sandpaper

Ecowet is ideal for manual wet sanding of lacquered surfaces between coats as well as for fixing defects in the lacquer. Ecowet is also suitable for removal of orange peel structure and for spot mark repair. The use of a sanding block is recommended, in order to obtain a smooth surface with a smooth sanding pattern.

Grain: Aluminium oxide/Silicon carbide

Color: Black

Backing: D-paper/B-paper **Bonding:** Resin over resin **Coating:** Closed

Grit	Dimensions	SKU	Pack Size	Price
1000		GABRMIRWD1000		
1200	230 mm x 280 mm	GABRMIRWD1200	Pack of 50	
1500		GABRMIRWD1500		
2000		GABRMIRWD2000		



Smirdex 740 Fre-Cut Sandpaper

Ceramic discs are fast cutting and long lasting. A water based sterate coating provides maximum load resistance. The self-sharpening ceramic grain ensures consistently aggressive sanding with low contact pressure and provides higher removal rates.

Grit	SKU	Pack Size	Price
120	GABRSMISP120		
150	GABRSMISP150		
180	GABRSMISP180	Pack of 50	
240	GABRSMISP240	FACK OF 50	
320	GABRSMISP320		
400	GABRSMISP400		

Applications:

- Automotive
- Marine
- · Scratch-resistant varnishes
- E-coats
- Primers
- Composites



SIA 1748 Sandpaper

Sia 1748 Sandpaper is used as a specialist product for preparation for polishing and lacquering, 1748 sialac produces perfect results.

Grit	SKU	Pack Size	Price
100	GABRSIASP100		
120	GABRSIASP120		
180	GABRSIASP180		
240	GABRSIASP240	Pack of 50	
320	GABRSIASP320		
400	GABRSIASP400		
500	GARRSIASP500		

Materials: Silicon Carbide

Dimensions: 230mm x 280mm Use: Solid surface material, Plastics, Primer coat, Body filler, Primer filler, PU lacquer, NC lacquer, UV lacquer, Water-based varnish, Polyester lacquer, Acrylic lacquer

Applications:

- Final sanding to prepare for polishing
- Final sanding to prepare for painting
- Intermediate sanding of lacquers
- · Final sanding of profiled workpieces
- · Keying of primers and fillers



BULK PRICES

AVAILABLE

SIA 1913 Waterproof Sandpaper As a leading wet use abrasive, the 1913 siawat

aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

Grit	SKU	Pack Size	Price
600	GABRSIAWD0600	Pack of 100	
800	GABRSIAWD0800	Pack of 100	
1200	GABRSIAWD1200	Pack of 100	
2000	GABRSIAWD2000	Pack of 100	

Materials: Aluminium oxide, Silicon carbide

Use: Colour, Primer filler, Primer coat, Epoxy primer coat, Old lacquer, Lacquer, Body filler and Plastics.

Applications:

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flatting body filler and primer filler
- Fine sanding primer filler
- Keying old and new lacquers
- Paint runs, orange-peel, dust removal

Features:

- · Highly adaptable to contours
- May be used wet or dry
- Ongoing market-leading wet abrasive

Festool Granat Abrasive Sheets

StickFix Granat sanding sheets are a special abrasive for repairing compounds, fillers and paintwork.

Granat sheets are for repairing modern paint systems, processing hard sub layers and processing plastics, mineral materials, acrylic, repair compounds and fillers.

Recommended for VOC clear coats and hard undercoats. A premium abrasive composed of hardened Aluminium Oxide and Ceramic Grit for scratch resistant coatings and high VOC coatings.

Jetstream design delivers highly efficient dust removal, resulting in cleaner air and better finishes. StickFix hook and loop design for efficient abrasive changes.



	Grit	SKU	Pack Size	Price
	40	GABRFES497117		
	60	GABRFES497118	Pack of 50	
	80	GABRFES497119		
	120	GABRFES497120		
	150	GABRFES497121	D1	
(1110 100)	180	GABRFES497122		
	240	GABRFES497124	Pack of 100	
	320	GABRFES497125		
	400	GABRFES497126		
	0 x 133 mm RTS 400)	80 120 0 x 133 mm RTS 400) 150 180 240 320	80 GABRFES497119 120 GABRFES497120 150 GABRFES497121 180 GABRFES497122 240 GABRFES497124 320 GABRFES497125	80 GABRFES497119 120 GABRFES497120 150 GABRFES497121 180 GABRFES497122 240 GABRFES497124 320 GABRFES497125



Size	Dimensions	Grit	SKU	Pack Size	Price
1/3 Sheet 93 x 178 mm (RS 300)		80	GABRFES498935	Pack of 50	
	120	GABRFES498936			
	150	GABRFES498937			
	93 x 178 mm	180	GABRFES498938	Pack of 100	
	(RS 300)	240	GABRFES498940		
		280	GABRFES498941		
		320	GABRFES498942		
		400	GABRFES498943		



Size	Dimensions	Grit	SKU	Pack Size	Price
		80	GABRFES498946	Pack of 50	
	150	GABRFES498948			
	1/2 Sheet	180	GABRFES498949	Pack of 100	
1/2 Sheet		240	GABRFES498951		
(10 200)	280	GABRFES498952	Pack of 100		
	320	GABRFES498953			
		400	GABRFES498954		




Suitable for	Dimensions	Grit	SKU	Pack Size	Price
		40	GABRFES497135	Pack of 50	
		60	GABRFES497136		
		80	GABRFES497137		
DS 400 or DTS 400	100 x 150 mm (Delta)	100	GABRFES499630	Pack of 100	
		120	GABRFES497138		
		150	GABRFES497139		
		180	GABRFES497140		
		240	GABRFES497142		
		320	GABRFES497143		
		400	GABRFES497144		



Smirdex 510 White Line Ironhead Abrasive Sheets

Suitable for the car body repair and marine industry, the finer grits are recommended for the furniture industry. It can be used for sanding wallboards and plasters in building constructions.







3M 255P 115mm x 50m Rolls

The 3M Paper 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

Grit	SKU	Pack Size	Price
80	GABR3MROLL080		
120	GABR3MROLL120		
180	GABR3MROLL180	1 Roll	
240	GABR3MROLL240		
320	GABR3MROLL320		

Backing Weight: C Weight Bonding Type: Resin Mineral Type: Aluminum Oxide Dimensions: 115mm x 50m

Attachment Type: Hook & Loop Backing Material: Paper Backing Weight: C Weight Form Type: Clean Sanding Mineral Type: Precision Shaped Ceramic

Product Form: Sheet Roll Vacuum Support: Yes Wet or Dry: Dry



3M Cubitron II Clean Sanding Rolls

3M Cubitron II Hookit Clean Sanding Sheet Rolls combines the highest 3M technology for automotive repair. Its long-lasting triangular shaped grain and multi-hole pattern for superior dust extraction make it ideal for paint removal, rough body filler shaping. fine feather-edging or final prep before blending or priming. The Hookit system makes for quick change-outs of abrasive sheets.

Grit	SKU	Dimensions	Price	Grit	SKU	Dimensions	Price
40	GABR3M34440	70mm x 8m		80	GABR3M34462		
80	GABR3M34442			120	GABR3M34464		
120	GABR3M34444			180	GABR3M34466	115mm x 12m	
180	GABR3M34446	70mm x 12m		240	GABR3M34468		
240	GABR3M34448			320	GABR3M34469		
320	GABR3M34449						



3M Stikit Blue Abrasive Sheet Rolls 321U

Delivers best-in-class performance at every stage of paint preparation and body repair. Premium aluminium oxide mineral is blended with ceramic grain for a full range of automotive sanding applications. Anti-loading coating reduces loading from dust and extends sheet life. Roll easily tears to make sizing the sheets fast and easy for reduced product waste.

Grit	SKU	Dimensions	Price
120	GABR3M36219		
180	GABR3M36221	70 X 27mm	
240	GABR3M36223		
320	GABR3M36225		
400	GABR3M36226	70 X 41mm	
600	GABR3M36228		

Attachment Type: PSA Backing Material: Paper Backing Weight: C Weight Mineral Type: Ceramic Aluminum

Sanding Method: Hand, Machine

Vacuum Support: No Wet or Dry: Dry



3M Scotch-Brite Multi-Flex Rolls

3M Scotch-Brite Economic Multi Flex Rolls work quickly and economically in sanding sealer, denibbing, defuzzing, highlighting and topcoat finishing applications (both solvent and waterbased). Extremely "scrunchable". Can be folded, stacked, or rolled.

Grit	Colour	SKU	Price
Ultra Fine	Grey	GABR3MGREY	
Very Fine	Maroon	GABR3MMAROON	

Mineral Type: Silicon Carbide Dimensions: 203 mm x 6 m Pack Size: 60 perforated sheets per roll

Attachment Type: Hook & Loop Backing Material: Film Mineral Type: Aluminum Oxide **Dimensions:** 171 mm x 139.7 mm Sanding Method: Hand Sanding Surface: Clear Coat Wet or Dry: Wet or Dry

Grit: 600 grit Pack Size: Pack of 25

3M 270J Hookit Flexible Abrasive Hand Sheet

SKU: GABR3M34339

3M Hookit Flexible Abrasive Hand Sheets feature a very thin, extremely flexible film backing that conforms effortlessly to tools and contoured surfaces.

A softer, closer "feel" helps you minimize burnthrough for longer sheet life and to achieve more refined finishes. And Hookit sheets can be quickly wrapped around accessory pads or attached to tools for total versatility.



Dimensions: 114 mm x 139.7 mm Mineral Type: Aluminum Oxide Use: Suitable for wrapping around hand tools

Packaging: 20 sheets per roll

(per box)

Grit	SKU
320	GABR3M35109
400	GABR3M35110
600	GABR3M35111
800	GABR3M35112
1000	GABR3M35113
1200	GABR3M35114
1500	GABR3M35115
2000	GABR3M35116

3M Grippy Sanding Cloths

3M Grippy Sanding Cloths are designed for hand sanding application in paint preparation and paint finishing processes.

They combine excellent cut and finish performance with high flexibility, conformability and superior grip allowing the user to hold the product easily with or without an accessory in wet, dusty environments or even oily surfaces. Grippy provides a unique and soft feel and is excellent for sanding panel edges and parts that involved hard-to-reach areas.





Backing Material: Polyester Backing Weight: XE Weight Bonding Type: Resin

Mineral Type: Precision Shaped

Product Form: Belt Wet or Dry: Dry

Use: With the 3M File Belt Sander

3M Cubitron II File Belt 786F

3M Cubitron II File Belt 786F is a 3M best-in-class abrasive belt, designed for use with the 3M File Belt Sander, for tasks like grinding out rivets and removing spot welds. 3M Precision Shaped Grain is resin-bonded on a heavy duty backing for a more consistent finish, cooler operation and two times more belt life. The resin bond and a grinding aid keep this belt cutting cool and sharp.

Ideal for tough detail work like cleaning, deburring, blending and finishing as well as working in small confined spaces. The exceptionally fast cut and long life of 3M ceramic abrasive grain enable this slim belt to accomplish a remarkable degree of work.

- Grains of ceramic/aluminum oxide blend are precisely-shaped, uniform and vertically oriented
- Slices through hard metal for fast cut
- Cubitron II abrasives run cooler, reducing risk of metal discoloration and heat related stress cracks
- · Cooler running on high-strength steel
- Long-lasting and performs consistently
- Easily grinds out rivets and spot welds

Grit	SKU	Dimensions	Pack Size	Price
60	GABR3M33439	10mm x 330mm	Pack of 10	
80	GABR3M33440	10mm x 330mm	Pack of 50	
36+	GABR3M33449	20mm x 520mm	Pack of 10	
60+	GABR3M33451	20mm x 520mm	Pack of 10	



BULK PRICES



3M Flexi Sanding Block

SKU: GABR3MSSFINE100

- For hand sanding wooden parts, cleaning metals
- Flexible, comfortable, washable and re-usable

Abrasive Material: Aluminum Oxide

Body Material: Foam Dimensions (L x W x H): 100 x 68 x 26 mm

Grit: Fine (03801) only Pack Size: Box of 24



Festool Granat Rectangle Abrasive Sponge

4 sided sturdy abrasive sponge. Ideal for sanding edges, rebates and profiled rails. For eliminating defects such as paint sagging and dust inclusions.

Grit	SKU	Price
36	GABRFES201080	
60	GABRFES201081	
120	GABRFES201082	
220	GABRFES201083	

Dimensions (L x W x H):

69 mm x 98 mm x 26 mm

Pack Size: 6 Pack Use:

- · Sanding edges
- Rebates
- Profiles rails
- Old & new coats
- · VOC coats
- Paints
- · Repair compound
- · Fillers & Wood



Festool Granat Concave Abrasive Sponge

SKU: GABRFES201084

4 sided sturdy abrasive sponge. Ideal for sanding edges, rebates and profiled rails. For eliminating defects such as paint sagging and dust inclusions.

Dimensions (L x W x H):

69 mm x 98 mm x 26 mm

Pack Size: 6 Pack Use:

- · Sanding edges
- Rebates
- Profiles rails
- Old & new coats
- VOC coats
- Paints
- · Repair compound
- · Fillers & Wood



SIA 7990 Sanding Block

For quick and easy treatment, this handy sanding block achieves excellent results on wood, plastics, paints, lacquers and also on composites due to its high edge stability. Coated on all four sides, ideal for use inside rebates and on flat surfaces.

Туре	Colour	Grit		SKU	Price
Four-sided	Orange	Medium	180-240	GABRSIASBDMEDIUM	
Four-sided	Yellow	Fine	220-320	GABRSIASBDFINE	
Four-sided	Green	Superfine	320-500	GABRSIASBSUPERFINE7990	
Combination block	Green	Fine	320-500	GABRSIASB7990FINE	

Materials:

- · PU foam (hard)
- Elastic binder
- Aluminium oxide

Coating: Four-sided

Applications:

- Keying of wood, metal and plastic prior to application of paint
- Fine sanding primer filler
- Intermediate sanding of varnishes on surfaces and curves
- · Keying rebates and slight curves

Use: Wet or dry

Dimensions: 98 x 69 x 26mm Pack Size: Pack of 10



Smirdex 920 4 Sided Abrasive Sponges

Due to their flexibility, 920 Abrasive Sponges can be used either for dry or wet sanding of flat, contoured and moulded surfaces of metal, plastics and paintwork.

These sponges are made of high quality foam and are coated with aluminium oxide grains and bonded by special resin.

Grit	SKU	Price
Medium	GABRSMISAS4M	
Fine	GABRSMISAS4F	
Very Fine	GABRSMISAS4VF	

Materials:

- · High quality foam
- · Aluminium oxide

Wet or dry

Flat, contoured or moulded surfaces

Applications

- Metal
- Plastics
- Paintwork

Dimensions: 100 x 70 x 25 mm Pack Size: Pack of 24

Abrasive Material: Aluminum Oxide Dimensions: 115 x 140 mm

Use: Wet or dry , Wood, Paint, Metal, Plastic, Drywall

Features: Conformable, comfortable, flexible and convenient.

Pack Size: Box of 20

3M Soft Back Sanding Sponges

Perfect for and more. The full thickness medium sponge is perfect for preparing old bottom paint for a new coat; used wet, it keeps the air clean of dust.

Grade	SKU	Price
Super Fine (400 grit)	GABR3MSSS/FINE	
Fine (120 grit)	GABR3MSSFINE	
Medium (80 grit)	GABR3MSSMEDIUM	



Dimensions: 98 x 120 x 13 mm

Use: 2 sided flexible abrasive sponge for fine and intermediate sanding of profiles and moulded surfaces.

Pack Size: Pack of 6

Festool Granat Abrasive Sponge

2 sided flexible abrasive sponge ideal for sanding rounded profiles and moulded surfaces.

Grit	SKU	Price
60	GABRFES201112	
120	GABRFES201113	
220	GABRFES201114	
800	GABRFES201507	



Dimensions: 115 mm x 25 metres

Use: Alloy wheel repair, hand sanding primer without leaving finger marks, use moist or dry

Features:

- Uniform finish
- · Conformable foam backing
- · Fast cut, long life without loading
- Minimise "difficult to cover" sand scratches that prove challenging for water based paints

Pack Size: Roll - 25 metres long

Norton Rotolo Abrasive Foam Roll

These pre-cut sheets are conveniently packaged in roll form, ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats.

Grit	SKU	Price
180	GABRNORSF180	
240	GABRNORSF240	
320	GABRNORSF320	
400	GABRNORSF400	
600	GABRNORSF600	



Dimensions: 115 mm x 25 metres

Roberlo RS56 Gold Foam Roll

High quality and very flexible abrasive sponge.

Grit	SKU	Price
180	GABRLMR180GF	
240	GABRLMR240GF	
320	GABRLMR320GF	
400	GABRLMR400GF	
500	GABRLMR500GF	
600	GABRLMR600GF	
800	GABRLMR800GF	



Applications: Automotive,

Composites, Wood

Backing: A-wt flexible latex paper on 4mm foam

Bonding: Resin over resin Coating: Open, Special stearate

coating against clogging and loading Special features: Suitable for wet

sanding, foam backing Grain: Special aluminum oxide

(ALOX)

Smirdex Abrasoft Sponge Roll

The Aluminium Oxide grains provide fast sanding results, while the open coat structure and the stearate top coat enhance durability and prevent clogging and loading.

Grit	SKU	Price
180	GABRSMIAS180	
240	GABRSMIAS240	
320	GABRSMIAS320	
400	GABRSMIAS400	
500	GABRSMIAS500	
800	GABRSMIAS800	



Grain: Premium Aluminum Oxide

Backing: Latex Paper Bond: Phenolic Resin Coating: Open Coat

Sunmight Gold Soft Flex Sponges

Made with premium aluminum oxide grain, high quality latex paper, and strong phenol resin. The best combination of performance, reliability, and value. Ideal for automotive, marine and furniture finishing.

Grit	SKU	Price
240	GABRSUNPAD240	
400	GABRSUNPAD400	





Mirka Abralon Sponge

Abralon is a unique multi-functional patented sanding material developed for flexible sanding of both smooth and profiled surfaces. Abralon creates a smooth sanding pattern on angled surfaces and edges, while minimising the risk of pressure marks. The open cell structure is used to keep the water in Abralon during the sanding operation.

Size	Grit	Pack	SKU	Price	Size	Grit	Pack	SKU	Price
	180		GABRMIR0180PK2			180		GABRMIR0180	
	500	D1-	GABRMIR0500PK2			500	D	GABRMIR0500	
150mm	1000	Pack of 2	GABRMIR1000PK2		150mm	1000	Box of 20	GABRMIR1000	
	2000	01 2	GABRMIR2000PK2			2000	01 20	GABRMIR2000	
	4000		GABRMIR4000PK2			4000		GABRMIR4000	

Grain: Silicon carbide
Bonding: Special resin
Backing: Knitted fabric on foam
Coating: Special ABRALON method

Colour: Grey

Applications: The perfect sanding and processing material with versatile possibilities on surfaces as new and old lacquers, plastics, primers and fillers. Abralon is used for conditioning a surface either as a pre-treatment prior to painting and lacquering, for removing oxides or for giving an attractive surface structure. Abralon is mainly used with wet sanding, but can also be used as dry in coarser grits.



BULK PRICES AVAILABLE

BULK PRICES

SIA 7979 siasponge flat

For dry and wet sanding in hard-to-reach areas. Applications such as keying, fine sanding and scuffing are especially easy to do using 7979 siasponge soft. Its high flexibility ensures that it adapts perfectly to contours, curves and profiles to deliver a high-quality, consistent sanding pattern.

- Can be used wet or dry
- Colour coded
- Low clogging
- For round profiles

Colour	Grit		SKU	Price
Orange	Medium	60	GABRSIASS7979MEDIUM	
Yellow	Fine	80	GABRSIASS7979FINE	
Green	Superfine	150	GABRSIASS7979S/FINE	
Blue	Ultra Fine	220	GABRSIASS7979U/FINE	
Violet	Microfine	320	GABRSIASS7979M/FINE	

Materials: Foam (open structure)

Aluminium oxide

Bonding: Elastic binder


Coating: Mechanical

Applications:

- Colour
- Primer filler
- Primer coat
- Plastics
- Old lacquerComposite
- Use: Wet or dry

Dimensions: 115 x 140 mm

Thickness: 5 mm
Pack Size: Pack of 20



SIA 7983 Flex Sanding Sponges

For an even and perfect sanding pattern. The extra soft foam ensures maximum conformability.

- Highly adaptable to contours, curves and profiles
- Can be used many times

Colour	Grit		SKU	Price
Orange	Medium	60	GABRSIASS7983MEDIUM	
Yellow	Fine	80	GABRSIASS7983FINE	
Green	Superfine	150	GABRSIASS7983S/FINE	
Blue	Ultra Fine	220	GABRSIASS7983U/FINE	

Materials:

- PU foam (soft)
- Elastic binder

Coating: Double sided Applications:

Applications:

- Keying of wood, metal and plastic prior to application of paint
- Fine sanding primer filler
- Sanding of profiled and rounded workpieces
- · Keying without altering the shape

Pack Size: Pack of 20



Smirdex 920 Abrasive Sponges

Due to their flexibility, 920 Abrasive Sponges can be used either for dry or wet sanding of flat, contoured and moulded surfaces of metal, plastics and paintwork. These sponges are made of high quality foam and are coated with aluminium oxide grains and bonded by special resin.

Sides	Grit	Size	SKU	Price
	Medium		GABRSMICRSSPM	
	Fine	140 115	GABRSMICRSSPF	
1	Very Fine	140 x 115 x 6 mm	GABRSMICRSSPVF	
	Ultra Fine		GABRSMICRSSPUF	
	Super Fine		GABRSMICRSSPSF	
	Medium	100 00	GABRSMISAS2M	
2	Fine	120 x 90 x 10 mm	GABRSMISAS2F	
	Very Fine		GABRSMISAS2VF	

Materials: High quality foam & Aluminium oxide

Use:

Wet or dry

 Flat, contoured or moulded surfaces

Applications: Metal, Plastics,

Paintwork

Pack Size: Pack of 24

Attachment Type: PSA Density Rating: Firm Diameter: 3.18 cm Height: 11.68 cm Form Type: Hand

For use with: Designed to hold 1-1/4 inch or 1-3/8 inch pressure sensitive adhesive (PSA) discs.

Use: For repairing surface defects to clear coats, lacquered wood, solid surfaces, gelcoat, powder coat,

3M Finesse-it Sanding Pad

SKU: GPAD3M13441

The red end is firm, for effective defect levelling, and the other end has a soft, black vinyl face that helps produce a finer finish.

- Red rubber body for easy visibility and comfortable grip
- Firm and durable body
- Ideal for working small defects and accessing hard-to-reach areas
- Two levels of firmness provide defect levelling and fine finishing
- Both ends can hold pressure sensitive adhesive sanding discs

Dimensions: 35 mm Pack Size: Sold per disc

3M Finesse-It Film

SKU: GABR3M13444

Can be used with Finesse-It Sanding Pad or mini random orbital sanders to remove defects.



industrial paint, acrylic, and glass

Attachment Type: PSA Grip/PSA: Soft Size: 30 mm

Mirka Soft Hand Tool for Roses

SKU: GPAD8392100111

Universal hard hand sanding tool used with grip or PSA abrasive roses.



Pack Size: Pack of 2

Attachment Type: PSA Size: 31/35 mm Pack Size: Pack of 2

Mirka Velcro Hand Tool for Roses

SKU: GPAD8392300111

Suitable for the Mirka Roses 31/35mm Velcro.



Suitable for:

- · Automotive refinishing
- Composites processing
- · Vehicles manufacturing
- Lacquers Plastics

Dimensions: 33/36 mm Pack Size: Box of 100

Mirka Waterproof Corrective Sanding Roses

Mirka Waterproof Sanding Roses provide a highquality sanding finish.

Grit	Туре	SKU	Price
1500	Stick on	GABRMIRROSE1500S	
2500	Velcro	GABRMIRROSEV2500	
3000	Velcro	GABRMIRROSEV3000	



Use: Small area remove of deep scratches and inclusions found in paint such as dust nibs. One side of the block is softer for removing previous sanding marks and the other harder for removing serious defects

SIA Finiblock Sanding Tool

SKU: GABRSIAFINIBLOCK

Finiblock features a dual-sided velcro backing that is designed to be used with the SIA Daisy Sanding Discs.



For use with: Sia Finiblock Dimensions: 37 mm Pack Size: Pack of 100

SIA 1913 Daisy Spot Repair Disc

Used with the SIA Finibloc, this product is perfect for small area remove of deep scratches and inclusions found in paint such as dust nibs.

Grit	SKU	Price
1500	GABRSIADAISY1500	
2000	GABRSIADAISY2000	
2500	GABRSIADAISY2500	





Body Shop Special

- 11" Straight Shooter
- 11" Featherweight
- 8" Money Maker
- 5.5" Straight Shooter
- · 5.5" Initiation Rod Block



Туре	SKU	Price
Standard	GBKB003	
+ Hook-it Backing	GBKB003V	

Execution Block Kit

- 24" Heavy Hitter Sphere
- 18" Money Maker
- 11" Universal Sphere
- 8" Featherweight
- 5.5" Straight Shooter



Туре	SKU	Price
Standard	GBKB010	
+ Hook-it Backing	GBKB010V	

Featherweight Block Kit

(28cm), 18" (46cm), 24" (61cm)

- 18" block
- 11" block



Bigked	St. St.	MS.	8
-	61	9	

Туре	SKU	Price
Standard	GBKB008	
+ Hook-it Backing	GBKB008V	

Heavy Hitter - Sphere Style Handle Kit

1/2" (approx. 1.3cm) thick acrylic blocks

- 24" block
- 18" block
- 11" block



Туре	SKU	Price
Standard	GBKB005	
L Hook it Backing	CBKBOOKV	

Initiation Kit

- 24" Money Maker
- 18" Universal Sphere
- 11" Featherweight
- 8" Straight Shooter




Туре	SKU	Price
Standard	GBKB009	
+ Hook-it Backing	GBKB009V	


Legend Detail Kit

- 1/4" Blue Blocks: 1.75" x 5.5", 1.75" x 11", 2.687" x 11
- ³/₁₆" Blue Blocks: 1.75" x 5.5", 1.75" x 11", 2.687" x 11"
- ¹/8" Blue Blocks: 1.75" x 5.5", 1.75" x 11", 2.687" x 11"
- 1/16" Clear Blocks: 1.75" x 5.5", 1.75" x 11", 2.687" x 11'
- ¾" x 2.687" Square Rod
- 1" Cube

Mini Detail Kit

- Circle: 2" (approx. 5cm) diameter
- Triangle: 2" x 2" (approx. 5 x 5cm) wide with a different radius on each corner





Money Maker Block Kit

5 x blocks topped with square tube handles

- 24" block
- 18" block
- 11" block
- 8" block
- 5.5" block



Туре	SKU	Price	Туре	SKU	Price	Туре	SKU	Price
Standard	GBKB001		Standard	GBKB014		Standard	GBKB004	
+ Hook-it Backing	GBKB001V		+ Hook-it Backing	GBKB014V		+ Hook-it Backing	GBKB004V	

Sexy Slider

• 24" (approx. 61cm) x 2.68" (approx. 6.8cm) x 1/2" (approx. 1.3cm)



Туре	SKU	Price
Standard	GBKB007	
+ Hook-it Backing	GBKB007V	

Straight Shooter **Block Kit**

5 x blocks with a full-length 2" (approx 5cm diameter tube handle)

- 24" block
- 18" block
- 11" block
- 8" block
- 5.5" block

Туре	SKU	Price
Standard	GBKB002	
+ Hook-it Backing	GBKB002V	

Universal Block Kit-Sphere Handles

3 x 1/4" (approx. 0.6cm) thick blocks

- 24" block
- 18" block
- 11" block



Туре	SKU	Price
Standard	GBKB006	
+ Hook-it Backing	GBKB006V	

Body Gapping Tool - Steel SKU: GBKB011

One end has a "J" to scribe the panel so you know exactly where to cut/sand. The other end is machined at a 45° that can be used as a scribe. Plus a full flat edge.



Final Assembly Gap Tool SKU: GBKB012

This composite gap tool is made to accommodate for the final thickness of paint & clear coat. For gapping panels correctly.

Suitable for: Sanding by hand Dimensions: 198 x 70 mm Attachment Type: Hook & Loop Vacuum Support: Yes

3M Hookit Dust Free Sanding Block

SKU: GPAD8391200111

For use as an accessory item with 3M Hookit abrasive products for sanding filler, primer and other substrates.



Suitable for: Sanding by hand

Width: 70mm Length: 400mm Firmness: Hard Hole configuration: 53

Mirka File Board

The low profile and durable construction give good control over the sanding process.

Туре	Firmness	SKU	Price
Flexible	Medium	GPAD8391150111	
Rigid	Hard	GPAD8391155111	



Suitable for:

- Sanding by hand with Mirka netsanding products
- Dust-free sanding connected by hose to a dust extraction system

Mirka Hand Sanding Block

Specially designed for sanding by hand in combination with Mirka's revolutionary net-sanding products, although they can also be used with other products that fastens with grip attachment.

Dimensions	Holes	SKU	Price
70 x 198 mm	22	GPAD8391502011	
115 x 230 mm	36	GPAD8391700111	



Dimensions: 80 x 230mm

Holes: 55 Colour: Yellow Firmness: Hard

Mirka Handy Sanding Block

SKU: GPAD8391200111

Perfect for putty sanding because it reduces the risk of tilting during use. 20mm hose connection and an adjustable suction valve & soft grip.



Suitable for: Multiple operations from paint stripping to lacquer & paint sanding

Holes: 34 Use with:

- Abranet abrasives and 15-hole 150mm discs
- 20 mm x 4 m hose (8391112011)

Mirka Roundy Dust-Free Hand Block

SKU: GPAD9190143011

Ergonomically designed to fit into the palm of the hand and is suitable for multiple operations.



Holes: 34 Includes:

Ergonomic hand block

- Hose
- 5 x P120 Abranet strips
- 5 x P180 Abranet strips
- 5 x P240 Abranet strips

Mirka Roundy Kit

SKU: GABRMIRKIT00ROUND

Ergonomically designed to fit in the palm of the hand, suitable for multiple operations from paint stripping to lacquer & paint sanding. Practical, for use with Abranet abrasives and 15-hole 150mm discs, can wrap around sides to reach corners.



Use:

- For smaller surfaces and difficult-toreach areas
- Connected by hose to a dust extraction system

Type: Grip abrasive **Holes:** 13

Mirka Sanding Block 70 x 125mm

SKU: GPAD8391400111

The smallest hand sanding block in the premium range with an ergonomic shape and low profile.



Type: Grip abrasive Holes: 40

Includes: 40

- Hand block body 70 x 198 mm
- Hose adapter Ø 20/28 mm outer diameter
- 4 changeable plates (Convex with 160 mm, Concave with 52 mm, Concave with 100 mm and Flat)

Mirka Sanding Block Kit

SKU: GPAD8391520111

A multipurpose tool conceived for sanding on concave, convex and flat shaped surfaces thanks to special plates attached to a hand block body.





3M Back up Pad - 100mm

SKU: GPAD3M05503

Reinforced system with a diamond-clad pad on a back with easy adhesion.

Diameter: 100 mm

Use: Fine grinding many different hard-sanded materials

Features:

- Sustainable and cost-effective
- Simple adhesion for maximum efficiency



3M Hookit Disc Pad - 150mm

SKU: GPAD3M20465

For aggressive flat sanding, constructed from firm density foam with a 35-degree blunt tapered edge for added durability. The multi-hole pattern works with a vacuum to help eliminate dust.

Center Hole Diameter: 15.748 mm

Density Rating: Firm Max Rpm: 12 000 Number of Holes: 53 Thickness: 9.39 mm Thread Size: 5/16-24 EXT Diameter: 152.4 mm



Festool Fastfix Hard High Temp Backing Pad - 125mm

SKU: GPAD492127

For flat surfaces and narrow edges with a hardness grade of H-HT. Sanding pads will eventually fatigue and require replacement, therefore it is advisable to keep a fresh pad at hand to avoid a break in work.

Hardness Grade: Hard Connecting Thread: FastFix

Size: 125 mm Suitable for: RO 125 Features:

· Hi Temperature resistant

· StickFix Hook & loop fastener for quick & efficient abrasive changes



Festool M4 Backing Pad -125mm

Festool pads feature the StickFix hook and loop design for quick and efficient abrasive changes. and enable re use of partially used abrasives.

Connecting Thread: M4
Size: 125 mm
Suitable for: ETS 125



SKU Hardness Use **Price** GPAD492282 Supersoft For sanding profiles and contours. Standard soft High Temperature replacement pad for Soft GPAD492280 general purpose random orbit finish sanding



Festool MJ2 High Temperature Backing Pad - 150 mm

Fully compatible with all current Festool 150 mm abrasives including Jetstream, Multi-Jetstream and Multi-Jetstream 2 hole patterns.

Connecting Thread: MJ2
Size: 150 mm
Suitable for: BO 150

Hardness	Use	SKU	Price
Supersoft	This Super soft pad is more forgiving, producing better sanding results on contours and profiles.	GPAD202462	
Soft	For universal use on flat and contoured surfaces with high temperature resistant hook and loop fastener.	GPAD202461	
Hard	This is a soft pad with regular density for most general purpose finish sanding applications.	GPAD202463	

Size: 150mm

Type: High Temperature

Festool High Temp Backing Pad MJ2 150mm M8

This Fushion-Tec sanding pad has truer running performance for smoother surfaces, less vibration, and longer life. These pads are more forgiving, producing better sanding results on contours and profiles.

Hardness	Use	SKU	Price
Supersoft	This Super soft pad is more forgiving, producing better sanding results on contours and profiles.	GPAD202459	
Soft / Medium	A soft pad with regular density for most general purpose finish sanding applications.	GPAD202458	
Hard	This hard high temperature backing pad is suitable for sanding flat surfaces and narrow edges.	GPAD202460	



Hardness Grade: Soft

- · Quick abrasive changes
- Turbo dust extraction maximizes dust removal, and helps the tool run cooler, extending pad and abrasive life

Festool Stickfix Backing Pad

StickFix hook and loop design for quick and efficient abrasive changes. This enables re use of partially used abrasives.

Holes	Dimensions	Description	Suitable for	SKU	Price
12	80 x 130 mm	Soft pad for consistent sanding results over your entire surface, especially on flat surfaces and narrow workpieces.	RTS 400 REQ, RS 400	GPAD489252	
8	93 x 175 mm	Soft pad for consistent	RS 3	GPAD483905	
	115 x 221 mm	sanding results on broad, flat surfaces	RS 100 CQ, RS1	GPAD488226	
	115 x 225 mm	such as sheet goods with thin veneers or solid wood panels.	RS 100 CQ, RS 200, RS 2	GPAD483679	



Hardness Grade: Soft

Holes: 8 Size: 93 x 175 mm Suitable for: RS 3 Features:

Non damaging edge

Auxiliary paper clamps

 Turbo dust extraction maximizes dust removal, and helps the tool run cooler, extending pad and abrasive life

Festool Rubber Backing Pad

SKU: GPAD489630

Consistent sanding results on broad, flat surfaces, or against edges. This pad features auxiliary paper clamps so you can use your standard sheet abrasives to effectively sand broad, flat surfaces.



Dimensions: 100 x 150 mm

Hardness: Soft

Connection: Stickfix for quick

abrasive changes

Materials: A highly resilient, heat resistant MPE foam is utilized in all our pads

Festool Delta Stickfix Backing Pad

SKU: GPAD493723

Standard soft replacement pad for consistent sanding results in corners and hard to reach areas. All Festool pads are designed with dust extraction in mind, to work cleaner, produce a better finish and extend the life of your abrasives and pads.





now available



Mirka Quick Lock Hard Backing Pad - 32mm

SKU: GPAD8294598511

Quick Lock pad 32mm Grip hard.

Hardness: Hard Dimensions: 32 mm Suitable for:

• ROS 150NV

AOS 130NV

• AOS-B 130NV

AROS-B 150NV



Mirka Medium Backing Pad -

SKU: GPAD8294791211

Backing pad medium for grip disc, delivered with one pad protection disc including user instructions.

Hardness: Medium Grip: 1/4" Holes: 6 Size: 77 mm



Mirka Medium Backing Pad 28 Hole - 125mm

SKU: GPAD8292502511

Fits all Mirka 150 mm (6") sanders. This 130g backing pad gives you the ability to switch sizes and use 125 mm (5") sanding discs.

Hardness: Medium Grip: 5/16"

Holes: 28
Dimensions: 12

Dimensions: 125 mm **Suitable for:** Deros 650



Mirka Medium Backing Pad 48 Hole - 150mm

SKU: GPAD8292605011

A 150 mm (6") backing pad with a central air inlet. The air channels leading to the centre of the backing pad has an increased air flow and therefore the dust is removed efficiently.

Hardness: Medium Grip: 5/16" Holes: 48

Dimensions: 150 mm **Suitable for:** Deros 650



Mirka Hard Backing Pad - 150mm

SKU: GPAD8292605021

Recommended for heavier sanding applications where higher stock removal is needed.

Hardness: Hard Grip: 5/16" Holes: 48

Dimensions: 150 mm **Suitable for:**

Deros 650Ros 650



Hardness: Medium Grip: 5/16" + M8 Holes: 61

Dimensions: 150 mm

Suitable for: Many 150mm machines including Festool RO 150, ETS 150 **Includes:** Delivered with 1 x 150 mm

pad saver.

Note: Not recommended to be used with 150 mm ROS machines, because the combination of Unipad + wide / Abranet shroud machines does not give the optimal dust extraction.

Mirka Medium Unipad Backing Pad - 150mm

SKU: GPAD8295494111

Abranet medium density Unipad 150 mm (6") for all hole combinations. This Abranet Unipad is optimized for flat surfaces and has a high edge durability. 15 larger holes allow use of conventional discs with 6 h, 6 + 1 h, 9 h and 15 h. Suitable for narrow shroud machines.



Holes: 25

Dimensions: 200 mm **Suitable for:** Rupes Machines

Mirka 25 Hole Backing Pad - 200mm

SKU: GPAD8295895111

This 200 mm (8") grip net backing pad is suitable for Rupes machines. Rupes machines require 8 screw holes. The pad is ready to be assembled.



Hardness: Medium

Holes: 89

Dimensions: 200 mm **Suitable for:** ROS2-850CV

Mirka 89 Hole Medium Backing Pad - 200mm

SKU: GPAD8295885111

This 200 mm (8 in.) Net Backing Pad with 89 holes is unique and designed only for Mirka ROS2-850CV two-handed random orbital sander.



Hardness: Medium

Holes: 32

Dimensions: 100 x 152 x 152 mm **Suitable for:** DEOS Delta

Mirka Medium Backing Pad 32 Hole - 100 x 152 x 152mm

SKU: GPAD8292663011

Backing pad suitable for the Mirka DEOS Delta sander.



Hardness: Medium

Holes: 54

Dimensions: 81 x 133 mm **Includes:** Pad protector & user

instructions

Mirka Medium Backing Pad - 81 x 133mm - Pneumatic

SKU: GPAD8295350111

Grip backing pad for pneumatic orbital sanders.



Hardness: Medium

Holes: 56

Dimensions: 81 x 133 mm **Includes:** Pad protector & user

instructions

Mirka Medium Backing Pad - 70 x 198mm

SKU: GPAD8295380111

Velcro backing pad for orbital sanders. Delivered with one pad protector and user instructions.





Rupes Velcro Backing Pad - 150mm

SKU: GPAD981.500

Hardness: Hard Grip: M8

Dimensions: 150 mm



Rupes Hard Backing Pad - 150mm

SKU: GPAD981.253

Hardness: Hard Holes: 7

Dimensions: 150 mm



Rupes Hard Velcro Backing Pad - 200mm

SKU: GPAD912.279

Hardness: Hard Holes: 8

Dimensions: 200 mm

Suitable for: Rupes 200 mm Sander



Rupes Delta Backing Pad

SKU: GPAD985.002

Materials: Rubber Holes: 12 Suitable for: LS21A

Suitable for: LS21A



Rupes Velcro Backing Pad -80 x 130mm

SKU: GPAD986.012

Materials: Polyurethane

loles: 8

Dimensions: 80 x 133 mm **Suitable for:** LE91



Workquip Velcro 7 Hole Backing Pad - 150mm

SKU: GPAD12318

This backing pad hooks on and is suitable for Air Sanders.

Holes: 7

Dimensions: 150 mm



Workquip Velcro 7 Hole Backing Pad - 150mm

SKU: GPAD12230-V

Holes: 7

Dimensions: 150 mm

Suitable for: 12230 Work Quip Sander



All Festool pads are designed with dust extraction as a primary consideration, so you'll work cleaner, produce a better finish and significantly extend the life of your abrasives and pads.

Festool pads feature the StickFix hook and loop design for quick and efficient abrasive changes and enable re use of partially used abrasives.

Hardness: Soft

Use: Festool net abrasives **Pack Size:** Pack of 1

Festool Protection Pad

Soft interface pad with lightweight foam which adapts to curves and contoured surfaces delivering a consistent finish.

Size	Use	SKU	Price
125 mm	ETS 125, RO 125	GPAD203344	
150 mm	ETS 150, RO 150	GPAD203343	



Hardness: Soft Diameter: 150 mm

Materials: Heat resistant MPE foam

Features:

• Consistent finishing results

Uniform wearingExtended pad life

Festool Soft Interface Pad - 150mm

An extremely soft pad, the foam interface pad allows the abrasive to float on the surface, producing smoother results on delicate profiles and contours. Because sanding pads will eventually fatigue and require replacement, it is advisable to keep a fresh pad at hand to avoid a break in work.





Height	Use	Pack Size	SKU	Price
5mm	ETS 150/3 E, ETS 150/5 E, RO 150 FE	2	GPAD203348	
15mm	ETS 150/3 E, ETS 150/5 E, ETS 150/5 EQ, RO 150 FE	1	GPAD203351	

Hardness: Soft

Dimensions: 150 x 100 mm Suitable for: DTS 400 Use: Festool delta net abrasives Pack Size: Pack of 1

Festool Delta Protection Pad

SKU: GPAD203347

Soft interface pad for use with Festool delta net abrasives. All Festool pads are designed with dust extraction as a primary consideration, so you'll work cleaner, produce a better finish and significantly extend the life of your abrasives and pads. Festool pads feature the StickFix hook and loop design for quick and efficient abrasive changes. Ideal for use on surfaces which generate a lot of dust.



Hardness: Soft

Dimensions: 80 x 133 mm **Use:** Festool net abrasives **Suitable for:** RTS 400 REQ **Pack Size:** Pack of 2

Festool Protection Pad 80 x 133mm

SKU: GPAD203346

The lightweight foam adapts to curves and contoured surfaces delivering a consistent finish.



 $\textbf{Hardness:} \ \mathsf{Soft}$

Dimensions: 80 x 133 mm **Suitable for:** RTS 400 REQ **Pack Size:** Pack of 2

Festool Interface Pad 80 x 133mm

SKU: GPAD490160

Foam interface pad for sanding delicate surfaces such as profiles and contours. Narrow, rectangular pad for fast and efficient sanding of narrow stock, edges, and frame components.





Mirka's pad savers are designed to protect the backing pad from wear and tear, when sanding aggressively and continuously with net products. These cost effective pad savers, placed between the backing pad and the sanding disc, should be changed regularly. The pad savers

prolong the life of the backing pad.

Pad saver user instruction:

Match the pad saver hole pattern to the backing pad by locating the matching holes on the pad saver to the locating spots on the backing pad.

Apply and press the pad saver firmly to the backing pad. Fasten the abrasive to the pad saver.

Place the sander on the object to be sanded and then start the sanding machine.



Mirka Interface Pad - 77mm

Holes: 6 Size: 77 mm Pack Size: Pack of 5

Suitable for: CEROS, Deros, ROS

Thickness	Description	SKU	Price
	Designed to protect the backing pad from wear and tear when sanding aggressively and continuously with net products.	GPAD8294710111	
5mm	The 5 mm thick interface pad is used in combination with grip sanding discs for sanding rounded surfaces and contours with Mirka's net products. Will produce a softer result.	GPAD8294700111	



Mirka Interface Pad - 150mm

SKU: GPAD8295600111

Used in combination with grip sanding discs for sanding rounded surfaces and contours, producing a softer result.

Size: 150 mm Thickness: 10mm Pack Size: Pack of 5

Holes: 67



Mirka Pad Savers

Protect your backing pad from wear and tear. For backing pads with a 3mm protective interface.

Dimensions	Holes	Suitable for	Pack Size	SKU	Price
125 mm	33	Ceros, Deros, Pros, Ros, Ros2	Pack of 5	GPAD8295511011	
150 mm	67	Ceros, Deros, Pros, Ros, Ros2	Pack of 5	GPAD8295610111	
200 mm	89	Ros2	Pack of 3	GPAD8296810111	



Mirka Pad Saver 32 Hole - 100 x 152 x 152 mm

SKU: GPAD8295902011

Suitable for the Mirka DEOS Delta to protect the backing pad from wear and tear, when sanding aggressively and continuously with net products.

Holes: 32

Size: 100 x 152 x 152 mm Pack Size: Pack of 5 Suitable for: DEOS Delta



Mirka Pad Saver 70 x 198mm

SKU: GPAD8299702011

Holes: 56 Size: 70 x 198 mm Pack Size: Pack of 5

Suitable for: 70x198mm backing pads



Mirka Pad Saver 81 x 133mm

SKU: GPAD8299502011

Holes: 54 Size: 81 x 133 mm Pack Size: Pack of 5 Suitable for: DEOS, OS



Mirka Pad Saver 115 x 230mm

SKU: GPAD8299512011

Holes: 10 Size: 115 x 230 mm Pack Size: Pack of 5

VOC Content: Less than 17% Use: Machine use for best results Contents: No wax or silicone, is clear coat safe

3M 05928 Finesse It II Machine Polish

SKU: GPOL3M5928

Quickly and effectively removes minor scratches, producing a brilliant, deep, wet look shine. It is designed for use on OEM and fully cured automotive paints. Removes micro-fine scratches and swirl marks while leaving a high gloss finish.



Volume: 946 ml Features:

- · Medium cutting liquid compound
- Leaves a fine finish
- Can be used for hand or machine
- Removes water spots and is clear coat safe

3M 05973 Rubbing Compound

SKU: GPOL3M5973

3M Rubbing Compound safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.



Volume: 946 ml Consistency: Liquid Surface Type: Paint

3M 05990 Hand Glaze

SKU: GPOL3M5990

Non-silicone, non-wax hand glaze. It is used by hand to refine and fill swirl marks after machine polishing. This product has been formulated to work on all colours and can be painted over.



Volume: 940 ml Features:

- Removes compound swirl marks
- · Leaves a swirl-free finish, appy with a 3M Foam Polishing Pad
- Formulated for vehicles with dark colour paints
- · Easy clean up, contains no waxes or silicones
- · Contains no waxes or silicones

3M 05996 Perfect-it Machine Polish

SKU: GPOL3M5996

Effectively removes compound swirl marks and minor surface defects to restore the beauty of automotive finishes. It leaves a swirl-free finish when applied with a 3M Foam Polishing Pad, 05725. Quickly removes compound swirl marks even on dark coloured vehicles.



Volume: 946 ml

Applications: Paint Finishing &

Detailing

Consistency: Liquid Performance Level: Best Product Form: Polish Surface Type: Paint

3M 06094 3M Perfect-It EX Machine Polish

SKU: GPOL3M06094

Ex Machine Polish stays wet longer, letting you use less polish for the same refined finish. Yet it also holds better on the pad for reduced sling and easier cleanup. You get smooth, polished surfaces without compound swirl marks - faster, and at less cost.



Volume: 2ka Features:

- · High Performance, fast cutting
- Quickly removes abrasive sand scratches and other surface defects
- Buffs to high gloss with minimum of swirl marks, leaving a fine finish
- Easy clean up

3M 06198 Perfect-It Rubbing Compound

SKU: GPOL3M6198

High Performance Fast Cutting Rubbing Compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a minimum of swirl marks.



Volume: 865 ml Features:

- Exceptional fast cut-rate performance
- 20% to 25% less product required than standard Fast Cut + / XL to polish the same area.
- Get a superior high gloss finish
- Remove overspray

3M 51815 Perfect-it Fast Cut Plus Extreme

SKU: GPOL3M51815

Perfect-It Fast Cut Plus Extreme is a fast cutting abrasive liquid compound designed to quickly remove sanding scratches after flatting or denibbing process with 3M 260L P1500 then Trizact 3000. Use with green pad of the 3M's colour coded compound range.







Cartec 3000 Diamond Cut Compound

Diamond Cut 3000 is an extreme cutting compound with a speed ability to bring up gloss almost instantly, even on ceramic and scratch resistance clear coat, gel coats and any other surface.

It removes all sanding marks, overspray, orange peel, paint runs and dust easily. Premium compound for saving time and materials.

No water is needed to use the Diamond Cut 3000 due to its self-lubricating formula. This compound does not contain any fillers or silicones and is ammonia free. After Diamond Cut 3000 we recommend the Final Cut 9000 and/or Ultra Finish 12000 for the best Finish.

Size	SKU	Price
150 ml	GPOLCDCC3000150ML	
1 Litre	GPOLCDCC30001LT	

Helps Remove:

- Sanding marks
- Overspray
- · Orange peel
- · Paint runs
- Dust

Free of: Fillers, ammonia, silicones



Compounding Pad - Coarse SKU: GPADCCPGC150PK5

Ultra Soft Microfibre Cloth SKU: GPOLCLOTHCMCG5

Page 65



Cartec 4800 Compound Paste

Compound 4800 is a silicon-free paint renovator with fast-cutting action and a high gloss finish. It is very suitable for polluted, oxidised and dull paints. It quickly removes painting defects such as deep scratches (P1500), runners/sags, orange peel and overspray. No water is needed for processing.

Built in lubricants avoid product drying on the pad.

Size	SKU	Price
400 g	GPOLCC4800400G	
3 kg	GPOLCC48003KG	

Helps Remove:

- Deep scratches
- Runs / sags
- Orange peel
- Overspray

Free of: Silicones



Cartec 5000 Compound

Compound 5000 is a silicone-free paint renovator with fast cutting action and a high gloss, hologram free finish. It is ideal for rectifying polluted, oxidised and dull paints. It quickly removes paint defects such as deep scratches (P1500), runs, orange peel and overspray.

No water is needed due to Compound 5000's self-lubricating formula. This compound does not contain any fillers or silicones and is ammonia free.

After Compound 5000 we recommend the Final Cut 9000 and/or Ultra Finish 12000 for the best Finish.

Size	SKU	Price
150 ml	GPOLCCC5000150ML	
1 Litre	GPOLCCC50001LT	

Helps Remove:

- Deep scratches
- Runs / sags
- Orange peel
- Overspray

Free of: Fillers, ammonia, silicones



Compounding Pad - Medium SKU: GPADCCPY150PK5

Ultra Soft Microfibre Cloth SKU: GPOLCLOTHCMCY5

Page 65

Helps Remove:

- Holograms
- · Buffer marks
- Scratches
- Marring
- Swirl marks

Free of: Fillers, ammonia, silicones **Apply by:** Rotary or Orbital machine



Finishing Pad - Medium SKU: GPADCFPWF150PK5

Ultra Soft Microfibre Cloth SKU: GPOLCLOTHCMCW5

Page 65

Cartec 9000 Final Cut Compound

Final Cut 9000 is a high precision "one step" finishing compound / polish. Perfect for removal of minor scratching, swirl mark, marring, buffer marks and holograms.

Final Cut 9000 leaves a hologram free, superb high gloss finish in a short amount of time. Can be used with rotary or orbital machines, with orbital giving a quick and easy hologram free finish.

This compound does not contain any fillers or silicones and is ammonia free.

Easy to use, no-dust formula. Use after Diamond Cut 3000 to remove holograms, or as a standalone compound to remove light holograms and clear coat scratches.

Size	SKU	Price
150 ml	GPOLCFCC9000150ML	
1 Litre	GPOLCFCC90001LT	



Helps Remove:

- Holograms
- Swirl marks

Free of: Fillers, ammonia, silicones



Finishing Pad - Soft Dimple SKU: GPADCFPB150PK5

Ultra Soft Microfibre Cloth SKU: GPOLCLOTHCMCA5

Page 65

Cartec 12000 Ultra Finish Compound

Ultra Finish 12000 is the final polishing stage in our compounding system.

The Finish 12000 consists of high quality oils and unique micro-abrasive particles which guarantee an extremely deep gloss, totally swirl and hologram free.

Due to its unique formulation, the Finish 12000 is extremely easy to use and ensures a completely hologram free finish.

Use after Compound 5000 to remove holograms or after Diamond Cut 3000 and Final Cut 9000 to add even more gloss for the perfect finish.

This compound does not contain any fillers or silicones and is ammonia free. Easy to use, nodust formula.

Size	SKU	Price
150 ml	GPOLCF120000150ML	
1 Litre	GPOLCF1200001LT	



Contains:

- Carnauba wax
- Polymer waxes

Helps Remove: Holograms **Apply by:** Hand



Page 65

Cartec Wax Coat Refinish

WaxCoat provides an additional protection after the polishing process with our "High Precision Polishing Technology" compounds.

WaxCoat contains special Carnauba wax and polymer waxes. WaxCoat offers an extremely deep gloss and an incredibly smooth finish.

WaxCoat is applied by hand and continues the hologram free result of the polishing process.

Size	SKU	Price
150 ml	GPOLCWC150ML	
1 Litre	GPOLCWC1LT	





Farécla G3 Advanced Liquid Compound

SKU: GPOLAG3-1400

Advanced G3 Liquid is a one-step system that provides a fast cutting action and a high gloss finish. It combines all the reliability and other advantages of G3 Paste with a reduced clean up time when compounding by machine. It provides improved versatility, quality and speed to final finish verses competitive products.

Size: 1 Litre

Features:

- · Can be used on fresh and cured paintwork
- · Removes P1500 abrasive paper marks without the use of fillers
- Improved cutting action quickens the process
- Less water is required during use which reduces throw-off



Farécla G3 Regular Grade **Paste Compound**

G3 Regular Grade Paste Compound is recommended for use on OEM and re-finish paint systems.

Use with a G Mop 6" Wet Use Compounding Foam (GMC606) for ease of use and low splatter.

SKU	Size	Price
GPOLG3-1000	1 kg	
GPOLG3-3000	3 kg	

Apply by: Hand or machine Features:

- Reliable Cut
- · High Gloss System
- Permanent Finish
- Silicone Free





Farécla G3 Fine Finishing Compound

SKU: GPOLG3-F101

G3 Fine Finishing Compound offers rapid and permanent removal of minor surface defects. holograms and swirl marks from all modern paint systems. Superb on dark colours.

G3 Fine is ideally applied using Farécla G Mop Finishing Foam, engineered in tandem with the compound to provide optimum performance. For extra shine, finish with G3 Glaze Gloss Enhancer and the G Mop Finishing Foam. A wipe over with a G Mop Finishing Cloth will remove any remaining residue.

- Quickly removes P3000 or finer sanding marks
- Swirls and holograms are eliminated permanently
- Restores lightly oxidised paint work and dull surfaces
- Can be used by machine with foam as well as by hand
- Easy clean up, minimal splatter or





Farécla G6 Rapid Grade Paste Compound

SKU: GPOLCHFA02005

G6 Rapid Grade Paste Compound is for use on OEM, Refinish Medium Solids and Air Dried 2k paint systems (well cured).

Size: 1 Litre

Features:

- Removes P1500 abrasive marks quickly and easily with no fillers
- · Silicone free



Farécla G Scuff - For Paint **Preparation**

SKU: GPOLGS-L

Used for preparing a surface before painting, to provide an even key for optimum paint adhesion. It minimises rogue scratches and its fast action formula cleans away all wax and grime.

Size: 1 Litre Features:

- Abrades to approximately P1200
- Abrasive content breaks down
- Very easy clean up with no greasy residue left

Size: 250 ml tube Suitable for:

• Car bodywork

BoatsFibreglass

Gelson One Shot Paste

SKU: GPOLOZ40350

The white One-Shot abrasive paste in a tube is a fine creamy abrasive paste suitable for polishing polyurethane enamels, boats, fiberglass surfaces and lacquered doors.





Size: 500 ml

Apply by: Hand or machine

Features:

• Silicone & free Ammonia free

Gelson 1544 Extra Fine Liquid Compound

SKU: GPOLOZ40369

Size: 1 Litre

Gelson Compounds

Туре	Use	SKU	Price
1870 Super Fine Shine	Ultra fine anti-holograms rubbing compound for special high gloss and depth of colour polishing. Suitable for dark colours.	GPOLOZ40420	
1890 Rapid Cut Liquid			
1898 Super Cut Liquid	Super-coarse liquid rubbing compound for polishing of polyurethane clear coats (cars, trucks, boats) and other automotive paints.	GPOLOZ40470	



Size: 5 Litres

Suitable for: Lubricant for denibbing & buffing

Gelson LC200 Lubricant / Detergent

SKU: GPOLOZ450501

Multi-use lubricant, detergent and polisher. Biodegradable and non-flammable.

Size: 1 Litre Features:

- Removes P1500 abrasive marks quickly and easily with no fillers, waxes, silicones or oils
- Water based

Juice Polish Super C Cut

SKU: GPOLJPSCC1L

Uses advances in abrasive technology to increase speed and quality of paint finish for all automotive, industrial and marine applications. Its water based formula makes it easy to use and keeps clean up to a minimum.



Size: 1 Litre For use with:

- Random orbital tool
- Gear driven tool
- Rupes foam, wool, & microfiber pads

Rupes High Performance Compound - D-A

The result of extensive testing, the D-A range works superiorly. The proprietary formula developed and blended in-house by Rupes is designed to perform with Dual Action polishers, including both large-stroke random orbital and gear-driven tools. Paired with Rupes colour co-ordinated foam, wool, and microfiber pads, D-A will exceed expectations.





See page 66 for sizes

Grade	Description	SKU	Price
Coarse	D-A Coarse is the latest high-performance compound from Rupes designed for maximum efficiency. This fast cutting compound is ideal for users who want quick defect removal and smooth user experience on every type of paint.	GPOL9.DACOARSE	
Fine	D-A Fine combines noticeable cutting performance with impressive finishing. The proprietary formula developed and blended in-house is designed to perform with Dual Action polishers. D-A Fine delivers excellent defect removal, incredibly high finish quality, and a super-easy wipe off for excellent user experience. DA-Fine represents the perfect second polishing step after D-A Coarse on virtually every type of painted, gelcoat, or varnished finish or as a standalone solution for light polishing needs.	GPOL9.DAFINE	



Cheese Cloth

SKU: GACCHCHCLR

- White Rayon
- 10 Kilos



Festool Microfibre Cleaning Cloth

SKU: GPOLCLOTH205732

Microfibre Cleaning Cloth for excellent finish of new paints, for removing polish residues and finger prints.



Farécla G Plus Finishing Cloths

It's microfibre technology grips dust and small dirt particles, and the cloth's edgeless finish prevents damaging and scratches.

Pack Size	SKU	Price
Pack of 3	GPOLFC-3	
Pack of 10	GPOLFC-10	
Pack of 100	GPOLEC-100	

Features:

- User-friendly
- Microfibre Technology
- Reusable
- Ideal for quick cleaning and drying jobs
- Wash up to 300 times

Size: 40 cm x 40 cm



Gerson Tack Cloths

Made from a soft cotton mesh material that contours to a surface and completely removes surface particulates without leaving harmful residue.

Colour	SKU	Pack Size	Price
Blue Economy	GACCSEL.132	Pack of 12	
Orange Deluxe	GACCSEL.131	Pack of 12	

Features:

- 100% Bleached Cotton Gauze Substrate
- Wax and Silicone-Free

Size: 18 x 36" (approx 46 x 91 cm)



Polytex Prep Wipes

SKU: GCLOTHAPTB3840

250 Cello Lint Free Polytex Wipes ideal for prep panels in the paint shop.

Dimensions: 380mm x 400mm

- Solvent-resistant and washable
- 100% Polypropylene fabric

Pack Size: Box of 250

Ozgel Polishing Cloths

	Colour	Description	Dimensions	SKU	Pack Size	Price
	White	Softex Polishing Cloth Anti-static, resistant, high soaking power	32 x 40 cm	GPOLCLOTHOZ48130	50	
	Yellow	Microtex Microfibre	40 x 40 cm	GPOLCLOTHOZ482200	2	
4	Orange	Super soft Microfibre	40 x 40 cm	GPOLCLOTHOZ488517	1	
	Green	Microfibre	40 x 40 cm	GPOLCLOTHOZ483236	1	
	Blue	Microfibre	53 x 65 cm	GPOLCLOTHOZ483238	1	

Helps Remove:

- Holograms
- Swirl marks

Size: 40 cm x 40 cm

Cartec Ultra Soft Microfibre Cloth

This microfiber cloth is a heavy and high quality cloth which absorbs optimally and is suitable for all surfaces. Using this cloth will help to reduce holograms and swirl marks and leave each panel exceptionally clean.

Colour	For use with	SKU	Price
Green	3000 Diamond Cut	GPOLCLOTHCMCG5	
Yellow	5000 Compound	GPOLCLOTHCMCY5	
White	9000 Final Cut	GPOLCLOTHCMCW5	
Anthracite	12000 Ultra Finish	GPOLCLOTHCMCA5	
Violet	WaxCoat	GPOLCLOTHCMCP5	



Colour: Green For use with:

- · Rotary machine only
- · 3000 Diamond Cut

Cartec Compounding Pad - Coarse

In combination with the Diamond Cut 3000, this coarse, open structured compounding pad is ideal for the polishing any painted surface on the vehicle.

Designed for extreme cutting, but quickly softens as temperature increases to assist cutting compound 3000 cutting transition from extreme (coarse) to fine (Finish).

Pack Size	SKU	Price
Pack of 1	GPADCCPGC150	
Pack of 5	GPADCCPGC150PK5	



Colour: Yellow For use with:

- · Rotary machine only
- 5000 Compound

Cartec Compounding Pad -**Medium - Heavy**

This pad is exclusively developed to combine with the Compound 5000. This medium coarse, open structured compounding pad is ideal for the polishing any painted surface on the vehicle.

Designed to cut through medium to heavy surfaces, it works well on heavy oxidised surfaces and will remove scratches 1500 grit and finer.

Pack Size	SKU	Price
Pack of 1	GPADCCPY150	
Pack of 5	GPADCCPY150PK5	



Colour: White For use with:

- Rotary machine only
- 9000 Final Cut

Cartec Finishing Pad - Medium

Combining this pad with our Final Cut 9000 results in an incredible, hologram free result with an intense and deep gloss.

A medium finishing pad which is used for the final stages of polishing work.

Pack Size	SKU	Price
Pack of 1	GPADCFPWF150	
Pack of 5	GPADCFPWF150PK5	



Colour: Anthracite For use with:

- Rotary machine only
- 12000 Ultra Finish

Pack Size: Pack of 5

Cartec Finishing Pad - Soft Dimple

In combination with the Ultra Finish 12000, this pad will give another level of depth and gloss to the paintwork of any vehicle. This soft finishing pad gives a beautiful, hologram free finish on any paint surface.

Pack Size	SKU	Price
Pack of 1	GPADCFPB150	
Pack of 5	GPADCFPB150PK5	





3M Finesse-it Buffing Pad

- Provides soft, smooth surface for applying 3M Finesse-it polishes
- · Repairs coatings without repainting
- 3M Hookit attachment system holds pad securely and provides quick pad change-out

Attachment Type: Hook & loop Industries: AOEM, Paint Preparation

Material: Foam Max Rpm: 12.000 Product Form: Buffing Pad

Use: Designed to achieve satin, semi or high gloss finishes on wood, automotive.

marine, aerospace coatings

Colour	Diameter	Description	SKU	Price
Orange w/ black back	75mm	Waffle face provides sufficient contact surface and minimizes heat buildup	GPAD3M02648B	
Orange w/ white back	82.5mm	Pads combine with buffers, random orbital tools, and variable speed polishers to produce desired final finish	GPAD3M02648	



3M Finesse-it Roloc Finishing Pad

SKU: GPAD3M14736

The 3M Hookit surface is made with mushroom headed hooks that hold the buffing pad in place.

- Enables use of 3M Hookit buffing pads with the 3M Roloc backup pad
- Hook-and-loop provides quick pad changes
- · Compressed for conformability
- Roloc attachment system provides fast pad change for multi-step finishing processes

For use with: Rotary machine only Material: Made with soft foam for greater conformability.

Attachment Type: Hookit™ Density Rating: Firm Diameter: 76.2 mm Hook Type: 2, 3 Max OPM: 10,000 Max Rpm: 6,000 Thickness: 25.4 mm Thread Size: Roloc™ TR

3M Perfect-It Foam Polishing / **Compounding Pads**

Type: Waffle

Colour	Type	Description	Dimensions	SKU	Price
Black	Quick Connect	A fine pore soft foam pad. This foam pad quickly removes compound swirls and minor defects in both aftermarket and OEM paint.	203mm	GPAD3M5707	
Blue	Quick Connect	Helps eliminate swirl marks on painted surfaces, even on difficult dark colored cars. The waffle face holds liquid polish and applies polish evenly without releasing excess polish that may cause ripples in the finish.	203mm	GPAD3M5708	
Green	Quick Connect	For refining sand scratches, slow speed polishing and denibbing for high performance at every step of the compounding process.	216mm	GPAD3M50874	
White	Hook & Loop	Has an aggressive cutting action which will remove deeper scratches, serious swirl marks and heavy oxidation when used in conjunction with heavy polishing compounds. Pad runs smooth and provides long life.	203mm	GPAD3M5737	



3M Perfect-It Wool **Compound Pad**

SKU: GPAD3M5753

High Performance 100% Wool Compounding Pad. Refines P1200 and finer sand scratches and other paint surface defects.

Material: Wool

Attachment Type: Quick Connect

Max RPM: 2000

Overall Diameter: 228.6 mm Product Form: Buffing Pad

Sided: Double



Autoglym Buff Pad

Size: 160 mm Use with: Paint Pro Renovate

Colour	Description	SKU	Price
White - Medium	This medium aggressive foam buff pad is best when used with Autoglym Paint Pro Renovate. Durable and hard wearing for moderate renovation work.	GPADAUPM160C	
Black - Soft	This soft foam buff pad with to be used with Autoglym Paint Pro Refine. A very soft and easy to use foam buff pad ideal for light renovating or finishing gloss.	GPADAUPS160C	

Features:

- Premium European grade soft black foam
- Open cell structure for improved air flow and cooler running temperatures
- Results in excellent high gloss professional finish
- Recessed backing for extra edge protection
- Hook and Loop Attachment System

Farécla G-Mop Black Finishing Foam

The G Mop Finishing Foam is a premium European grade foam. It has an open cell structure for improved air flow which lowers running temperature. G Mop 3" Finishing Foams are ideal for small and spot repair areas. It is a soft foam to help polish to a high gloss and professional finish. Features hook and loop system.

Size	SKU	Pack Size	Price
77 mm (3	") GPADGMF301	Pack of 5	
150 mm (6") GPADGMF601	Pack of 2	



Features:

- Premium European Grade Foam
- Closed Cell Structure for Less Mess
- Can Be Used With Water
- Excellent Properties for Cut & Gloss
- Hook and Loop Attachment System

Farécla G-Mop Compounding Foam

The G Mop Yellow Compounding Foam pad is constructed from a premium European grade foam.

It has a closed cell structure which means there is minimal throw off (mess) and can be used with water. G Mop 3" Yellow Compounding Foams are ideal for small and spot repair areas. Excellent properties for cut and gloss. Features hook and loop system.

Size	SKU	Pack Size	Price
77 mm (3")	GPADGMC312	Pack of 5	
150 mm (6")	GPADGMC612	Pack of 2	



Dimensions: 150 mm

Includes:

• G-Mop Compound Head (AGM-CF)

• Backing Plate (AGM-BP14

Farécla Advanced G-Mop Compound Head + Backing Plate

SKU: GPADAGM-14



The Advanced G Mop Compound Head & Backing Plate is a 150 mm general use foam applicator pad with dual layer foam for faster cutting action.

Volume Capacity: 60 ml

 $\textbf{Use:} \ \textbf{For finessing operations with}$

abrasives

Remember to clean the disc in between sanding operations, by gently running the disc against the damper head.

Mirka Finessing Damper

SKU: GPOLMIR9190101001

Dispenses quickly and neatly an appropriate amount of liquid to the surface. By using it, you'll get less excess and it helps to avoid skin contact with harmful liquids.



Thickness: 25 mm Materials: Foam Pack Size: Pack of 2

Mirka Waffle Polishing Foam Pad

Colour	Diameter	Description	SKU	Price
Yellow	85 mm	Medium density hardness with durable reticulated foam providing excellent elasticity. The waffle shape has an optimized pattern which improves the cutting performance	GPAD7993408521	
Tellow	150 mm	and reduces the surface temperature during the polishing process. Suitable for all kinds of polishing processes.	GPAD7993415021	
Colour	olour Diameter Description		SKU	Price
Black	85 mm	A reticulated waffle shape structured foam pad for hologram removal gives an excellent finishing on both fresh and fully	GPAD7993108521	
DIACK	150 mm	cured paint works. The good balance between elasticity and density in the foam contributes to the final result.	GPAD7993115021	



Material: Lambswool

Mirka Lambswool Pad

Туре	Colour	Suitable for	Diameter	Pack Size	SKU	Price
Lambswool	White	A great option for buffing with a	77 mm	5 Pack	GPAD7990080111	
Lambswooi	vvriite	perfect finish.	150 mm	2 Pack	GPAD7990150111	
Pro Pad	Vellow	Premium wool fibres keep high performance level for demanding	80 mm	2 Pack	GPAD7990082111	
1101 ad	TOHOW	use. Suitable for ART, Marine, Wood, OEM applications.	150 mm	Z i doll	GPAD7991500211	





Ozgel Foam Pad - 80mm

SKU: GPAD430

Ozgel Foam Pad is a velcro pad with a hex face and centre ring.

Size: 800 mm Type: Velcro Colour: Yellow



D-A Fine High Performance Cut Foam Pad

Delivers an effective rate of defect removal and capability for high-gloss finishing on most paint systems. Pair with RUPES DA-FINE polishing compound for moderate to fine defect removal, paint refinement, or final finishing after heavy compounding steps. This new pad provides the same great performing foam material as the current random orbital yellow foam, expanded to also work with gear-driven orbitals, just with a more vibrant shade of yellow.

Each pad is individually packaged in a new metallic film flow pack which provides the ultimate in protection for pads, ensuring your pad is factory-fresh when you're ready to use it.

Size	SKU	Price
150mm	GPAD9.DA150M	
180mm	GPAD9.DA180M	

Use: Use with the D-A High Performance Cut Polishing Compound

Grade: Fine
Colour: Yellow
Pack Size: Pack of 1

- Features:
 Fully sealed
- Rip & tear resistantComplete UV protection
- Prevents dust
- Stops exposure to moisture &

humidity



D-A Fine High Performance Cut Foam Pad

Specially designed to be used with both random orbital and gear-driven tools. The unique opencell all new foam material removes mild to severe defects from most paint systems. When paired with RUPES DA-COARSE compound provides improved cutting and finishing ability. This new pad combines the best aspects of the previous blue and green foams, with an increased durability.

Each pad is individually packaged in a new metallic film flow pack which provides the ultimate in protection for pads, ensuring your pad is factoryfresh when you're ready to use it.

Size	SKU	Price
150mm	GPAD9.DA150H	
180mm	GPAD9 DA180H	

Use: Use with the D-A High Performance Cut Polishing Compound

Grade: Coarse Colour: Blue Pack Size: Pack of 1 Features:

- Fully sealed
- Rip & tear resistant
- Complete UV protection
- Prevents dust
- Stops exposure to moisture & humidity



Velcro Buff Pad - 75mm

SKU: GPADBKD30V

32 pile sheepskin buff pad.



Sheepskin Buff Pad - 200mm

SKU: GPADBKD80

32 pile sheepskin buff pad.



Workquip Hook On Backing Pad - 75mm

SKU: GPAD12034



Autoglym Soft Face Pad with Arbor - 75mm

SKU: GPADAUPSF75



Autoglym Yellow Backing Pad - 115mm

SKU: GPADAUPBP14A

Diameter: 115 mm Thickness: 14 mm



Rupes Velcro Backing Pad - 75mm

SKU: GPAD990.007

Diameter: 75 mm Fitting: M6-M


For use with: LHR75 - LHR75E

For use with: Rotary machine only

Density Rating: Hard Diameter: 75 mm Max Rpm: 18,000

3M Roloc Disc Pad

SKU: GPAD3M45091



making disc changes quick and easy.



Connecting Thread: M14

Use: Festool Pack Size: Pack of 1

Festool Foam Polishing Pad

Fits a range of polishing accessories to achieve an ideal polished finish.

•			
Diameter	Use	SKU	Price
80 mm	For use with 80 mm polishing accessories with integrated shock absorber for optimum distribution of pressure during polishing.	GPAD488337	
150 mm	For use with 150 mm polishing accessories with integrated shock absorber for optimum distribution of pressure during polishing.	GPAD488342	
	For use with 190 mm poliching accessories with integrated shock		

For use with 180 mm polishing accessories with integrated shock absorber for optimum distribution of pressure during polishing. 180 mm GPAD488349

Diameter: 135 mm Height: 10 mm

Connecting Thread: FastFix Use: Festool RO 150 FE ROTEX **Random Orbital Sander** Pack Size: Pack of 1

Festool Polishing Pad - Fastfix

SKU: GPAD496151

For use with polishing materials, such as felts, sponges, and sheepskin. StickFix mechanical fastening for quick materials changes. The smaller pad design helps protect finishes. Less pad changes allows switching from sanding to polishing quickly and easy.



For use with: LH series Fitting: M14

Interface: Velcro Pack Size: Pack of 1

Rupes Rotary Backing Pad

Hard velcro backing pad for use with Rupes LH series polishers.

Diameter	SKU	Price
150 mm	GPAD992.600	
165 mm	GPAD992.650	



Interface: Velcro Hardness: Hard Fitting: M4

For use with: LK900E Pack Size: Pack of 1

Rupes Gear Driven Backing Pad

Hard velcro backing pad for use with Rupes LK900E series polishers.

Diameter	Holes	SKU	Price
125 mm	6+1	GPAD980.037	
150 mm	6+8+1	GPAD981.089	



Diameter: 150 mm For use with: LHR 21 Fitting: M8-M Interface: Velcro Pack Size: Pack of 1

Rupes Velcro Backing Pad - 150mm

SKU: GPAD981.321N

