

Honeywell Spectraknight Gloves Cut 5 with PU Palm Coating

Honeywell Spectraknight Gloves Cut 5 with PU Palm Coating provides durable hand protection and supreme cut resistance, without sacrificing dexterity. These 13 gauge gloves are made from a knit of Spectra, polyamide, composite fibre and elasthane, and offers a polyurethane coated palm and fingertips for increased grip, cut, puncture and abrasion resistance.

- Seamless knit construction eliminates uncomfortable seams that can rub, tear or chafe
- Open back configuration provides superior ventilation
- Ergonomically correct design conforms snugly to the natural shape of the hand, increasing comfort and reducing hand fatigue
- Colour coded edge allows for easy sorting after laundering
- Polyurethane palm provides cut, puncture and outstanding abrasion resistance
- Made with a patented dipping process which provides superior fit, dexterity and durability

Size	SKU
Medium	GGLOVESPEC508
Large	GGLOVESPEC5-L

Applications:

- Construction
- Recycling
- · Lumber and mill work
- · Glass handling
- Sanitation
- Metal Sheet handling
- Automotive Sub Assembly
- Landscaping
- Paper Treatment

Coating: Polyurethane (PU)

Weight: 13-gauge

Shell: Spectra, Polyamide, Composite

Fibre, blend

Laundering: Water wash in water no hotter than 40°C with neutral laundry detergent, hang dry, do not use bleach, do not dry clean, do not launder gloves that have been in contact with toxic chemicals

Standards: EN388

Scores:

Abrasion Resistance: 4 Cutting Resistance: 5 Tear Resistance: 4 Perforation Resistance: 3



Honeywell Workeasy Polytril Nitrile Nylon Gloves

This sandy finish nitrile glove offers workers excellent dexterity and superior tactile sensitivity. Suited for work requiring precision handling, this glove range is made from low linting filament fibres.

- Synthetic and low linting
- Seamless knit construction eliminating uncomfortable seams
- Lightweight knit enhancing ventilation to keep hands cool and dry
- All black nylon product does not show up dirt and grime
- Sandy 100% Nitrile coating absorbs oil and grease, ensuring a firm grip
- Palm dip helps to reduce hand fatigue and offers a better fit, and is more comfortable to use for long periods
- High tensile strength fibre offering excellent dexterity

Size	SKU
9 Medium	GGLOVE2232232-09
10 Large	GGLOVE2232232-10
11 X Large	GGLOVE2232232-11

Recommended Industries/Use:

- Agriculture
- Manufacturing

Hazards:

- Abrasion
- Cut / Puncture Regulations: EN388

Abrasion Resistance - 4

Cutting Resistance - 1

Tear Resistance - 2

Perforation Resistance - 1

Coating: New formulation Polytril TM Black Sand. Double Dipped

Weight: 13-cut Shell: Black Nylon

Laundering: "Water wash in water no hotter than 40°C with neutral laundry detergent. Hang Dry. Do not use bleach, do not dry clean, do not launder gloves that have been in contact with toxic chemicals. Material: Nitrile (Powder & latex free)

Colour: Black Pack Size: Box of 100

Pro-val Black Nitrile Disposable Glove

Strong, durable, with excellent grip, these gloves offer outstanding chemical resistance, particularly with petroleum based chemicals.

- Ideal for latex allergy sufferers
- Strong, durable and comfortable
- · On-line chlorinated, beaded cuff
- Textured fingertips for extra grip (wet or dry use)

BULK PRICES WAILABLE

DISPOSABLE GLOVI

Material: Nitrile (Silicon & latex free)

SKU

GGLOVE41079

GGLOVE41080

GGLOVE41081

GGLOVE41082

Colour: Green Thickness: 0.38 mm Sizes Available: 10

Certification: HACCP Australia Food

Safety

Size

Small

Large

Medium

X Large

Standards: Assessment against EN374, EN388 and EN420:2003 Suitable for: Paint, electronics & food

Size: 33 cm long Pack Size: 1 pair

Pro-val Green Nitrile 33's - Heavy **Duty Flock-lined Gloves**

SKU: GGLOVE41277

Nitrile 33's are high quality green nitrile flock lined gloves. They are strong, durable and provide resistance to a wide range of chemicals and abrasion and snags.

- · Latex free ideal for latex allergy sufferers
- Flock lined to absorb perspiration

Examination Glove

enhances wet or dry grip.

• For single use, non sterile

· On-line chlorinated for easy donning

• Resistant to lots of chemicals, particularly petroleum based solvents, oils and greases

Pro-val Blue Securitex HR Latex

High-risk examination grade latex gloves which are

three times thicker than standard latex examination

gloves, and with an extra long 295mm cuff, ideal for

and non hazardous applications. Textured surface

Beaded cuff for extra strength when donning

the end user who needs extra protection in hazardous

Material: Natural rubber latex (Powder free)

Colour: Blue Thickness: 0.33 mm

Certification: HACCP Australia Food

Safety

Use: For single use Size: Extra long 295 mm Pack Size: Box of 50

Warning: May cause allergic reactions

in some individuals

Size	SKU
Medium	GGLOVE41067
Large	GGLOVE41068
X Large	GGLOVE41069
XX Large	GGLOVE41070

Material: Natural rubber latex

Colour: White

Certification: HACCP Australia Food

Safety

Use: For single use Pack Size: Box of 100

Warning: May cause allergic reactions

Size	SKU
Small	GGLOVE41000
Medium	GGLOVE41001
Large	GGLOVE41002
X Large	GGLOVE41003

Pro-val Securitex Low Powder Latex Examination Glove

Securitex latex examination gloves. Comfortable and flexible, providing protection and dexterity for the user.

- Lightly powdered, non sterile
- Easy donning
- · Beaded cuff for extra strength when donning
- Listed on the Register of Therapeutic Goods

Pro-val Glove Dispenser This bulk glove dispenser is ideal for single use

gloves, dispensing quickly and cleanly, keeping hygiene at a premium in all types of industries. An economical way to manage high quantity use.





Dimensions: W 275 x D 110 mm

Size	SKU
Single	GGLOVESGD41056
	Height 125 mm
Triple	GGLOVETGD41057
	Height 490 mm





3M 8710 Cupped Particulate Respirator (P1)

SKU: GMASK3M8710

The lightweight construction is designed to help with wearer compliance. The nose clip is made from galvanised steel for use in flammable atmosphere. Welded straps for compliance with staple-free respirator environments.

Materials: 3M Advanced Electret Filter

Materia

Protection Level: P1 Size: Standard Standards/Approvals: AS/NZS 1716:2012

Protection Factor: $10 \times WES$

Features:

- Moulded nose clip helps reduce eyewear fogging
- Effective filtration with low breathing resistance

Pack Size: 20 pack



3M 8812 Valved Cupped Particulate Respirator (P1)

SKU: GMASK3M8812

The lightweight construction is designed to help with wearer compliance. The nose clip is made from galvanised steel for use in flammable atmosphere.

- Coloured straps for easy identification of protection class (yellow for P1)
- Mould nose clip to wearer's nose to help reduce eyewear fogging and for a better seal & fit
- Effective filtration with low breathing resistance
- Protects against hazards such as dusts & mists

Materials: 3M Advanced Electret Filter

Material

Protection Level: P1 Size: Standard Standards/Approvals: AS/NZS 1716:2012 Protection Factor: 10 x WES Exhalation Valve: Yes

Natural Rubber Latex Parts: No Product Type: Dust / other Particles

Features:

- 3M Cool Flow™ Valve
- Advanced Electret Media
- Concealed Adjustable Nose Clip
- Hot / Humid Environment
- High Performance Filter
- · Nose foam
- Stapled Headband

Pack Size: 10 pack



Aura Particulate Respirator 9312A+, P1

SKU: GMASK3M9312

Easy to store when not in use. The hygienic individual packaging helps protect the respirator from contamination before use.

Pack Size: Box of 10

- · Low breathing resistance
- 3M™ Cool Flow™ valve
- Convenience
- Clear vision
- Sculpted nose panel
- Face and head comfort



Aura Particulate Respirator 9320A+, P2

GMASK3M9320

Comfortably moulds to face to accommodate facial movements without compromising the fit.

Pack Size: Box of 20 Features:

- Low breathing resistanceConvenience
- Clear vision
- Sculpted nose panel
- Face and head comfort



Disposable Dust Masks P2

Dust Mask P2 provides protection against dust particles (P2).

Туре	Pack Size	SKU	Price
Unvalved	20 Pack	GMASKD821P2	

Protection: P2 - Dust & pollen

Features:

- High filter efficiency
- Tight sealed
- Comfortable fit
- Latex free head strap
- Removes suspended particles

ETY EQUIPMENT DISPOSABLE MASKS

Standards/Approvals: AS/NZS 1716:2012

Pack Size: Box of 10 Features:

- EVA foam nose seal
- Adjustable nose bridge
- · Valve aids in expelling hot air
- Elastic latex free dual straps, sonic welded, staple free

Pro-val Disposable Respirator with Valve (P2)

This disposable mask features a valve to aid with the breathing of the user. Perfect for dust and mist applications. P2 Respirators are suitable for protection against mechanically and thermally generated particles down to 0.3 micron, such as toxic dusts including asbestos, mist and welding fumes

Colour	Valved	Carbon Filter	Features	SKU	Price
Green	Yes	Yes	Carbon removes nuisance levels of ozone and organic vapours for protection against dust, mist & fumes	GMASK30129	
Blue	Yes	No	For protection against toxic dusts - asbestos, mist & welding fumes	GMASK30124	



Size: Standard
Standards/Approvals:

AS/NZS 1716:2003 Lic.No.20631 SAI

Global

Pack Size: Pack of 10

YHS Cup Shape Disposable Masks

- Adjustable nose bridge with internal nose foam
- Traditional cup shaped design for a comfortable fit
- Soft, non-latex straps minimise irritation

Name	Valved	Protection	Features	SKU	Price
DM1	No	P2	 P2 Class Protection for dust, mist, fumes & Smoke Filters harmful particles from sanding, brushing, rolling & mixing Unvalved Economy 	GMASKDM1	
DM2	Yes	P2V	 P2 performance & exhalation valve reduces breathing resistance & fogging glasses One way exhalation valve eliminates moisture & heat 	GMASKDM2	
DM3	Yes	P2CV	One way exhalation valve eliminates moisture & heat Activated Layer to remove nuisance odours	GMASKDM3	



Size: Standard

Standards/Approvals: AS/NZS 1716:2003 Lic.No.20631 SAI

Global

Pack Size: Pack of 10

YHS Vertical Fold Disposable Masks

- Individually wrapped flat packed respirators for hygiene and convenience
- EVA internal nose pad with adjustable nose bridge
- Super soft flexible material for optimum fit
- Soft and wide welded elastic straps for superior comfort

Name	Valved	Protection	Features	SKU	Price
DM10	No	P2	 P2 Class for dust, mist, fumes & Smoke Filters harmful particles from sanding, brushing, rolling & mixing Unvalved Economy 	GMASKDM10	
DM20	Yes	P2V	 Valve reduces breathing resistance & fogging glasses Increased comfort, greater wear time One way exhalation valve eliminates moisture & heat 	GMASKDM20	
DM30	Yes	P2CV	One way exhalation valve eliminates moisture & heat Activated Layer to remove nuisance odours	GMASKDM30	





3M 6000 Series Half Facepiece Reusable Respirator

A low-maintenance, simple to use and extremely lightweight mask.

- Cradle head harness and easy to fasten neck strap
- Thermoplastic Elastomer (TPE) facepiece

Harness Type: 4 point

Primary Material: Thermoplastic

Elastomer (TPE)

For use with: 3M cartridges and filters, maintainable with spare parts

Net Weight: 82 g

Size	SKU
Small	GMASK3M6100
Medium	GMASK3M6200
Large	GMASK3M6300



3M 7500 Series Half Facepiece **Reusable Silicone Respirator**

A soft, silicone face seal for comfort and durability. Reduced fogging on eye protection.

- Drop down feature for added convenience
- Thin nose bridge for reduced pressure
- Reduced breath resistance with Cool Flow valve

Harness Type: 4 point Primary Material: Silicone For use with: 3M gas, vapour and particulate cartridges and filters, maintainable with a range of spare parts

Net Weight: 136 g

Size	SKU
Small	GMASK3M7501
Medium	GMASK3M7502
Large	GMASK3M7503



3M Premium Half Mask Starter Kit

Ideal for working in hot / humid conditions or during prolonged use. Store in storage container to avoid moisture / contaminants. Not to be used when spraying isocyanate based paints.

Size	SKU
M	GMASK3M7551SK-M
L	GMASK3M7551SK-L

Cartridge or Filter Rating: A1P2 Connection Type: Bayonet

Filter Type: Gas, Vapour & Particulate Protection: Organic Vapours bp>65 °C Standards/Approvals: AS/NZS 1716:2012 Kit Contains:

- 1 x Half Face Respirator 7500 Series
- 2 x Organic Vapour Cartridges 6051, A1
- 10 x Particulate Filters 5925, P2
- 1 x pair of 3M Filter Retainers 501
- 4 x Respirator Cleaning Wipes 504
- 1 x Foam Earplugs P2000, Class 4
- 1 x Storage Container & Guide



See page 87-88 for filters

501 Filter Retainer SKU: GMASKFI3M501



5925 Filter for Dust. P2 SKU: GMASKFI3M5925



6051 Organic Vapour **Cartridge Filters** SKU: GMASKFI3M6051B



Honeywell 7700 Welders Kit

- Packaging helps keep mask and filters clean and stops filters being clogged up with dust
- Filters are flexible and fit underneath a helmet
- Low "dead air" space in mask, means less exhaled breath is re-breathed
- Placement of exhalation valve allows more breath to be exhaled out of the mask faster leaving workers feeling cooler & comfortable

Materials: 100% Silicone, Latex free Standards/Approvals:

AS/NZS 1716:2012 Protection Against: Chemicals, gas, vapours, smoke, welding fumes

Weight: 9.2kg Kit includes: Half mask

P2 Filters

· Cleaning wipes

Size	SKU
М	GMASKRHSP-7700SM
L	GMASKRHSP-7700ML



See page 89 for filters

Honeywell 7700 Half Mask

Provides maximum comfort, fit and performance. Cradle suspension features woven straps that provide for maximum mobility and support. Lower head straps stretch and move with the worker. Upper head straps provide secure support. Wide, contoured sealing area for great fit.

Prefilter, P2 (10 Pairs) SKU: GMASKFIRHSP-7506P2



Round filter, P3 (10 Pairs) SKU: GMASKFIN7500P3



Materials:

• 100% medical grade silicone

· Latex free

Standards/Approvals: ASNZS 1716:2012 Lic 0562

GMASK7700S Small GMASK7700M Medium GMASK7700L

Class 1 Plastic Cartridge, A1B1E1K1 (6 Pack) SKU: GMASKFIN06575009L

Material: Silicone Colour: Blue Shelf Life: 10 years

Operating Temp: -10 - +55 $^{\circ}$ C, < 90 $^{\circ}$ RH Storage Temp: -20 - +40 $^{\circ}$ C, < 90 $^{\circ}$ RH Assign. Protection Factor: 20 Nom. Protection Factor:

48 (GasX P3), 48 (P3), 50 (GasX P3) **Storage:** Best stored in box SR230 or

storage case SR339

Size	SKU
S/M	GMASK100-03218
M/L	GMASK100-03217

Sundström SR100 Half Mask

This mask is equipped with two exhalation valves, ensuring very low exhalation resistance. The valves effectively protects the exhalation membrane against dust and paint mist. The adjustable elastic head harness straps are designed as a V-shaped loop which provides a comfortable and safe fit.

The mask can be used as a filtering device with filters or in combination with the SR307 compressed air attachment which then serves as a breathing apparatus with continuous flow for connection to a compressed air supply. A pre-filter holder is supplied.



Kit includes:

- 1 x SR100 Silicone Half Mask
- 1 x A1 (217) Filter
- 1 x P3 Particle Filter
- 1 x 221-1 Pre Filter
- 1 x Pre Filter Holder
- 1 x Face Fit Black Test Disc
- 1 x Cleaning Napkin
- 1 x Clear Storage Container

Size	SKU
S/M	GMASK171-05466
M/L	GMASK171-05465

Sundström SR100 Pro Kit

The SR-100 is designed for hard work during extended periods. Use it for the most demanding situations. The SR-100 is a silicone mask with a soft broad nose fit & deep chin cup. The new exhalation valve design creates an internal airflow that prevents particles from reaching the valve seat.



Primary Material: Thermoplastic Elastomer (TPE)

Standards/Approvals: AS/NZS 1716:2012 Respiratory protective devices

For use with:

- Use with filters, PAPR or supplied air
- Accepts all Sundström filters and compressed air attachments

Can be used with: Smalltalk microphone, loudspeaker

Size	SKU
Small	GMASK101-05881
Medium	GMASK101-05882
Large	GMASK101-05883

Sundström SR900 Half Masks

The SR900 system can be customised depending on site requirements. The respirator can be easily configured for filters, PAPR, supplied air, or as a remote filter holder mounted on the waist belt.

- · Deep chin cup and broad nose rim
- Two exhalation valves
- New valve caps with air diffusion (no clogging)
- Continuous head strap or cradle harness
- · Detachable filter holder allows direct hose attachment
- Choose between single or twin breathing hose
- · Remote filter holder allows waist-mounted filter
- Shallow profile ideal for welding hoods



USE WITH PAPR FOR AIR-FED OPTION

Kit includes:

- 1 x SR900 Mask (Medium Size)
- 1 x A1 (217) Gas Filter
- 1 x P3 Particle Filter (SR510)
- 5 x 221-1 Pre Filter
- 1 x Pre-Filter Holder
- 1 x Cleaning Napkin
- 1 x Clear Storage Container

See page 90 for filters

Sundström SR900 Basic Pack

SKU: GMASK171-06152

SR 900 is a completely new system where the user can easily customise the product based on site requirement and needs. The respirator can be configured for filters, PAPR, supplied air, as well as a remote filter holder mounted on the waist belt.





SR221 Pre Filters SKU: GMASKFI221



SR510 Particle
Filter (P3)
SKU: GMASKFIP3



217 Organic Gas Filter (A1) SKU: GMASKFIA1

Kit includes:

- 1 x #7500 Half Mask
- 1 x Pair #2000 P2 OV Filter Pads
- 2 x Cleaning Wipes
- 1 x Resealable Storage Case

YHS Half Mask Welders Kit

SKU: GMASKHMWKITSS

The YHS 7500 Half Mask is made of lightweight silicone and a large exhalation valve to reduce fogging.





YHS Half Mask Painters Kit

SKU: GMASKHMPKITSS

Made from lightweight silicone and is used with A1P2 combination filters.

- Fully adjustable
- Lightweight
- Even weight distribution
- Clear vision

Materials: Silicone

Standards/Approvals: AS/NZS1716 **Use:** For organic vapours & odours from spraying, mixing, paint & mould removal and particles

Includes

- 1 x #7500 Half Mask
- 1 x Pair #701 A1 + #7N11 P2 Filter pads
- 1 x 2 Pair #7N11 spare P2 Filter Pads
- 2 x Cleaning Wipes
- 1 x Resealable Storage Case



YHS Full Face Painters Kit

SKU: GMASKFFSPKIT

Contains the YHS FFS680 Full Mask which is made of lightweight silicone and a large anti-fog, anti-scratch visor for clear vision.

- 4 point harness
- Lightweight
- Anti-fog
- Large exhalation valve

Materials: Silicone

Standards/Approvals: AS/NZS1716 **Use:** For organic vapours & odours from spraying, mixing, paint & mould

removal and particles

Includes

- 1 x #FFS680 Full Face Mask
- 1 x Pair #701 A1 + #7N11 P2 Filter Pads
- 10 x Visor peel off overlays
- 2 x cleaning wipes
- Resealable storage case



Anest Iwata AF2100 Airfed Mask

SKU: GMASKAF2100

A Class LDH3 safety mask which provides protection factor of 200 times the occupational exposure limit. All Anest Iwata air fed masks are fitted with double action safety couplings to prevent accidental disconnection of the air feed line to the mask.

Standards/Approvals: AS/NZS1716 Includes:

- · Full Face Airfed Mask
- Belt
- Regulator
- Filter
- · Nape Cover
- Storage bag



Anest Iwata AF2109 Airfed Mask

SKU: GMASKAF2109

- Fitted with double action safety couplings to prevent accidental disconnection of air feed line
- Replaceable visor cover allows a panoramic view
- The floating headband has four adjustment points, with front and rear adjustment
- Face seal & sweat band are replaceable for hygiene
- A visual air supply indicator allows the user to ensure that air is being supplied at all times
- The belt has a pliable bracket that moulds to body contour and has a quick release buckle
- Neck and shoulder cover provides full protection

Standards/Approvals: AS/NZS1716 **Includes:**

- AF2100 full face breathing mask kit
- AFBH10R air breathing hose 10m with QR fittings
- Nape Cover
- Storage Bag
- 1.2 metre flexible gun whip hose with ultra light fittings

Safety:

- The OH&S Act clearly states breathing air quality and PPE as an employer responsibility
- Waist belt and air regulator meets AS/NZS1716 standards
- Compliant 10 metre AFBH10R
 Air breathing hose, use wherever breathable quality air is supplied
- Class LDH3 safety device provides protection of 200 times the occupational exposure limit



DeVilbiss ProVISOR 650 Air Fed Respirator & Waistbelt

SKU: GMASKPROV-650

The DeVilbiss Pro Visor is designed for sprayers in non electrostatic applications. Safety and comfort in the spray booth, with freedom of movement.

Disperses breathing air gently around the visor at a positive pressure with no misting or discomfort. The wrap around visor provides excellent and much wider peripheral vision, whilst the removable peak reduces glare from spray booth lighting. There is also plenty of space inside the helmet for spectacle wearers.

Features:

- Comfortable and lightweight air fed visor outfit
- Fully adjustable head band for best operator comfort
- Removable peak reduces spray booth light glare
- Lightweight, Ergonomic waist belt can be used on the right or left side
- Wider peripheral view for excellent visibility
- Audible warning device alerts operator to low air pressure
- Removable and washable antistatic shroud

Kit includes:

- Visor
- · Auxiliary air hose
- · Waistbelt and filter
- 7.5 m air hose with fittings and a two person combination filter set, including airline fittings

Standards/Approvals:

AS/NZS 1716:2012 License No:1481

Hazards:

- · Airborne Particulates
- Contamination
- · Gas, Vapors, Smoke

Weight: 9.2 kg

Honeywell Spray Painter's Kit

SKU: GMASKDCF-100SPW

A respiratory system that cools the face, reduces fogging and is ideal for applying two-pack paint. These Air Respirators are the proven safety solution when you need clean, compressed air.

Includes an air visor for the best protection and comfort, durable enough to meet demands of today's industrial environments. Also included - an auxiliary hose for a spray gun or air tool, a waistbelt with tamper proof air flow regulator and carbon filter.



Material: Natural rubber

Inhalation: Approx. 10 Pa at 30 I/min (EN standards requirement: <50 Pa)

Exhalation:

Approx. 56 Pa at 160 I/min (EN standards requirement: <300 Pa)

Standards/Approvals: AS/NZS 1716:2012

For use with: PAPR SR500 Fan unit

Weight: Approx. 450 g Can be used with:

- Can be fitted with optional SmallTalk microphone and loudspeaker
- Accepts all Sundström filters and compressed air attachments, as well as PAPR

Sundström SR200 Full Face Respirator

The Sundström SR200 full face respirator provides very high protection at heavy-duty work for extended periods. The respirator offers added eye and face protection, and a higher protection factor than half masks. Use with filters, supplied air, or Sundström PAPR.

- Very high protection factor (NPF 2000)
- Two exhalation valves
- Valve caps with air diffusion (no clogging)
- Curved visor for wide/deep field of vision
- Part of inhalation air is channelled across the visor to minimise mist forming

Visor	Head Harness	SKU	Price
PC	Natural Rubber	GMASK110-04852	
Glass	Natural Rubber	GMASK110-04851	



USE WITH PAPR FOR AIR-FED OPTION

Standards/Approvals:

AS/NZS 1801:1997 Occupational protective helmets

For use with:

- PAPR SR500 Fan Unit
- SR507 Air Attachment

Features:

- · Protects the breathing zone
- Protection from high-impact particles, liquid splashes and molten metal
- Air flow keeps visor mist-free
- Adjustable head harness
- Replaceable breathing hose
- Exhalation valve
- Optional peel-off visor film
- · Standard fastener for ear muffs
- Protection from high-impact particles, liquid splashes & molten metal

Sundström SR580 Supplied-Air Helmet & Visor

SKU: GMASK195-05520

The SR 580 together with the battery-powered SR 500 or SR 500 EX fan and approved filters are included in the Sundström fan-assisted respiratory protection device system.

The breathing hose of the helmet with visor can be connected directly to the fan, equipped with filters.

The SR 580 can also be used with the SR 507 supplied air regulator in order to be connected to any compressed air supply.



CONNECT TO PAPR OR AIR SUPPLY



PAPR SR500 Fan Unit with Standard Battery, Belt & Charger SKU: GMASKPA190-04997

Page 118



SR221 Pre FiltersSKU: GMASKFI221

Page 85

217 Organic Gas Filter (A1) SKU: GMASKFIA1

Page 86

SR510 Particle Filter (P3) SKU: GMASKFIP3

Page 86



SR507 Compressed Air Attachment SKU: GMASK197-05336

Page 118



3M 4540 Protective Coverall

Helps protect against light liquid splashes and hazardous dusts, including nuclear particles.

- Micro-porous PE laminate offers a barrier against hazardous particles and liquid splashes
- Breathable, SMMMS fabric back panel helps improve air ventilation to reduce heat build-up
- Reinforcement gusset between the legs to help provide increased durability during bending
- Elastic waist and ankles for freedom of movement

Closure Type: Two-way Zipper
Material: Combined SMMMS - Laminate
Product Type: Protective Coverall
Pack Size: Pack of 1
Approvals / Standards: Meets
standards for Type 6 Splashes,
Type 5 Dust, Anti-Static and Nuclear

Size	SKU
Medium	GSUIT3MMEDIUM
Large	GSUIT3MLARGE
XL	GSUIT3MX-LARGE
XXL	GSUIT3MXX-LARGE
XXXI	GSUIT3MXXX-LARGE



Anest Iwata Nylon Spray Suit

Keeps work clothes clean and paint free and protects your job from lint and other items.

Also protects your skin from harmful chemicals. Large front opening Zipper and boots zippers for easy use.

Туре	Size	SKU
1 pc	М	GSUITIWAMEDIUM1PC
1 pc	L	GSUITIWALARGE1PC
1 pc	XL	GSUITIWAXLARGE1PC
2 pc	М	GSUITIWAMEDIUM
2 pc	L	GSUITIWALARGE
2 pc	XL	GSUITIWAXLARGE
2 pc	XXL	GSUITIWAXX-LARGE
2 pc	XXXL	GSUITIWA2P3XL



GPI Washable Polyester Spray Suit

- Washable
- Anti-static
- Elasticised waist
- Hood
- One piece or two piece

Type	Size	SKU
1 piece	S	GSUITHNOS
1 piece	M	GSUITHNOM
1 piece	L	GSUITHNOL
1 piece	XL	GSUITHNOXL
1 piece	XXL	GSUITHNOXXL
2 piece	S	GSUITHNOS2
2 piece	M	GSUITHNOM2
2 piece	L	GSUITHNOL2
2 piece	XL	GSUITHNOXL2
2 piece	XXL	GSUITHNOXXL2



Tyvek 500 Classic Spray Suit

Made from high-density polyethylene which creates a unique, non-woven material. The protection is built into the fabric itself; it can't be abraded or worn away. Engineered with a unique comfort-fit design to give wearers a greater range of movement, improved mobility, a more tailored fit, and better overall comfort.

Feati	iree.

- New hood & Longer zipper puller
- · New sleeve design

Size	SKU
Small	GSUITTYVSMALL
Medium	GSUITTYVMEDIUM
Large	GSUITTYVLARGE
X Large	GSUITTYVX-LARGE
XX Large	GSUITTYVXX-LARGE
XXX Large	GSUITTYXXXLARGE



Tyvek 400 Dual Spray Suit

The protection of Tyvek on the front with a wide, high-comfort, breathable back. Increased protection where it's needed, plus excellent wearer comfort and good overall breathability.

Designed specifically for brick ceramic firing, foundries / smelting operations, paint spraying or any work involving composite materials, glass manufacturing, and utilities.

Features:

- Large breathable back panel
- Ergonomic 3 piece hood
- External stitched seams
- A tight seal at the critical points

Size	SKU
Small	GSUITTYVDUSMALL
Medium	GSUITTYVDUMEDIUM
Large	GSUITTYVDULARGE
X Large	GSUITTYVDUX-LARGE
XXL	GSUITTYVDUXX-LARGE
XXXL	GSUITTYVDUXXX-LARGE

Material: Foam Pack Size: 200 pairs

3M 1100 Foam Earplugs

SKU: GACC3M1100

- Bullet shape provides a smooth dirt resistant surface
- Soft hypo-allergenic foam for all day wearer comfort



Cord Type: Cloth CSA Class: CSA Class AL Dielectric: Yes

Electrically Insulated: Yes

Hearing Protection: Roll Down Foam

Material: Polyurethane Packaging: Bulk Case Pack Size: Pack of 100 **3M 1110 Corded Earplugs**

SKU: GACC3M1110

Soft, hypoallergenic foam and a tapered design provide a noise-reducing seal in the ear canal. Easy to roll down and once fitted in the ear, soften with body temperature for comfortable extended wear. Bullet shape provides a smooth dirt resistant surface.



Electrically Insulated: Yes Hearing Protection Style: Banded

Shape: Band with Pod SLC80 Rating: 18 dB (Class 3) Standards/Approvals: AS/NZS 1270:2002 Pack Size: Pack of 10

Features:

• No insertion ensures hygienic hearing protection

ensures all day wearer comfort

Lightweight with low band pressure

Color: Orange

(band)

Includes:

· Replacement pods

3M 1310 Banded Earplugs

SKU: GACC3M1310

3M Banded Earplugs are easy to use, convenient and extremely comfortable. They are quick to put on and off and to store around the neck when not required. Flexible for easy manipulation and low pressure in the ear and provides a comfortable seal.



Pod Shape: Arrow Material: Foam (pod), Polypropylene

Rating: Class 3 Packaging: Resealable Bag

· Banded earplugs

Honeywell Banded Earplugs

SKU: GACCQB2HYG

- Soft pods rest partially in the ear for a balance of protection and comfort
- Patented band design prevents ear pods from touching dirty or contaminated surfaces
- · Lightweight and portable, designed especially for environments with intermittent noise hazards



Material: Polyurethane Foam Certification: License #1579 Rating: Class 5

Suitable Industries:

- Chemical
- Construction
- Fire Protection
- Manufacturing
- · Steel and Metals
- Transportation + more

Pack Size: 500 pairs

Honeywell Max Foam Earplugs

SKU: GACCMAX-1-D



- Easy to insert, resists tendency to fall out
- · Polyurethane foam enhances comfort for long term wear
- Soil-resistant closed cell-foam prevents dirt build-up





Material: Anodized Aluminum Capacity: 500 pairs Refill Earplugs:

- Max
- Max Lite
- Laser Lite
- Multi Max Matrix
- Quiet

Honeywell Mounted Earplug Dispenser

SKU: GACCLS-500

- Heavy-duty anodized aluminum
- Mount on wall for easy access
- Crank handle to dispense earplugs
- Ideal for large factories and process industries





Honeywell Mach 1 Noise Blocking Earmuff

SKU: GACC1010421

The Mach 1 is an economical choice for basic hearing protection in short-term work situations. Mach 1's adjustable headband fits any head size, while its super-lightweight dielectric construction provides adequate protection.

Dielectric: Yes Earcup Color: Red

NRR: 18 SNR: 23

SLC80: 22 dB / Class 4

Features:

- Economical design delivers adequate protection at a low cost
- Extremely lightweight construction provides all-day comfort
- Dielectric construction suitable for all workplaces, especially electrical environments



Honeywell Clarity C2 Multiposition Earmuff

SKU: GACC1011145

The Clarity Sound Management technology improves worker safety by blocking noise, while voice and signal frequencies can be heard more naturally. It provides uniform attenuation that allows speech frequencies to be heard with less distortion - combating worker isolation and overprotection on the job. Plus, Clarity's robust non-deforming dielectric design withstands use and abuse.

SNR: 30 dB

H: 30 dB M: 29 dB L: 25 dB

Materials:

- Plastic [or Dielectric] earmuff
- LDPE, POM, PA, EPDM, PP, PUR-E,

Batteries Needed: None

Weight: 208 g

Headband Style: Multiple-Position

- Blocks noise while voice, signal, alarm and high frequencies can be heard
- Wear as an over-the-head, behindthe-head or under-the-chin earmuff
- Can be worn with visors, face shields, respirators and welding shields
- Headband strap provides security
- Height adjustment remains fixed



Honeywell Sync Stereo Earmuff

SKU: GACC1030110

Provides high level of hearing protection, high-fidelity sound, and allows you to listen to portable audio devices safely at work and at home. Sync has no volume knob or power switch to fiddle with, and no batteries to replace, so users can just plug in and go!

Materials: PVC, Polypropylene Ear Cushion: PVC / Polypropylene Hygiene Kit: Part # 1030220 Headband force: 9.5 N Weight: 255.17 g

Features:

- Reinforced fork slides with handholds
- AUX input
- Includes 3.5 mm cable
- Breathes easier in warm climates
- Robust construction
- Telescoping height adjustment for personalised comfort



Honeywell Sync Digital Earmuff

SKU: GACC1030330

The SYNC Radio earmuff has a built-in full-stereo FM and AM radio. It allows you to listen to radio-reception in the FM-band between 87,5 and 108 MHz and in the AM-band between 520 and 1710 kHz, while still protecting your hearing in an efficient and comfortable way.

SNR: 29 dB

H: 29 dB M: 27 dB L: 23 dB

Batteries Needed: 2AA

Battery Autonomy (hrs): 111

Weight: 0.37 kg

Headband Style: Over-Head

Headband Style: Over-Head Automatic Shut-Off Function: Yes Audio Input Jack: Yes



Honeywell Sync Wireless Earmuff

SKU: GACCRWS-53017

Answer calls or stream information from your mobile phone via Bluetooth when working in a noise. The earmuff provides high passive noise attenuation Slc80 of 31 dB. The device's sleek, ergonomic design makes operation simple, with volume control buttons and flashing lights to indicate different settings.

Dielectric: No Earcup Color: Black Battery: 2 AA included SNR: 29

Key Features:

- Connectivity to Bluetooth device
- Boom microphone with windsock for voice clarity in high-noise
- Lithium Ion battery featuring 16+ hours of battery life while streaming
- · Volume control buttons
- High passive attenuation SLc80
- Includes USB cord and wall charger

GPI Safety Goggles

SKU: GACCMGOG

Safety is important in the workplace. Protect your eyes from hazardous dust and chemicals.



Lens Material: Polycarbonate **UV Protection:** Absorbs 99.9% UV protection for UV A, B and C

Standards/Approvals:

- AS/NZS1337.1:2010
- Lic N° SMKH 21726
- Medium Impact and High temperature

Weight: 21.6 g

Honeywell A700 Safety Glasses - Clear Anti-Fog

SKU: GACC1015360AN



- Universal nose bridge and soft temple tips for all-day fit and comfort
- 100% Dielectric Design
- Hard coat reduces scratches and helps extend lens life
- Anti-fog coating provides optimal visual clarity in humid environments
- Lens tint options are available to meet the needs of most work environments.



Lens Material: Polycarbonate **UV Protection:** Absorbs 99.9% UV radiation up to 385 nm

Hazards: Abrasion, Impact, Regulations

negulations

Standards/Approvals:


AS/NZS 1337.1 - Approved to AS/NZS

1337.1 for Medium Impact

Weight: 30.9 g

Honeywell Hypershock Eyewear

Hypershock eyewear delivers the ultimate combination of high-performance protection and aggressive sport inspired styling. The full frame design offers medium impact protection, with streamlined padded temples and a molded nose piece for a secure, comfortable fit.





 100% dielectric. Can be worn in environments where accidental exposure to electrical charge is possible





Colour	Description	SKU	Price
Espresso Brown	Hard coat	GACC1024854AN	
Black	Grey Polarised	GACC1024858AN	

Materials: Durable Polycarbonate **Certification:** ASNZS1337.1 for medium impact

YHS Medium Impact Spectacle

SKU: GACCSS007C

These spectacles feature an ultra light wraparound style for a close fit, anti-scratch lens and 99.9% UV protection.





Trafalgar Aerosol Only Storage

Trafalgar Aerosol Storage Cabinets are made in Australia using heavy duty steel construction.

Suitable for: Storage of aerosol cans

Marked with:

- Name and address of the manufacturer
- A danger alert Class 2 Flammable Gas label
- "NO SMOKING, NO IGNITION SOURCES WITHIN 3M"

Size	Capacity	Shelves	SKU	Price
1830 mm x 1120 mm x 520 mm	8 kg / 14 cans	1	GEQTCASC8KG	
655 mm x 710 mm x 305 mm	20 kg / 80 cans	2	GEQTCASC20KG	



Trafalgar Flammable Liquid Storage Cabinets

Proudly made in Australia, in accordance with Australian Standards and comply with AS 1940-2017. Patented concealed 'Stay-Open' double door design makes loading and unloading dangerous chemicals safer and easier.

Suitable for:

- · Petrol and petroleum derivatives
- Adhesives
- · Printing inks and solvents
- · Paints and solvents
- Any Class 3 liquids

Features:

- Patented 'Stay-Open' double door
- Concealed, self closing doors
- · Recessed handle with key lock
- Continuous piano hinges

Size	Capacity	SKU	Price
1830 mm x 1120 mm x 520 mm	250 litres / 9 drums	GEQTCFLS250L	
1830 mm x 1435 mm x 630 mm	350 litres / 12 x 20L drums	GEQTCFLS350L	

Spill Station Spill Kits

- · Highly visible, clearly labelled package
- Suitable for a large range of environments
- Contains materials for dealing with spills

Applications:

- Diesel, motor oil, petrol, coolant
- Non-aggressive water-based chemicals
- Solvents
- Workshop chemicals

Name	Size	Description	Includes	SKU	Price
General Purpose - 32 litres		A compact 32 litre general purpose spill kit which is lightweight enough for transport. It is suitable for logging, trucking and on-the-road applications.	 10 hazchem absorbent pads 480 x 430 mm 1 general purpose boom 1.5 m x 75 mm 1 absorbent floor sweep 15 litre bag 2 contaminated waste bags 1 pair oil resistant gloves 1 dustpan and brush 1 adhesive wall locator 1 weather resistant zip-top bag 	GEQTSS32GP	
General Purpose - 100 litres	480mm × 544mm × 1060mm	A 100 litre general purpose spill kit suitable for non-aggressive liquids including Class 3 Flammables and Class 6 Toxic liquids. Designed for mobility in a heavy-duty polyethylene wheelie bin with cover and push handles. Booms included Tool racks for booms and spark proof shovels can be fitted (no additional cost) Tamper evident seals can be fitted (no additional cost) Refills available	 50 hazchem absorbent pads 430 x 240 mm 2 general purpose booms 1.2 m x 75 mm 1 general purpose booms 3 m x 75 mm 1 absorbent floor sweep 50 litre bags 5 contaminated waste bags and ties 1 pair oil resistant gloves 1 laminated instruction sheet 1 weather resistant bin cap 1 adhesive wall locator 1 wheelie bin 140 litre 	GEQTSS120GP	
Oil & Fuel - 120 litres	480mm × 544mm × 1060mm	Perfect for responding to oil and fuel spills of up to 120 litres. Packed in a bright red labelled wheelie bin, it is easy to locate and take to the spill site. The highly absorbent oil pads are easy to deploy and retrieve. No brooms or shovels required. • Weather resistant cap • Wheels for easy relocation • Absorbent booms help to control spills while soaking up the liquid • Tamper evident seals can be fitted (no additional cost) • Refills available	 100 oil / fuel absorbent pads 240 x 430 mm 3 oil or fuel absorbent booms 3 m x 75 mm 2 oil or fuel absorbent boom 1.2 m x 75 mm 5 contaminated waste bags and ties 1 pair oil resistant gloves 1 adhesive wall locator 4 laminated instruction sheet 4 weather resistant bin cap 4 labelled red wheelie bin 240 litre 	GEQTSS120W	

Material: 100% polyester **Size:** Cut to size

Air Intake Final Filter

SKU: GBOOTHFIV600G

CUT TO SIZE - CALL OFFICE FOR QUOTE

Especially designed for the final intake air filtration for the ceiling fine filter in paint-spray systems and booths. They are also suitable in any kind of fine filtration of ventilation systems and units.

The fibres are thermal bonded and adhesive activated. The clean air side is strengthened with a polyester woven fabric. Free of silicone - paint agreeable.



Material: Glass fibre Colour: Green / white Size: Cut to size Features:

- Paint endurable
- Free of silicone
- Colour coded on the air entering side
- Suitable for spray booths

Exhaust Filter

CUT TO SIZE - CALL OFFICE FOR QUOTE

These glass filtration exhaust filter mats are especially designed for paint overspray arrestance in paint-spray systems and booths in the automobile production and painting industry (e.g. furniture, windows, machine parts).

The material composition is made up of high performance glass fibre media, continuous bonded, arranged in a stratified formation with form elastic matrix structure and is progressive mounted.

Width	Length	SKU	Price
500 mm	91 metres	GBOOTHFIEX500X91	
610 mm	25 metres	GBOOTHFIEX610X25	
610 mm	91 metres	GBOOTHFIEX610X91	
750 mm	25 metres	GBOOTHFIEX750X25	
1000 mm	25 metres	GBOOTHFIEX1000X25	
1200 mm	25 metres	GBOOTHFIEX1200X25	
1500 mm	25 metres	GBOOTHFIEX1500X25	
1800 mm	25 metres	GBOOTHFIEX1800X25	
2000 mm	25 metres	GBOOTHFIEX2000X25	



Paint Arrestance Filtration Efficiencies: 98.2% - 99.4% Recommended Air Velocity: 49 - 197 fpm (0.25 - 1.00 m/s) Recommended Maximum Pressure

Drop: 0.51 in wc (128 Pa) possible up to 1.03 in wc (256 Pa) if fan allows **Size:** H 90 x L 924 cm

Andreae Booth Filters

SKU: GBOOTHFIACF

Andreae filters are designed to capture any wet solids or liquid particles in an air stream: high solid enamels, baked and air dried enamels, glues, oils, stains, lacquers, fiberglass, epoxies, asphalts, clear coats, tar, teflon, etc.

The v-shaped front wall prevents overspray bounce back and particle migration.

The deeper v-shape back wall captures overspray and deposits it outside of the airflow.

The filter exhaust holes are positioned to maintain constant airflow during the loading phase.

Static pressure increases slowly with the accumulation of overspray resulting in uniform airflow.



BOOTH FILTERS

Can't find what you are looking for?

Talk to our friendly staff, we may be able to order it in for you.

1300 BCCOAT (222 628)

DeVilbiss Airline Disposable Filters

SKU: GFILTERHAF-507





- Traps water, oil & dirt
- High efficiency filter pads
- Minimal pressure drop
- Long service life
- Tough, solvent resistant Delrin housing with 1/4" threads
- 50 grams


Spray Gun Oil & Water Separator

SKU: GGUNFIPS140



Suction Cup Filter

SKU: GGUNFIKR-483-K10



- Keeps spray gun passages clear
- Resistant to most solvents
- Easily cleaned
- Pushes onto the fluid tube of KR suction cups
- Easy fit suction cup paint filters
- 130 micron





Stem Filters

SKU: GGUNFIS4





- 220 Micron compact nylon
- Fits on suction stem of pot



Anest Iwata Gravity Pot Filters

Stainless steel gravity filter.



		1		
For use with	Micron	Pack size	SKU	Price
W400, LPH400 & most other gravity guns	190	Pack of 3	GGUNFISEL.3	
AZ3, PCG.6AG & PCG.2AG Gravity		Pack of 5	GGUNFISEL.30	

Heavy Duty In Line Filter

SKU: GFILTER06123

Inline filter for use with spray guns & small air consumption air tools - heavy duty construction.

- 1/4 inch in size
- Max inlet pressure -150 psi



Not recommended for tools with large air consumption



Assembly Filter

SKU: GGUNFI03030F

- 84 um
- Suitable for all Suction Guns

Black Cone Filter

SKU: GPAINTFIVS-55

100 mesh size





Gun Filter Assembly

SKU: GGUNFI03030

- Suitable for all Suction Guns
- Requires a 0303F Filter

Devilbiss Inline Strainer Assembly

SKU: GPAINTFIVSA-512



• Manufactured from high grade stainless steel

• "Universal" 3/8" threads for easy use on both BSP and NPS threaded spray guns





Devilbiss Inline Filters

The DeVilbiss paint filters have been specifically designed for use with all types of low pressure spray painting equipment. To be used with the VSA-512 filter assembly.

Colour	Micron	Pack size	SKU	Price
Green	60 Micron	Pack of 1	GPAINTFIVSA-3	
Green		Pack of 5	GPAINTFIVSA-3-K5	
Blue	112 Micron	Pack of 1	GPAINTFIVSA-4	
blue		Pack of 5	GPAINTFIVSA-4-K5	
White	280 Micron	Pack of 1	GPAINTFIVSA-5	
vvriite		Pack of 5	GPAINTFIVSA-5-K5	

Filter Type: Particulate Filters
Suitable for: Use with 3M 6000/7500
Series Half Face Respirators and
3M 6000/7000 Series Full Face
Respirators

Standards/Approvals: Complies with AS/NZS 1716:2012

Pack Size: Pack of 2

3M Particulate Filters

- Made from 3M high performance filter media for effective filtration efficiency
- Lightweight and provides low breathing resistance



Name	Rating	Туре	Use with	Protect against	SKU	Price
2125	P2	Particulate	6000/7500 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times the Workplace Exposure Standard (WES) 6000/7800 Series Full Face Respirator: for particles, for airborne concentrations up to 50 x WES	Certain particles, dusts, mists and fumes such as sanding, grinding, cutting, drilling metal, masonry, wood and concrete	GMASKFI3M2125	
2128	GP2	Nuisance Level Organic Vapour/Acid Gas Relief	6000/7500 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times WES 6000/7800 Series Full Face Respirator: for particles, for airborne concentrations up to 50 x WES	Welding fume, ozone, polishing and grinding particles. Also for spraying pesticides or herbicides with vapour pressure <1.3 Pa @ 25°C	GMASKFI3M2128	
2138	GP2 / GP3	Nuisance Level Organic Vapour/Acid Gas Relief	6000/7500 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times the WES 6000/7800 Series Full Face Respirator: for particles, for airborne concentrations up to 100 x WES	Toxic particles such as mould remediation. Also for nuisance level* acid gases and organic vapours with low vapour pressure <1.3 Pa @ 25°C	GMASKFI3M2138	

Colour: Clear

Suitable for: 5000, 6000, 6500, 7000, 7500, 7800S, FF-400 series Masks

Pack Size: Pack of 2

3M 501 Filter Retainer

SKU: GMASKFI3M501

Used to hold 3M Particulate Filters 5925 and 5935 in place on top of 3M Cartridges 6000 Series.



Standards/Approvals: Complies with

AS/NZS 1716:2012

Pack Size: Pack of 10 (5 pairs)

3M Filter for Dust (P2)

Provides protection against: Particulates (P2), including those containing oil.

To be fitted with the 3M 6000 Series Cartridges and the 3M 501 Retainer.



Name	Rating	Туре	Use with	Protect against	SKU	Price
5925	P2	Solid and liquid particles	6000/7500 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times the WES 6000/7800 Series Full Face Respirator: for particles, for airborne concentrations up to 50 x WES	Particulates (P2), including those containing oil	GMASKFI3M5925	
5935	P2 (half face respirator) P3 (full face respirator)	Solid and liquid particles	6000/7500 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times the Workplace Exposure Standard (WES) 6000/7800 Series Full Face Respirator: for particles, for airborne concentrations up to 100 x WES	Particulates (P3), including those containing oil.	GMASKFI3M5935	

Filter Type: Gas & Vapour Cartridge **Standards/Approvals:** Complies with AS/NZS 1716:2012

3M Organic Vapour Cartridge Filters

- 3M Bayonet Connection System ensures precise and secure locking
- Low profile and well balanced twin filter design

SKU	Name	Rating	Use with	Protect against	Use when	Price
GMASKFI3M6051B	6051	A1	6000/7500 Series Half Face Respirator: for airborne concentrations up to 10 times the Workplace Exposure Standard (WES) or 1000 ppm, whichever is the lower 3M 6000/7800 Series Full Face Respirator: 50 x WES or 1000 ppm, whichever is lower	Organic Vapours (boiling point > 65°C) (A1).	Using organic solvents e.g. toluene, xylene and MEK and degreasing, mixing, using paint thinner, lacquers and glues	
GMASKFI3M6055	6055	A2	6000/7500 Series Half Face Respirator: for airborne concentrations up to 10 times the WES or 1000 ppm, whichever is the lower 3M 6000/7800 Series Full Face Respirator: 100 x WES or 5000 ppm, whichever is lower	Organic Vapours (boiling point > 65°C) (A2).	Cleaning with or using organic solvents e.g. toluene, xylene and MEK and degreasing, mixing, using paint thinner, lacquers and glues	
GMASKFI3M6057 PACK	6057	A1B1E1	6000/7500 Series Half Face Respirator: for airborne concentrations up to 10 times the WES or 1000 ppm, whichever is lower 3M 6000/7800 Series Full Face Respirator: 50 x WES or 1000 ppm, whichever is lower	Acid Gases, Inorganic vapours and acid gases, Organic Vapours bp>65°C	Working with solvents and/or acid gases, e.g. Toluene, chlorine, sulphur dioxide and hydrochloric acid	
GMASKFI3M6059 PACK	6059	A1B1E1K1	 6000/7500 Series Half Face Respirators 3M 6000/7000 Series Full Face Respirators 	Organic Vapours (boiling point > 65°C) Inorganic & Acid Gases, Ammonia and Methylamine (A1B1E1K1)	Working with chemicals such as organic vapours, chlorine, hydrogen chloride, sulphur dioxide, hydrogen fluoride, hydrogen sulphide, ammonia, methylamine, and formaldehyde	

Gas & Vapour Protection: Solid and liquid particles

Use with: 3M 6000/7500 Series Half Face Respirators and 3M 6000/7000 Series Full Face Respirators

Pack Size: Pack of 2

3M Particulate Filter

- Solid top design reduces the chance of premature caking, clogging, or soiling with dirt, grime, water or dust
- Protective casing aids decontamination practices
- Temperature resistant cover protects filter media from heat, sparks or physical damage
- Patented bonded web technology has more surface area than many standard filters which helps lower breathing resistance making it more comfortable to use
- 3M Bayonet Connection System ensures precise and secure locking
- Low profile and well balanced twin filter design

SKU	Name	Rating	Protect against	Price
GMASKFI3M6035	6035	P2/P3	 Certain particles, dusts, mists and fumes such as sanding, grinding, cutting, drilling metal, masonry, wood and concrete Carrying out lead or mould remediation, some asbestos Deflect sparks, splashes 	
GMASKFI3M6038	6038	P2/P3 HF	Particulates, Hydrogen Fluoride, Nuisance* Level Organic Vapours and Acid Gas (P2/P3** HF). The protective casing helps deflect sparks and splashes of liquid. The casing also assists in environments where decontamination is required. * Nuisance Levels are those levels below the Workplace Exposure Standard (WES). ** Higher P3 protection factors only achieved with a 3M Full Face Respirator, otherwise P2 protection level when worn on a 3M Half Face Respirator.	

Features:

- Excellent filtration efficiency over extensive period of time
- Lower profile and lightweight
- · Does not obstruct the field of vision
- Threaded connector is easy to attach

Temperature range: -10°C/+40°C Maximum humidity: 90% RH

Life Cycle: 6 years Certifications:

• Quality Assurance ISO 9001 / 2000

EN 2259

Dimensions: 80 x 50 mm **Weight:** 99.6 g Pack Size: Pack of 6

Honeywell Class 1 Plastic Cartridge (A1B1E1K1)

SKU: GMASKFIN06575009L

The A1B1E1K1 cartridge is part of the wide choice of cartridges offered to protect against many hazardous gases, vapors in many applications.

The Honeywell range provides high quality and a cost-effective protection. The cartridges of class 1 Honeywell range are tested against the European standards EN14387.



BULK PRICES AVAILABLE

Features:

- Lower profile and lightweight
- · Optimal comfort
- Does not obstruct the field of vision
- Easy to attach
- Small opening allows for easy check up

Temperature range: -10°C/+40°C Maximum humidity: 90% RH Certifications:

• Quality Assurance ISO 9001 / 2000

• EN 14387

Pack Size: Pack of 6

Honeywell Plastic cartridge A2

SKU: GMASKFIN06575001A2

The Honeywell Plastic cartridge A2 is part of the wide range of cartridges offered to protect against many hazardous gases, vapors and/or particulates in many applications.

The Honeywell range provides high quality and a cost-effective protection. The cartridges of Honeywell range are tested against standard EN14387.





Protection Type: Particulate Protection Level: P2 Material: Glass fiber Industries:

· General Industry

· Chemical Industries

Honeywell Pre-filter (P2)

P2 prefilter for class 1 twin plastic cartridges. Used in conjunction with Honeywell gas filters where particulate protection is required.

Pack Size	SKU	Price
2 Pack	GMASKFIRHSP-7506P2PK2	
10 Pairs	GMASKFIRHSP-7506P2	



Temperature range: -10°C/+40°C Maximum humidity: 90% RH Storage Life: 6 years Certifications: EN 143, Quality Assurance ISO 9001 / 2000

Connection Type: Request round filter

adapter N06575035 Diameter: 11 cm Pack Size: 10 Pairs

Honeywell Round Filter (P2/P3)

Flexible P3 filter to be used with class 1 N series filters, using the adapter N06575035.



Protection	Weight	Materials:	SKU	Pric
P3	181g	Polypropylene	GMASKFIN7500P3	
P3+ odour removal	235g	Polypropylene & carbon	GMASKFIN7500P3O	

Material: Polyester Diameter: 102 mm Thickness: 1 mm Weight: 44 g

Note: The pre-filter is a pre-filter only, and cannot be used as a substitute for the particle filter P3.

Sundström SR221 Pre Filters

SKU: GMASKFI221-1

Pre Filter prevents premature clogging of the main filter. The pre-filter holder prevents damage to the main filter. It fits into the pre-filter holder of all Sundström non-threaded main filters (gas and particle). Positioned in front of the main particle and gas filters. The low-cost pre-filter sorts out coarse wet and dry particles, protects the main filter and prolongs its service life.



BULK PRICES AVAILABLE



Sundström 217 Organic Gas Filter (A1)

SKU: GMASKFIA1

The A1 Organic Gas Filter is approved as a class A1 filter, providing protection against organic gases and vapours whose boiling point exceeds +65C, i.e. solvents.

Filter Rating: A1

Materials: Plastic polypropylene, 70 g

of activated carbon

Endurance: Filter lasts for 90-110

Largest Diameter: 106 mm Thickness: 28 mm Weight: 113 g



BULK PRICES AVAILABLE

Sundström 218 Gas Filter (A2)

SKU: GMASKFIA2

The A2 Organic Gas Filter is approved as a class A2 filter, providing protection against organic gases and vapours whose boiling point exceeds +65°C, i.e. solvents.

Filter Rating: A2

Materials: Plastic polypropylene, 100 g of activated carbon Endurance: Filter lasts for 45-50

minutes

Largest diameter: 106 mm Thickness: 36 mm Weight: 137 g



BULK PRICES AVAILABLE

Sundström SR510 Particle Filter (P3)

SKU: GMASKFIP3

Particle filter SR 510 or SR 210/310, provide P3 protection with full face masks and P2 protection with a half mask due to the limitation of the face piece. A half mask with particle filter or combination filter is approved for up to 10 times the TLV. The filter flange features an O-ring that optimises the seal to the front rim of Sundström gas filters.

Filter Rating: P3

Materials: Plastic polypropylene, 100 g of activated carbon, hydrophobic fibreglass paper Largest diameter: 107 mm Thickness: 31 mm

Weight: 44 a Pack Size: Pack of 1

Protection From: Protection from all types of wet and dry particles (dust, smoke, aerosols, spray, asbestos, bacteria, viruses & mould.)



Sundström ABEI Gas Filter (315)

SKU: GMASKFIABE1

An organic, inorganic, acid gas filter class ABE1 (regular capacity). Can be used with Sundström face masks.

Type: Organic, inorganic, acid gas filter class ABE1 (regular capacity) Materials: Plastic polypropylene. No metal parts

Largest diameter: 106 mm Thickness: 28 mm Weight: 125 g



YHS 2000 P2/P3 OV Filter

SKU: GMASKFIP2P3OVSS

The YHS 2000 P2/P3 OV Filter (Pair) is suitable for use with HMWKITSS and FFSP3KIT masks. For protection against particles and nuisance odours.

Filter Rating: P2/P3

Suitable for: Use with HMWKITSS, FFSP3KIT

Pack size: 1 x Pair



YHS 7N11 Particulate Pre Filters

SKU: GMASKFIP2PFSS

YHS Particulate Pre Filters come in a pack of 2 pairs and are used in conjunction with A1 (#701) or ABEK1 (#703) gas filters.

Filter Rating: P2

Suitable for: Use with A1 (#701) or

ABEK1 (#703) Pack size: 2 x pairs



YHS 701+7N11 A1P2 Filters

SKU: GMASKFIA1P2SS

YHS A1P2 Filters (Pair) are suitable for use with HMPKITSS and FFSPKIT. These combination filters are for organic vapours and particles.

Filter Rating: A1/P2

Suitable for: Use with HMPKITSS,

Pack size: 1 x Pair

Includes:

- 50 disposable lids with integrated collars and full diameter filters
- 50 disposable liners
- 1 reusable hard cup
- · 32 sealing plugs

3M PPS Series 2.0 Spray Cup **System Kit**

3M PPS Series 2.0 Spray Cup System is the next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Printed mixing ratios and reduces cleaning solvent consumption by up to 70% and reduces prep and clean-up time by up to 50%.

Size	Micron	SKU	Price
650ml	125	GCUP3M26026	
650ml	200	GCUP3M26000	
850ml	125	GCUP3M26740	
850ml	200	GCUP3M26024	



Lid Dispenser GEQ3M16299



3M PPS Dispensers

3M PPS Dispenser is a wall-mountable unit that makes supplies such as lids and liners for the 3M Paint Preparation System (PPS) readily available.

This storage accessory conveniently dispenses supplies one at a time, while keeping the remaining supply clean and safe from contamination.

- Offers exceptional convenience to access supplies
- Keeps supplies clean, neat, organised and free from contamination
- Top-loading access for reloading supplies



Pack Size: Pack of 250 Features:

- Special tip design ensures absolute 100% straining of paint
- Nothing is left behind in "double meshed" or "blind spot" to throw off critical colour matching
- Mesh on outside of strainer so there is no contamination of paint.
- Filters are solvent resistant
- Can be used up to 10 times

BC's Cone Paper Paint Filters

These paint strainers are a great way to ensure the quality of your paint, making sure 100% filtration is achieved.

	V

Colour	Micron	Use	SKU
Red	125 - Ultra fine	Fine - very fine filtration	GPAINTFIBCULTRAFINE
Blue	190 - Fine	Ideal base coat	GPAINTFIBCFINE
Black	225 - Medium	Metallic content paints	GPAINTFIBCMEDIUM

Pack Size: Pack of 250 Use: Ideal base coat Micron: 190 - Fine

Cone Paper Paint Filters

SKU: GPAINTFIPSF250FINE

Absolute 100% straining of paint. Nothing is left behind in "double meshed" or "blind spot" to throw off critical colour matching. Mesh on outside of strainer so there is no contamination of paint.



Pack Size: Pack of 10

2Spray Reusable Filters

SKU: GPAINTFIRPF5000

Used where fine to very fine filtration is needed. These filters are solvent resistant but will eventually soften.

