

Flammable Liquid Storage Cabinets

Isocyanate free two-pack epoxy coating inside and out, providing a hardwearing finish.

Danger alert sign indicating specific hazardous substances stored in cabinets.

Ventilation port, measuring 55mm in diameter.

Fully welded 150mm deep liquid tight sump capable of containing at least 25% of the maximum storage capacity.

Internal shelf brackets that fully interlock with shelves.

1.1mm thick double skin wall construction, with 40mm air gap between walls to provide thermal insulation.


Ventilation port, measuring 55mm in diameter.

Continuous piano hinges ensuring smooth closure of door.

Full instructions on usage of the cabinet attached to the inside of the door.

Built in ground connector.

Round corners on door.



Fully adjustable galvanised shelves included, perforated for leakages and to permit free air flow. Easily replaced if damaged. Additional shelving available for purchase.



Recessed handle with key lock. Two keys supplied.



Concealed self-closing door mechanism for more durability and usable space. Patent pending self closing sequential door mechanism on double door cabinets allows for right door to stay open at 7 locking positions between 20 – 90° for easier loading and unloading.



Three point self latching door mechanism.

Flammable Liquid Storage Cabinets

FLAMMABLE LIQUID STORAGE CABINETS					
Capacity (L)	30	60	100	160	250
Capacity (Units)	1 x 20L or 6 x 2.5L Tins	2 x 20L or 12 x 2.5L Tins	3 x 20L or 15 x 2.5L Tins	6 x 20L Drums	9 x 20L Drums
Part Number	TCFLS30L	TCFLS60L	TCFLS100L	TCFLS160L	TCFLS250L
Shelves	1	2	1	2	3
External Height (mm)	805	1070	810	1295	1830
External Width (mm)	520	520	935	1115	1115
External Depth (mm)	475	475	680	525	525
Internal Height (mm)	535	800	560	1045	1580
Internal Width (mm)	425	425	835	1015	1015
Internal Depth (mm)	375	375	530	375	375
Weight (kg)	53	62	100	138	187



Flammable Liquid Storage Cabinets

Capacity (L)	350	425	205 Vertical Drum	250 Economy
Capacity (Units)	12 x 20L Drums	16 x 20L Drums & 20 x 2.5L tins *	1 x Vertical Drum	12 x 20L Drums
Part Number	TCFLS350L	TCFLS425L	TCFLS205LVD	TCFLS250LE
Shelves	3	3	N/A. Comes with roller base	3
External Height (mm)	1830	1780	1830	1830
External Width (mm)	1435	1380	840	840
External Depth (mm)	630	760	840	840
Internal Height (mm)	1580	1400	1560	1580
Internal Width (mm)	1335	1285	740	740
Internal Depth (mm)	485	660	730	730
Weight (kg)	230	265	200	200

* NOTE: The 425L can also be used to hold 2 x 205L drums (1 shelf).

