

# Flat Bar Anthracite Vertical Radiators









Style Number: C001 | C003 | C004 Height: 1600mm (1.6m) | 1800mm (1.8m)

Colour: Anthracite Grey | Style: Flat Bar | Panels: 4-8 Single/Double

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**

5 Years Warranty
Pure Mild Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
Choose: 4 Bar, 5 Bar, 6 Bar, 7 Bar, 8 Bar

THICKER Pipe Diameter - More Steel, More Strong, More Heat

1/2" inlets and outlets With wall brackets and fixings. Note: Values are not included

CE Certified with Certificates and EN Numbers

(BTU or Btu)=The British thermal unit is a unit of heat; it is defined as the amount of heat required to raise the temperature of one pound of water by one Fahrenheit degree.

						Radiator size(mm)			
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	н	Weight Kg
C001	Flat	4	Anthracite	Single	2293	1600	300	58	13.17
C001	Flat	5	Anthracite	Single	2866	1600	376	58	16.46
C001	Flat	6	Anthracite	Single	3439	1600	452	58	19.76
C001	Flat	7	Anthracite	Single	4012	1600	528	58	23.05
C001	Flat	8	Anthracite	Single	4585	1600	604	58	26.34
C003	Flat	8	Anthracite	Double4+4	4585	1600	300	78	25.53
C003	Flat	12	Anthracite	Double6+6	6878	1600	452	78	38.29
C003	Flat	16	Anthracite	Double8+8	9170	1600	604	78	51.06
C004	Flat	8	Anthracite	Double4+4	5158	1800	300	78	28.61
C004	Flat	12	Anthracite	Double6+6	7737	1800	452	78	42.93
C004	Flat	16	Anthracite	Double8+8	10316	1800	604	78	57.24



# **Oval Bar Anthracite Vertical Radiators**





Style Number: C005 | C007 | C008

Height: 1600mm (1.6m) | 1800mm (1.8m) | 540mm (0.54m)

Colour: Anthracite Grey | Style: Oval Bar

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws.

All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### Description:

5 Years Warranty

**Pure Mild Steel Construction** 

Made from Materials free from impurities

Extra Strong - will not deform or corrode

High quality triple layered finish

Choose: 4 Bar, 5 Bar, 6 Bar, 7 Bar, 8 Bar

THICKER Pipe Diameter - More Steel, More Strong, More Heat

1/2" inlets and outlets

With wall brackets and fixings. Note: Values are not included

CE Certified with Certificates and EN Numbers


(BTU or Btu)=The British thermal unit is a unit of heat; it is defined as the amount of heat required to raise the temperature of one

pound of water by one Fahrenheit degree.

-						Radia	ator size	(mm)	
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C005	Oval	5	Anthracite	Single	2252	1600	300	60	11.74
C005	Oval	7	Anthracite	Single	3152	1600	420	60	16.44
C005	Oval	9	Anthracite	Single	4053	1600	540	60	21.14
C007	Oval	10	Anthracite	Double5+5	4503	1600	300	85	22.74
C007	Oval	14	Anthracite	Double7+7	6304	1600	420	85	31.83
C007	Oval	18	Anthracite	Double9+9	8106	1600	540	85	40.93
C008	Oval	10	Anthracite	Double5+5	5066	1800	300	85	25.48
C008	Oval	14	Anthracite	Double7+7	7092	1800	420	85	35.68
C008	Oval	18	Anthracite	Double9+9	9119	1800	580	85	45.87



# **Flat Bar White Vertical Radiators**



Style Number: C009 | C011 | C012 Height: 1600mm (1.6m) | 1800mm (1.8m)

Colour: White | Style: Flat Bar | Panels: 4-8 Single/Double

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**

5 Years Warranty
Pure Mild Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
Choose: 4 Bar, 5 Bar, 6 Bar, 7 Bar, 8 Bar
THICKER Pipe Diagneter – More Steel More

THICKER Pipe Diameter - More Steel, More Strong, More Heat

1/2" inlets and outlets

With wall brackets and fixings. Note: Values are not included

CE Certified with Certificates and EN Numbers

(BTU or Btu)=The British thermal unit is a unit of heat; it is defined as the amount of heat required to raise the temperature of one pound of water by one Fahrenheit degree.

							ator size	(mm)	
				T .	ı	Kaai	101 3120	(,	
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C009	Flat	4	White	Single	2293	1600	300	58	13.17
C009	Flat	6	White	Single	3439	1600	452	58	19.76
C009	Flat	8	White	Single	4585	1600	604	58	26.34
C011	Flat	8	White	Double4+4	4585	1600	300	78	25.53
C011	Flat	12	White	Double6+6	6878	1600	452	78	38.29
C011	Flat	16	White	Double8+8	9170	1600	604	78	51.06
C012	Flat	8	White	Double4+4	5158	1800	300	78	28.61
C012	Flat	12	White	Double6+6	7737	1800	452	78	42.93
C012	Flat	16	White	Double8+8	10316	1800	604	78	57.24



## Flat Bar Black Nickel Vertical Radiators





#### **Key Features:**

Style Number: C019 Height: 1600mm (1.6m)

Colour: Black Nickel | Style: Flat

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws.
All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**

15 Years Warranty
Pure Mild Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
Choose: 4 Bar, 6 Bar, 8 Bar
THICKER Pipe Diameter – More Steel,
More Strong, More Heat

1/2" inlets and outlets
With wall brackets and fixings.
Note: Values are not included
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat; it is
defined as the amount of heat required to raise the temperature
of one pound of water by one Fahrenheit degree.
Due to the finish of this radiator minor imperfections are unavoidable
and not covered by warranty. Please inspect the item before collection.

					Radia				
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C019	Flat	4	Black Nickel	Single	1537	1600	300	57	10.29
C019	Flat	6	Black Nickel	Single	2306	1600	452	57	15.74
C019	Flat	8	Black Nickel	Single	3075	1600	604	57	22.2

## Flat Bar Matt Black Vertical Radiators







### **Key Features:**

Style Number: C031 | C032 Height: 1600mm (1.6m)

Colour: Matt Black | Style: Flat Bar | Panels: 4-8 Single/Double

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**

15 Years Warranty
Pure Mild Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
Choose: 4 Bar, 6 Bar, 8 Bar
THICKER Pipe Diameter – More Steel,
More Strong, More Heat

1/2" inlets and outlets
With wall brackets and fixings.
Note: Values are not included
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat; it is
defined as the amount of heat required to raise the temperature
of one pound of water by one Fahrenheit degree.

						Radia	ator size	(mm)	
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C031	Flat	4	Matt Black	Single	1630	1600	296	58	10.30
C031	Flat	6	Matt Black	Single	2445	1600	448	58	15.24
C031	Flat	8	Matt Black	Single	3261	1600	600	58	20.17
C032	Flat	4+4	Matt Black	Double	3113	1600	296	83	19.41
C032	Flat	6+6	Matt Black	Double	4701	1600	448	83	28.89
C032	Flat	8+8	Matt Black	Double	6268	1600	600	83	38.37

**LYПШ**#00

ORDER NOW Call: 0191 6030668 or Email: hello@lynwoodhome.co.uk

# Flat Bar Anthracite Horizontal Radiators



## Flat Bar Anthracite Horizontal Radiators

#### **Key Features:**

Style Number: C027 | C028 | C038 Height: 450mm (0.45m) | 600mm (0.6m) Colour: Anthracite | Style: Flat

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### Description:

Style ID

5 Years Warranty Curved Round Stacked Bars Pure Mild Low Carbon Steel Construction Made from Materials free from impurities Extra Strong - will not deform or corrode High quality triple layered finish 1/2" inlets and outlets With wall brackets and fixings.

Style

Bars

Colour

Available in Size: 26 Bar | 34 Bar | 40 Bar Available in Anthracite Note: Values are not included. Tested in accordance to British Standard EN 442 CE Certified with Certificates and EN Numbers (BTU or Btu)=The British thermal unit is a unit of heat; it is defined as the amount of heat required to raise the temperature of one pound of water by one Fahrenheit degree.

BTU

Radiator size(mm)

83

83

31.00

43.00

1158

1520

Weight

		(pcs)		N9311000 <b>*</b> 301	1000000	9650	00.00	****	Kg
C027	Flat	8	Anthracite	Single	1357	600	546	58	8.86
C027	Flat	13	Anthracite	Single	2204	600	886	58	14.11
C027	Flat	17	Anthracite	Single	2882	600	1158	58	25.55
C027	Flat	20	Anthracite	Single	4100	600	1520	58	35.00
C028	Flat	16	Anthracite	Double	2485	600	546	83	15.99
C028	Flat	26	Anthracite	Double	4037	600	886	83	25.55
C028	Flat	34	Anthracite	Double	5279	600	1158	83	40.99
C028	Flat	40	Anthracite	Double	7540	600	1520	78	46.00
C038	Flat	26	Anthracite	Double	2943	450	886	83	24.00

Double

Double

Shape



C038

C038

Flat

Flat

34

40

Anthracite

Anthracite

3848


4590

450

450

## Flat Bar Matt Black Horizontal Radiators





#### **Key Features:**

Style Number: C029 | C030 Height: 600mm (0.6m)

Colour: Matt Black | Style: Flat Bar

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### Description:

5 Years Warranty
Pure Mild Low Carbon Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
THICKER Pipe Diameter – More Steel
More Strong, More Heat
1/2" inlets and outlets
With wall brackets and fixings.

Available in Width Sizes: 8 Bar, 13 Bar, 21 Bar Available in Colours: White/Anthracite/Matt Black

Note: Values are not included.

Tested in accordance to British Standard EN 442
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat;
it is defined as the amount of heat required to raise the
temperature of one pound of water by one Fahrenheit degree.

						Radi	(mm)		
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C029	Flat	8	Matt Black	Single	1357	600	546	58	8.86
C029	Flat	13	Matt Black	Single	2204	600	886	58	14.11
C029	Flat	21	Matt Black	Single	2882	600	1158	58	25.55
C030	Flat	8+8	Matt Black	Double	2485	600	546	83	15.99
C030	Flat	13+13	Matt Black	Double	4037	600	886	83	25.55
C030	Flat	17+17	Matt Black	Double	5279	600	1158	83	40.99



# **Flat Panel Anthracite Designer Towel Rail**





#### **Key Features:**

Style Number: C018 Height: 1820mm (1.82m) Colour: Anthracite | Style: Towel

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**


5 Years Warranty
Rear Column Bars and Wide Flat Cross Bars
Pure Mild Low Carbon Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
1/2" inlets and outlets
With wall brackets and fixings.

Available in Sizes: 1820x452x78
Available in Colours: Anthracite
Note: Values are not included.
Tested in accordance to British Standard EN 442
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat;
it is defined as the amount of heat required to raise the
temperature of one pound of water by one Fahrenheit degree.

						Radiator size(mm)				
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	W	Н	Weight Kg	
C018	Towel	6	Anthracite	Flat Solid	3430	1820	450	75	28.00	



# **Round Inline Towel Rail**





Style Number: C020 | C021

Height: 700mm (0.7m) | 1200mm (1.2m) | 1600mm (1.6m)

Colour: Chrome, Matt Black | Style: Towel


All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws.

All Radiators Can be used on all UK heating systems (tank

fed or combi systems) etc.

# **Description:**5 Years Warranty

Side Column Bars and Round Cross Bars
Pure Mild Low Carbon Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
1/2" inlets and outlets
With wall brackets and fixings.
Available in Sizes: 700x400, 1200x600, 1600x600
Available in Colours: Chrome, Matt Black
Note: Values are not included.
Tested in accordance to British Standard EN 442
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat;
it is defined as the amount of heat required to raise the temperature of one pound of water by one Fahrenheit degree.



						Radi	ator size	(mm)	
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C020	Towel	7	Chrome	Side Bar	428	700	400	40	3.22
C020	Towel	17	Chrome	Side Bar	1147	1200	600	40	7.22
C020	Towel	26	Chrome	Side Bar	1850	1600	600	40	9.71
C021	Towel	7	Matt Black	Side Bar	544	700	400	40	3.22
C021	Towel	17	Matt Black	Side Bar	1460	1200	600	40	7.22
C021	Towel	26	Matt Black	Side Bar	2355	1600	600	40	9.71



## Flat Bar Towel Radiators Matt Black







#### **Key Features:**

Style Number: C023

Height: 800mm (0.8m) | 1200mm (12.1m) | 1600mm (16.1m)

Colour: Matt Black | Style: Towel

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### **Description:**

5 Years Warranty
Rear Column Bars and Wide Flat Cross Bars
Pure Mild Low Carbon Steel Construction
Made from Materials free from impurities
Extra Strong – will not deform or corrode
High quality triple layered finish
1/2" inlets and outlets
With wall brackets and fixings.

Available in Sizes: 800x450, 1200x600, 1600x600

Available in Colours: Matt Black Note: Values are not included.

Tested in accordance to British Standard EN 442
CE Certified with Certificates and EN Numbers
(BTU or Btu)=The British thermal unit is a unit of heat;
it is defined as the amount of heat required to raise the
temperature of one pound of water by one Fahrenheit degree.

						Radiator size(mm)			
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg
C023	Towel	8	Matt Black	Rear Bar Flat	1181	800	450	70	3.22
C023	Towel	12	Matt Black	Rear Bar Flat	2195	1200	600	70	7.22
C023	Towel	16	Matt Black	Rear Bar Flat	2927	1600	600	70	10.71



## Traditional Towel Radiator





#### **Key Features:**

Style Number: C035 Height: 952mm (0.952m)

Colour: Chrome | Style: Traditional Towel

All are products undergo ultrasonic cleaning and 5 stage pressure testing to ensure zero leaks and flaws. All Radiators Can be used on all UK heating systems (tank fed or combi systems) etc.

#### Description:

5 Years Warranty **Chrome and Enamel Coated Radiator** Ideal for the Modern Classic Look Bathroom Pure Mild Low Carbon Steel Construction Made from Materials free from impurities Extra Strong - will not deform or corrode High quality triple layered finish 1/2" inlets and outlets

With wall brackets and fixings.

Available in Widths: 479, 659 Available in Chrome-White Note: Values are not included. Tested in accordance to British Standard EN 442 CE Certified with Certificates and EN Numbers (BTU or Btu)=The British thermal unit is a unit of heat: it is defined as the amount of heat required to raise the temperature of one pound of water by one Fahrenheit degree

								Radiator size(mm)			
Style ID	Style	Bars (pcs)	Colour	Shape	вти	L	w	Н	Weight Kg		
C035	Traditional Towel	4	Chrome	Traditional	1386	952	479	200	11.20		
C035	Traditional Towel	8	Chrome	Traditional	2420	952	659	200	16.20		



# **Radiator Valves**









## **Towel Radiator Valves**

Style Number: C013 Includes Lockshield Valve Colour: Chrome Style: Angled OR Straight Material: Brass

Material: Brass Size: 1/2" x 15mm



# **Radiator Valves**





## Standard TRV Valve + Lockshield

Style Number: C015 Includes Lockshield Valve Colour: White or Chrome Style: Angled OR Straight Material: Brass

Size: 1/2" x 15mm









# Premium TRV Valve + Lockshield

Style Number: C014 Includes Lockshield Valve Colour: Chrome, Matt Black, White

Colour: Chrome, Matt Black, White Style: Angled OR Straight

Material: Brass Size: 1/2" x 15mm









# **ORDER NOW**

Call: 0191 6030668

Email: hello@lynwoodhome.co.uk

www.lynwoodhome.co.uk