SDS v1 GHS / OSHA



Product: Cognac & Tobacco Product#: 5398571

Revised Date: 2023-02-06 00:00

Page 1 of 8 Print Date: 2023-03-10 14:52

1. Identification of the substance/mixture and of the company/undertaking			
1.1 Product identifie	.1 Product identifier		
Trade Name:	Cognac & Tobacco		
Product/Sales No:	5398571		
UFI#	UFI#		
1.2 Relevant indenti	1.2 Relevant indentified product use		
Intended use:	Compound used in customer substance/mixture/product		
1.3 Emergency telephone number			
Linergen	1.3 Emergency telephone number		
(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands		
+1 813 248-0585	International		

2. **Hazards Identification**

Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)			
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		

Eye Damage/Eye Irritation, Category 2A

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Product:Cognac & TobaccoProduct#:5398571

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 2 of 8 Print Date: 2023-03-10 14:52

Signal Word: Warning			
Hazard statements			
H303	May be harmful if swallowed		
H313	May be harmful in contact with skin		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H333	May be harmful if inhaled		
H411	Toxic to aquatic life with long lasting effects		
Precautionary Statements			
Prevention:			
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P337 + P313	If eye irritation persists: Get medical advice/attention		
P363	Wash contaminated clothing before reuse		
P391	Collect Spillage		

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
32210-23-4	250-954-9	5 - 10 %	H303; H317; H401
4-tert-Butylcyclohexyl acetate			
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl alcohol			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinnamal			
19870-74-7	243-384-7	2 - 5 %	H317; H400; H410
Cedrol methyl ether			



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cognac & Tobacco Product#: 5398571

Page 3 of 8 Print Date: 2023-03-10 14:52

EC#	Conc. Range	GHS Classification
201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
251-020-3	2 - 5 %	H303; H317; H400; H410
drene		
204-116-4	2 - 5 %	H227; H315; H317; H320; H402
etate		
204-727-6	1 - 2 %	H227; H316; H401
acetate		
203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401
I		
203-377-1	1 - 2 %	H303; H315; H317; H318; H402
202-086-7	1 - 2 %	H301; H317; H402
203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
cetate		
203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
		H412
251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
ro-1,1,2,3,3-per	ntamethyl-4(5H)-	indanone (Cashmeran)
260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)		
205-459-2	0.1 - 1.0 %	H317; H401
tate		
6 for full text of	GHS classification	on codes
	201-134-4 251-020-3 drene 204-116-4 etate 204-727-6 acetate 203-375-0 203-377-1 202-086-7 203-378-7 202-589-1 203-341-5 cetate 203-213-9 251-649-3 ro-1, 1, 2, 3, 3-per 260-709-8 ,6, 6-Trimethyl-3 205-459-2 tate	EC# Range 201-134-4 2 - 5 % 251-020-3 2 - 5 % drene 204-116-4 2 - 5 % 204-116-4 2 - 5 % etate 204-727-6 1 - 2 % 203-375-0 1 - 2 % 203-377-1 1 - 2 % 202-086-7 1 - 2 % 203-378-7 0.1 - 1.0 % 203-341-5 0.1 - 1.0 % 203-213-9 0.1 - 1.0 % 251-649-3 0.1 - 1.0 % 251-649-3 0.1 - 1.0 % 260-709-8 0.1 - 1.0 % 6,6-Trimethyl-3-cyclohexen-1-yi 205-459-2 205-459-2 0.1 - 1.0 %

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 0.31

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

PORTER CANDLES SUPPLY

Product: Cognac & Tobacco Product#: 5398571 SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 4 of 8 Print Date: 2023-03-10 14:52

.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical at	Indication of any immediate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the subst	ance or mixture	
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

SDS v1 GHS / OSHA



Product:Cognac & TobaccoProduct#:5398571

Revised Date: 2023-02-06 00:00

Page 5 of 8 Print Date: 2023-03-10 14:52

8. Exposure Controls/Personal Protection			
8.1 Control parameters			
Exposure Limits:	Contains no substances with occupational exposure limit values.		
Engineering Controls:	Use local exhaust as needed.		
8.2 Exposure controls - Personal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.		

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless(G0) - Pale Yellow(G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0076
%VOC:	0.01
Specific Gravity @ 25 C:	0.9340
Density (g/mL) @ 25 C:	0.9310
Refractive Index @ 20 C:	1.4620
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

PORTER GANDLE

Product: Cognac & Tobacco Product#: 5398571 SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 6 of 8 Print Date: 2023-03-10 14:52

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4381.0087) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4214.6413) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 111.5953) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

• •		
	Acute acquatic toxicity	Not classified - the classification criteria are not met
	Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
	Toxicity Data on soil	no data available
	Toxicity on other organisms	no data available
	12.2 Persistence and degradability	no data available
	12.3 Bioaccumulative potential	no data available
	12.4 Mobility in soil	no data available
	12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product:Cognac & TobaccoProduct#:5398571

Page 7 of 8 Print Date: 2023-03-10 14:52

14. Transport Information

Yes. Ingredient of greatest environmental impact : 19870-74-7 : (2 - 5 %) : Cedrol methyl ether				
	Class	Pack Group	Sub Risk	UN-nr.
	Not Regulated	- Not Dangerous	s Goods	
•				
	9	111		UN3082
	9	III		UN3082
	9	III		UN3082
	•	19870-74-7 : (2 - 5 %) : Cedrol m Class Not Regulated d/Rail) 9 9	19870-74-7 : (2 - 5 %) : Cedrol methyl ether Class Pack Group Not Regulated - Not Dangerous d/Rail) 9 III 9 III	19870-74-7 : (2 - 5 %) : Cedrol methyl ether Class Pack Group Sub Risk Not Regulated - Not Dangerous Goods d/Rail) 9 III 9 III

15. Regula	tory Information		
U.S. Federal Regula	ations		
TSCA (Toxic Substance Control Act)		All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA)		This product contains NO components of concern.	
U.S. State Regulation	ons		
California Proposition 65 Warning		This product contains the following components:	
140-67-0	205-427-8 0.01 - 0.1%	Estragole (Methyl chavicol) (Natural Source)	
Canadian Regulation	ons		
DSL		99.90% of the components are listed or exempt.The following components are NOT on the List:	
54440-17-4	0.1 - 1.0 %	2,3,3-Trimethylindanone	

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H312 : Harmful in contact with skin
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(44.80) Acute Toxicity Inhalation, Category 5	(29.68) Aquatic Chronic Toxicity, Category 3
(5.00) Sensitization, Skin, Category 1B	(2.97) Aquatic Chronic Toxicity, Category 2

SDS v1 GHS / OSHA



Product: Cognac & Tobacco

Product#: 5398571

Revised Date: 2023-02-06 00:00

Page 8 of 8 Print Date: 2023-03-10 14:52

- (2.86) Eye Damage/Eye Irritation, Category 2
- (2.80) Sensitization, Skin, Category 1A
- (1.94) Skin Corrosion/Irritation, Category 3
- (1.14) Acute Toxicity Oral, Category 5

(2.80) Sensitization, Skin, Category 1(2.65) Eye Damage/Eye Irritation, Category 2A(1.19) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Regulatory Affairs Group

Remarks

This safety data sheet is based on the properties of the material known to Porter Candle Supply at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Porter Candle Supply holds no responsibility. This document is not intended for quality assurance purposes.