

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier: 6180 - Prosecco Silk

Other means of identification:

Not applicable (N/A)

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Miscellaneous. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Name of the distributor or other responsible party:

Porter Candle Supply

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture:

29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Eye Irrit. 2A: Eye irritation, Category 2A, H319

Flam. Liq. 3: Flammable liquids, Category 3, H226

Repr. 2: Reproductive toxicity, Category 2, H361

Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

29 CFR 1910.1200:

Warning







Hazard statements:

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P201: Obtain special instructions before use.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use ABC powder extinguisher to put it out.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification

Linalool; Hexyl cinnam-aldehyde; Linalyl acetate; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)



Date of compilation: 8/28/2023 Version: 1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Aromatising mixture based on natural and/or synthetic ingredients

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification		Concentration
CAS:	2050-08-0	Pentyl salicylate	⋄	2.5 - <10 %
		Acute Tox. 4: H302 - Warning	<u> </u>	
CAS:	78-70-6	Linalool Eye Irrit. 2A: H319; Flam. Liq. 4: H227; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<u>(1)</u>	2.5 - <10 %
CAS:	63500-71-0	Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)		2.5 - <10 %
LAS.	03300-71-0	Eye Irrit. 2A: H319 - Warning		2.5 - < 10 70
CAS:	101-86-0	Hexyl cinnam-aldehyde	→	2.5 - <10 %
		Skin Sens. 1B: H317 - Warning	<u>(1)</u>	
CAS:	115-95-7	Linalyl acetate Eye Irrit, 2A: H319; Flam, Liq, 4: H227; Skin Irrit, 2: H315; Skin Sens, 1B: H317 - Warning	<u>(1)</u>	2.5 - <10 %
		Geranyl acetate		
CAS:	105-87-3	Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<u>(1)</u>	2.5 - <10 %
		1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		
CAS:	54464-57-2	Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<u>(1)</u>	2.5 - <10 %
CAC.	8008-57-9	CITRUS AURANTIUM DULCIS OIL		2.5 - <10 %
CAS:		Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<u>(¹) ⟨3)</u> ⟨ 3 ⟩	2.5 - <10 %
CAC.	150-84-5	Citronellyl acetate		2.5 - <10 %
CAS:		Skin Irrit. 2: H315 - Warning		2.5 - <10 %
CAC.	2705 07 5	Allyl 3-cyclohexylpropionate		1 - 43 E 0/-
CAS:	2705-87-5	Acute Tox. 4: H302+H312+H332; Skin Sens. 1: H317 - Warning	<u>(1)</u>	1 - <2.5 %
CAC	4040 11 0	2-ethyl-3-hydroxy-4-pyrone		1 43 5 0/
CAS:	4940-11-8	Acute Tox. 4: H302 - Warning	<u>(1)</u>	1 - <2.5 %
	10001 24 5	a,a-dimethylphenethyl butyrate		4 -2 5 04
CAS:	10094-34-5	Skin Irrit. 2: H315 - Warning		1 - <2.5 %
	121 22 1	3-ethoxy-4-hydroxybenzaldehyde		4 -2 50/
CAS:	121-32-4	Eye Irrit. 2A: H319 - Warning	(1 - <2.5 %
CAC.	Pipe	Piperonal		<1%
CAS:	120-57-0	Repr. 2: H361; Skin Sens. 1B: H317 - Warning	◆	<1 %
CAC	90 56 9	Pin-2(3)-ene		<1 %
CAS:	80-56-8	Acute Tox. 4: H302; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	<u>(!) </u>	<1 %0
CAS	00.95.4	p-mentha-1,4-diene		<1 %
CAS:	99-85-4	Flam. Liq. 3: H226; Repr. 2: H361 - Warning	<u> </u>	~1 70

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:



Date of compilation: 8/28/2023 Version: 1

SECTION 4: FIRST-AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Because the product is a flammable liquid, storage should meet the requirement of 29 CFR 1910.106, Flammable and Combustible Liquids Code. Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection







Date of compilation: 8/28/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. Use gloves in accordance with manufacturer 's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

E.- Bodily protection

Pictogram	PPE	Remarks
Mandatory complete body protection	Antistatic and fireproof protective clothing	Limited protection against flames.
Mandatory foot protection	Safety footwear with antistatic and heat resistant properties	Replace boots at any sign of deterioration. Use foot protection in accordance with manufacturer's use limitations and OSHA standard 1910.136 (29CFR)

F.- Additional emergency measures

Emergency measure Standards		Emergency measure	Standards
*	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	+	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

40 CFR Part 59 (VOC):

V.O.C.(weight-percent): 25.65 % weight

V.O.C. at 77 °F: 236.28 kg/m3 (236.28 g/L) Not applicable (N/A) Components:

California Air Resources Board (CARB) - VOC Regulatory:

V.O.C.(weight-percent): 25.65 % weight

V.O.C. at 77 °F: 236.28 kg/m3 (236.28 g/L)

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

V.O.C.(weight-percent): 25.65 % weight

V.O.C. at 77 °F: 236.28 kg/m3 (236.28 g/L)

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent): 25.65 % weight

V.O.C. at 77 °F: 236.28 kg/m³ (236.28 g/L)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 68 °F:

Appearance:

Color:

Odor:

Characteristic

Odour threshold: Not applicable (N/A) *

Volatility:

Boiling point at atmospheric pressure: 524 °F Vapour pressure at 77 °F: 13 Pa

Vapour pressure at 122 °F: 62.6 Pa (0.06 kPa)
Evaporation rate at 77 °F: Not applicable (N/A) *

Product description:

Density at 77 °F: 921.2 kg/m 3 Relative density at 77 °F: 0.921

Dynamic viscosity at 77 °F: Not applicable (N/A) * Kinematic viscosity at 77 °F: Not applicable (N/A) * Kinematic viscosity at 104 °F: Not applicable (N/A) * Concentration: Not applicable (N/A) * pH: Not applicable (N/A) * Vapour density at 77 °F: Not applicable (N/A) * Partition coefficient n-octanol/water 77 °F: Not applicable (N/A) * Solubility in water at 77 °F: Not applicable (N/A) * Not applicable (N/A) * Solubility properties: Decomposition temperature: Not applicable (N/A) * Melting point/freezing point: Not applicable (N/A) *

Flammability:

Flash Point: 103 °F

Flammability (solid, gas): Not applicable (N/A) *

Autoignition temperature: 230 °F
Lower flammability limit: Not available
Upper flammability limit: Not available

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Not applicable (N/A) *

*Not relevant due to the nature of the product, not providing information property of its hazards.



Date of compilation: 8/28/2023 Version: 1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Oxidising properties:

Not applicable (N/A) *

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not applicable (N/A) *

Not applicable (N/A) *

components:

Other safety characteristics:

Surface tension at 77 °F:

Not applicable (N/A) *

Refraction index:

Not applicable (N/A) *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

 IARC: Indole (2B); Benzyl acetate (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Suspected of damaging fertility or the unborn child
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not applicable (N/A)

Specific toxicology information on the substances:

Identification	А	cute toxicity	Genus
CITRUS AURANTIUM DULCIS OIL	LD50 oral	>5000 mg/kg	
CAS: 8008-57-9	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Citronellyl acetate	LD50 oral	>5000 mg/kg	
CAS: 150-84-5	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
Geranyl acetate	LD50 oral	>5000 mg/kg	
CAS: 105-87-3	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Hexyl cinnam-aldehyde	LD50 oral	3100 mg/kg	Rat
CAS: 101-86-0	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
Allyl 3-cyclohexylpropionate	LD50 oral	585 mg/kg	Rat
CAS: 2705-87-5	LD50 dermal	1600 mg/kg	Rabbit
	LC50 inhalation	11 mg/L (ATEi)	
a,a-dimethylphenethyl butyrate	LD50 oral	>5000 mg/kg	
CAS: 10094-34-5	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 oral	>5000 mg/kg	
CAS: 54464-57-2	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	

6180 - Prosecco Silk







Date of compilation: 8/28/2023 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	Acute toxicity	
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
2-ethyl-3-hydroxy-4-pyrone	LD50 oral	1200 mg/kg	Rat
CAS: 4940-11-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	12
Pentyl salicylate	LD50 oral	2000 mg/kg	Rat
CAS: 2050-08-0	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
3-ethoxy-4-hydroxybenzaldehyde	LD50 oral	3000 mg/kg	Rat
CAS: 121-32-4	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	LD50 oral	>5000 mg/kg	
CAS: 63500-71-0	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Piperonal	LD50 oral	2700 mg/kg	Rat
CAS: 120-57-0	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	Not applicable (N/A)	
Pin-2(3)-ene	LD50 oral	500 mg/kg	Rat
CAS: 80-56-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
p-mentha-1,4-diene	LD50 oral	3850 mg/kg	Rat
CAS: 99-85-4	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification		Concentration	Species	Genus
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	LC50	Not applicable (N/A)		
CAS: 63500-71-0	EC50	320 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not applicable (N/A)		
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Allyl 3-cyclohexylpropionate	LC50	0.13 mg/L (96 h)	Pimephales promelas	Fish
CAS: 2705-87-5	EC50	3.8 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	3 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
p-mentha-1,4-diene	LC50	2.8 mg/L (96 h)	N/A	Fish
CAS: 99-85-4	EC50	10.2 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not applicable (N/A)		

12.2 Persistence and degradability:

Substance-specific information:



Date of compilation: 8/28/2023 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradal	oility
Linalool	BOD5	Not applicable (N/A)	Concentration	100 mg/L
CAS: 78-70-6	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	90 %
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	BOD5	Not applicable (N/A)	Concentration	10 mg/L
CAS: 63500-71-0	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	10 %
Linalyl acetate	BOD5	Not applicable (N/A)	Concentration	81 mg/L
CAS: 115-95-7	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	80 %
Allyl 3-cyclohexylpropionate	BOD5	Not applicable (N/A)	Concentration	5 mg/L
CAS: 2705-87-5	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	86 %
Pin-2(3)-ene	BOD5	Not applicable (N/A)	Concentration	100 mg/L
CAS: 80-56-8	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	95 %
p-mentha-1,4-diene	BOD5	Not applicable (N/A)	Concentration	Not applicable (N/A)
CAS: 99-85-4	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	27 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bio	Bioaccumulation potential		
Linalool	BCF			
CAS: 78-70-6	Pow Log	2.97		
	Potential			
Hexyl cinnam-aldehyde	BCF	17		
CAS: 101-86-0	Pow Log			
	Potential	Low		
Linalyl acetate	BCF	174		
CAS: 115-95-7	Pow Log	3.9		
	Potential	High		
Citronellyl acetate	BCF	260		
CAS: 150-84-5	Pow Log	4.04		
	Potential	High		
Allyl 3-cyclohexylpropionate	BCF	860		
CAS: 2705-87-5	Pow Log	4.28		
	Potential	High		
Pin-2(3)-ene	BCF	2800		
CAS: 80-56-8	Pow Log	4.83		
	Potential	Very High		



Date of compilation: 8/28/2023 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Koc	42	Henry	1.71E-3 Pa·m³/mol
CAS: 63500-71-0	Conclusion	Very High	Dry soil	No
	Surface tension	Not applicable (N/A)	Moist soil	No
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
	Surface tension	Not applicable (N/A)	Moist soil	Yes
Allyl 3-cyclohexylpropionate	Koc	1820	Henry	Not applicable (N/A)
CAS: 2705-87-5	Conclusion	Low	Dry soil	Not applicable (N/A)
	Surface tension	Not applicable (N/A)	Moist soil	Not applicable (N/A)
3-ethoxy-4-hydroxybenzaldehyde	Koc	Not applicable (N/A)	Henry	Not applicable (N/A)
CAS: 121-32-4	Conclusion	Not applicable (N/A)	Dry soil	Not applicable (N/A)
	Surface tension	1.87E-2 N/m (529.12 °F)	Moist soil	Not applicable (N/A)
Pin-2(3)-ene	Koc	Not applicable (N/A)	Henry	Not applicable (N/A)
CAS: 80-56-8	Conclusion	Not applicable (N/A)	Dry soil	Not applicable (N/A)
	Surface tension	2.587E-2 N/m (77 °F)	Moist soil	Not applicable (N/A)
p-mentha-1,4-diene	Koc	8038	Henry	Not applicable (N/A)
CAS: 99-85-4	Conclusion	Immobile	Dry soil	Not applicable (N/A)
	Surface tension	2.991E-2 N/m (77 °F)	Moist soil	Not applicable (N/A)

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

The characteristic of Ignitability per RCRA could apply to the unused product if it becomes a waste material. The EPA hazardous waste number D001 could apply.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:



Date of compilation: 8/28/2023 Version: 1

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number: UN1993

14.2 UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (CITRUS AURANTIUM DULCIS OIL;

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es): 3
 Labels: 3

 14.4 Packing group, if applicable: III
 14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

Limited quantities: 5 L

49 CFR 173.150: A flammable liquid with a flash point at or above 38 °C (100 °F) that does not meet the definition of any other hazard class may be reclassed as a combustible liquid. This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impracticable. It can be shipped as a non-hazardous material if the container is under 120 gallons. Under 49 CFR 171.4, Except when transporting aboard a vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicles, rail cars, and aircraft

14.7 Transport in bulk (according Not applicable (N/A) to Annex II of MARPOL 73/78 and the IBC Code):

Transport of dangerous goods by sea:

With regard to IMDG 40-20:

14.1 UN number: UN1993

14.2 UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (CITRUS AURANTIUM DULCIS OIL;

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es): 3
Labels: 3
14.4 Packing group, if applicable: III
14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Special regulations: 274, 223, 955
EmS Codes: F-E, S-E
Physico-Chemical properties: see section 9

Limited quantities: 5 L

Segregation group: Not applicable (N/A) **14.7 Transport in bulk (according** Not applicable (N/A)

to Annex II of MARPOL 73/78 and the IBC Code):

Transport of dangerous goods by air:

With regard to IATA/ICAO 2023:





14.1 UN number: UN1993

14.2 UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (CITRUS AURANTIUM DULCIS OIL; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es): 3
Labels: 3

14.4 Packing group, if applicable: III **14.5 Marine pollutant:** Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

14.7 Transport in bulk (according Not applicable (N/A)

to Annex II of MARPOL 73/78 and the IBC Code):

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CALIFORNIA LABOR CODE The Hazardous Substances List: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Not applicable (N/A)
- CANADA-Domestic Substances List (DSL): Pentyl salicylate (2050-08-0); Linalool (78-70-6);

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0); Hexyl cinnam-aldehyde (101-86-0); Linalyl acetate (115-95-7); Geranyl acetate (105-87-3);

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2); CITRUS AURANTIUM DULCIS OIL (8008-57-9); Citronellyl acetate (150-84-5); Allyl 3-cyclohexylpropionate (2705-87-5); 2-ethyl-3-hydroxy-4-pyrone (4940-11-8) ; a,a-dimethylphenethyl butyrate (10094-34-5); 3-ethoxy-4-hydroxybenzaldehyde (121-32-4); Piperonal (120-57-0); Pin-2(3)-ene (80-56-8); p-mentha-1,4-diene (99-85-4)

- CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantities: Not applicable
- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)
- Massachusetts RTK Substance List: Pin-2(3)-ene (80-56-8)
- Minnesota Hazardous substances ERTK: Not applicable (N/A)
- New Jersey Worker and Community Right-to-Know Act: Pin-2(3)-ene (80-56-8)
- New York RTK Substance list: Pin-2(3)-ene (80-56-8)
- NTP (National Toxicology Program): Not applicable (N/A)
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096); Not applicable (N/A)
- Pennsylvania Worker and Community Right-to-Know Law: Pin-2(3)-ene (80-56-8)
- Rhode Island Hazardous substances RTK: Not applicable (N/A)
- The Toxic Substances Control Act (TSCA): Pentyl salicylate (2050-08-0); Linalool (78-70-6);

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0); Hexyl cinnam-aldehyde (101-86-0);

Linalyl acetate (115-95-7); Geranyl acetate (105-87-3); 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2); CITRUS AURANTIUM DULCIS OIL (8008-57-9); Citronellyl acetate (150-84-5); Allyl 3-cyclohexylpropionate (2705-87-5); 2-ethyl-3-hydroxy-4-pyrone (4940-11-8) ; a,a-dimethylphenethyl butyrate (10094-34-5); 3-ethoxy-4-hydroxybenzaldehyde (121-32-4); Piperonal (120-57-0); Pin-2(3)-ene (80-56-8); p-mentha-1,4-diene (99-85-4)

- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H361: Suspected of damaging fertility or the unborn child.
- H226: Flammable liquid and vapour.
- H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

6180 - Prosecco Silk



Date of compilation: 8/28/2023 Version: 1

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2A: H319 - Causes serious eye irritation. Flam. Lig. 3: H226 - Flammable liquid and vapour.

Flam. Liq. 4: H227 - Combustible liquid.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 8/28/2023

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).