SDS v1 GHS / OSHA



Product: Smoldering Embers Product#: 5401902 Revised Date: 2023-04-26 18:40

Page 1 of 7 Print Date: 2023-04-28 18:38

1.Identification of the substance/mixture and of the company/undertaking1.1Product identifier				
Trade Name:	Smoldering Embers			
Product/Sales No:	5401902			
UFI#				
1.2 Relevant indenti	fied product use			
Intended use: Compound used in customer substance/mixture/product				
1.3 Emerg	jency telephone number			
(800) 255-3924 +1 813 248-0585	Domestic USA, Canada, Puerto Rico, and US Virgin Islands International			

# 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## **Classification according to GHS**

Acute Toxicity Oral, Category 5 Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1B Acute Toxicity Inhalation, Category 5 Aquatic Chronic Toxicity, Category 2 H303 : May be harmful if swallowed

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H333 : May be harmful if inhaled
- H411 : Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1B

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements





Product: **Smoldering Embers** Product#: **5401902**  Revised Date: 2023-04-26 18:40

Page 2 of 7 Print Date: 2023-04-28 18:38

	H303	May be harmful if swallowed
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H333	May be harmful if inhaled
	H411	Toxic to aquatic life with long lasting effects
Ρ	recautionary Statements	
Ρ	revention:	
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
R	esponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage
2.3	Other Hazards	

no data available

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411		
Tetramethy	l Acetyloctahydr	onaphthalenes			
24851-98-7	246-495-9	5 - 10 %	H402		
Methyldihy	drojasmonate				
100-51-6	202-859-9	2 - 5 %	H302; H313; H319		
Benzyl Alco	ohol				
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402		
vanillin					
144020-22-4	482-330-9	1 - 2 %	H316; H317; H400; H410		
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododec					
58567-11-6	261-332-1	1 - 2 %	H315; H317; H401; H411		
(ethoxymethoxy)cyclododecane					
105-95-3	203-347-8	1 - 2 %	H401		
Ethylene b	rassylate				



SDS v1 GHS / OSHA

Revised Date: 2023-04-26 18:40

Product:Smoldering EmbersProduct#:5401902

Page 3 of 7 Print Date: 2023-04-28 18:38

CAS# Ingredient	EC#	Conc. Range	GHS Classification
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
1885-38-7	217-552-5	0.1 - 1.0 %	H301; H312; H316; H317; H332; H402
Cinnamyl	nitrile		
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411
Trimethyl-	propylcyclohexa	anepropanol	
103-41-3	203-109-3	0.1 - 1.0 %	H303; H317; H400; H411
Benzyl Ci	nnamate		

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.12

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effe	ects, both acute and delayed		
Symptoms: no data available			
Risks: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medic	al attention and special treatment needed		
Treatment: Refer to Section 2.2 "Response"			
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable Do not use a direct water jet on burning material			
5.2 Special hazards arising from the s	ubstance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective		
Further information:	Standard procedure for chemical fires		



Revised Date: 2023-04-26 18:40

Product: Smoldering Embers Product#: 5401902

Page 4 of 7 Print Date: 2023-04-28 18:38

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values.
------------------	---

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined



Product:Smoldering EmbersProduct#:5401902

SDS v1 GHS / OSHA

Revised Date: 2023-04-26 18:40

Page 5 of 7 Print Date: 2023-04-28 18:38

Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0070
%VOC:	0.23
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information

## **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4212.5930) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 92.0952) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-04-26 18:40

Product:Smoldering EmbersProduct#:5401902

Page 6 of 7 Print Date: 2023-04-28 18:38

#### 12. **Ecological Information** 12.1 Toxicity Acute acquatic toxicity Not classified - the classification criteria are not met Chronic acquatic toxicity Toxic to aquatic life with long lasting effects **Toxicity Data on soil** no data available Toxicity on other organisms no data available 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 54464-57-2 : (10 - 20 %) : Tetramethyl Acetyloctahydronaphthalenes				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI		Not Regulated	l - Not Dangerou	s Goods	
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082

### 15. Regulatory Information

#### **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

40 CFR(EPCRA, SARA, CERCLA and CAA)

All components of the substance/mixture are listed or exempt This product contains NO components of concern.

**U.S. State Regulations** 



SDS v1 GHS / OSHA

Revised Date: 2023-04-26 18:40

Product: Smoldering Embers

Product#: 5401902

Page 7 of 7 Print Date: 2023-04-28 18:38

California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 <= 18 ppm	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	98.45% of the components are listed or exempt.The following components are NOT on the List:
144020-22-4 482-330-9 1 - 2 %	Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododec

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H301 : Toxic if swallowed	H302 : Harmful if swallowed
H312 : Harmful in contact with skin	H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H332 : Harmful if inhaled
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(54.29) Acute Toxicity Inhalation, Category 5	(16.10) Sensitization, Skin, Category 1B
(14.42) Aquatic Chronic Toxicity, Category 3	(2.10) Skin Corrosion/Irritation, Category 3
(1.81) Skin Corrosion/Irritation, Category 2	(1.44) Aquatic Chronic Toxicity, Category 2
(1.19) Acute Toxicity Oral, Category 5	

Department issuing data sheet: Regulatory Affairs Group

### Remarks

This safety data sheet is based on the properties of the material known to Porter Candle Supply at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Porter Candle Supply holds no responsibility. This document is not intended for quality assurance purposes.