

Supply Zone Falloff Revision Date:

Page 1 of 7 1.0001

#### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

- PRODUCT NAME: Supply Zone Falloff
- **PRODUCT USE:** All purpose cleaner
- MANUFACTURED FOR:

WABAM a brand of Supply Zone, LLC 620 Wacker Drive Hartford WI 53029

sales@getwabam.com www.getwabam.com

- **INFORMATION PHONE:** 262-573-3016
- **EMERGENCY PHONE: INFOTRAC** 1-800-535-5053 USA & Canada 352-323-3500 International

## SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION:

Skin Corrosion: Category 2 Eye Damage: Category 2B

H320 | Causes eye irritation.

PICTOGRAMS:

GHS ELELMENTS:

SIGNAL WORD:

HAZARD STATEMENT(S):

H315 | Causes skin irritation.

Warning

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling. P280 | Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required). P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. P337 + P313 | If eye irritation persists: Get medical advice/attention. P362 | Take off contaminated clothing and wash before reuse.

ADDITIONAL PRECAUTIONS:

None Known

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS



Supply Zone Falloff Page 2 of 7

1.0001

HAZARDOUS	INGREDIENT

2-Butoxyethanol Surfactant Sodium Hydroxide 50% Tetrasodium EDTA Fragrance Lemon Yellow 316 CAS #

111-76-2 68130-47-2 1310-73-2 64-02-8 Not Available not available FUNCTIONAL PURPOSE PERCENT

Version:

Revision Date: Print Date:

Solvent	10 - 20%
Surfactant	1 - 5%
pH Adjustment	< 1.0%
Water Softener	< 1.0%
Fragrance	< 1.0%
Colorant	< 1.0%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

SECTION 4 - FIRST AID MEASURES		
EYES:	Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.	
SKIN:	Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops.	
INHALATION:	Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.	
INGESTION:	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.	
GENERAL:	Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested.	

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES		
FLAMMABILITY:	In a fire or if heated, a pressure increase will occur and the container may burst.	
EXTINGUISHING MEDIA:	Use an extinguishing agent suitable for the surrounding fire.	
PROTECTIVE EQUIPMENT:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.	
ADDITIONAL INFORMATION:	Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds.	

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breathe vapors. Provide adequate ventilation. Wear proper personal protective equipment.



CONTAINMENT/CLEANUP:

Supply Zone Falloff Revision Date: Print Date:

Page 3 of 7 1.0001

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product reaches sewers, waterways or soil.

Stop leak if without risk. Move containers from spill area. Contain or absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING:

Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container.

SAFE STORAGE:

Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment.

# SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Apply technical measures to comply with occupational exposure limits. Mechanical ventilation, eyewash stations, showers where necessary.		
EYE PROTECTION:	Safety eye-wear/face shield cor used when a risk assessment in liquid splashes, mists or dusts.	nplying with an approved star dicates this is necessary to av	ndard should be void exposure to
RESPIRATORY PROTECTION:	Use a properly fitted air-purifyir approved standard if a risk asse selection must be based on kno of the product & the safe worki	essment indicates necessity. R wn or anticipated exposure le	Respirator evels, the hazards
HAND PROTECTION:	Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
SKIN PROTECTION:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
COMPONENT:	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
2-Butoxyethanol Surfactant Sodium Hydroxide 50% Tetrasodium EDTA Fragrance Lemon Yellow 316	20.00 None 2.00 None None None	None None None None None None	None 1.00 None 15.00 None None

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Liquid

UPPER EXPLOSIVE LIMITS:



Version:

Supply Zone Falloff Page 4 of 7 1.0001

WABA	M		Revision Print Date		01/27/2022
COLOR:	Yellow	LOWER EXPLOSIVE LIMITS:		NA	
ODOR:	Lemon	VAPOR PRESSURE:		NA	
ODOR THRESHOLD:	NA	VAPOR DENSITY:		NA	
PH:	11.5 - 14.0	RELATIVE DENSITY:		NA	
MELTING POINT:	NA	SOLUBILITY:		Completely \ Soluble	Water
FREEZING POINT:	NA	PARTITION COEFFICIENT:		NA	
BOILING POINT:	NA	AUTO-IGNITION TEMPERATURE:			
FLASH PT METHOD:	NA			NA	
FLASH POINT:	NA	DECOMPOSITION TEMPERATURE:		NA	
		SPECIFIC GRAVITY:		0.95000	
EVAPORATION RATE:	NA	% VOLATILE:		10.20000	
FLAMMABILITY:	Nonflammable	VISCOSITY (cst):		NA	

# SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:	HAZARDOUS DECOMPOSITION PRODUCTS
CHEMICAL STABILITY:	Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS:	Non-reactive.
CONDITIONS TO AVOID:	Excessive heat or open flame.
INCOMPATIBLE MATERIALS:	Avoid contact with acidic materials and strong oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS:	Under normal conditions, none are known.

# SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY:	Inhalation	Х	Absorption	Х	Ingestion
ACUTE EXPOSURE HAZARDS:					
EYE CONTACT:	Irritation, stinging, redn	ness,	burns.		
DERMAL:	Irritation, burns upon p	rolor	ged exposure.		
ORAL:	Nausea, vomiting.				
INHALATION:	No expected route of er	ntry.	Irritation.		
2-Butoxyethanol (CAS No. 111-76-2)					

Supply Zone Falloff Page 5 of 7

Version: Revision Date: Print Date: Page 5 of 7 1.0001 01/27/2022 03/25/2022



Oral LD50: Rat 470 mg/kg

Surfactant (CAS No. 68130-47-2) Oral LD50: Rat 3.95 mg/kg

Tetrasodium EDTA (CAS No. 64-02-8) Oral LD50: 630-1,260mg/kg, rat

# SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

2-Butoxyethanol (CAS No. 111-76-2) Fish LC50: 1250mg/L, 96h, Inland Solverside Crustacean LC50: Daphnia 1818 mg/L 24h Surfactant (CAS No. 68130-47-2) Fish LC50: Rainbow trout 5.5 mg/kg 96h Sodium Hydroxide 50% (CAS No. 1310-73-2) Fish LC50: 144mg/L, 96H guppy Tetrasodium EDTA (CAS No. 64-02-8) Fish LC50: 410mg/kg, 96h, bluegill

### SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

### SECTION 14 - TRANSPORT INFORMATION

DOT (US)	
UN NUMBER:	NA
SHIPPING NAME:	NA
TECHNICAL NAME:	NA
HAZARD CLASS:	NA
PACKAGING GROUP:	NA



Supply Zone Falloff Page 6 of 7

1.0001 Revision Date:

Print Date:

### SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS	CAS NO.	% LESS THAN
2-Butoxyethanol	111-76-2	10 - 20%
CALIFORNIA PROP. 65 COMPONENTS	CAS NO.	% LESS THAN
2-Butoxyethanol Tetrasodium EDTA	111-76-2 64-02-8	10 - 20% < 1.0%

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm...

RQ 1,000#

ASSOCIATION (U.S.A.)

contains Nitrilo Acetic Acid < 0.3% max and arsenic (max 1ppm) as contaminants or bi-products which are known to the State of

California to cause cancer or reproductive toxicity as listed under Prop. 65 State Drinking Water and Toxic Enforcement Act.

## SECTION 16 - OTHER INFORMATION


#### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	В

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- Safety Glasses А
- Safety Glasses, Gloves В
- Safety Glasses, Gloves, Apron С
- D Face Shield, Gloves, Apron
- Safety Glasses, Gloves, Dust Respirator F
- Safety Glasses, Gloves, Apron, Dust Respirator F
- G
- Safety Glasses, Gloves, Aprol, Dust Respirator Safety Glasses, Gloves, Vapor Respirator Splash Goggles, Gloves, Apron, Dust & Vapor Respirator Safety Glasses, Gloves, Dust & Vapor Respirator Splash Goggles, Gloves, Apron, Dust & Vapor Respirator н

- Κ Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue.



 Supply Zone Falloff

 Page 7 of 7

 Version:
 1.0001

 Revision Date:
 01/27/2022

 Print Date:
 03/25/2022

However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.