

CASPAR UMBRELLA.

Bangs

SETUP INSTRUTIONS.

CASPAR UMBRELLA


CONTENTS A step up model, the Caspar Patio Umbrella Box 1 1 1 1 is an elegant design constructed for robust conditions. Its all-white mast and arms, coupled with marine-grade fixtures provide a seamless, high quality finish. 1111 1111 0000 Frame & Canopy Lower Pole 8x Spacers & screws ASSEMBLY MATERIAL 2 Person Assembly Canopy - Outdoor acrylic fabric Frame - Aluminium WARRANTY WEIGHT Fabric - 10 years residential, 5 years commercial Square - 10kg Frame - 3 years Octagonal - 15kg - D -DIMENSIONS SQUARE OCTAGONAL Height 2.6m 2.6m Canopy Diameter 2m 2.8m Н

CAUTION

- 1. This product is heavy. Please do not handle alone.
- 2. When cutting open the box, take care to avoid cutting the fabric of the umbrella.


1. LAY THE UMBRELLA DOWN

Lay the umbrella down on the ground or on a stable surface.



4. OPEN THE UMBRELLA

Spread the arms apart and pull the rope to open the umbrella. While holding the rope with tension, secure the pin through the umbrella post. Neatly fold the rope and hang it on the hook of the pin.



2. ASSEMBLE UPPER & LOWER POLE

Press the button on the lower pole and insert it into the upper half of the umbrella, ensuring that the tubes line up and snap into place.



•


5. SCREW SPACERS ON

Locate the 8 rubber spacers and 8 screws. Screw these into the holes provided as shown below, then hand tighten.



3. PLACE INTO BASE

Once assembled, place umbrella into the base.



6. STORING YOUR UMBRELLA

We highly recommend using a protective cover when your umbrella is not in use. This will help maintain the condition of the canopy fabric and keep all parts of the umbrella secure, minimising wear and tear during windy conditions.



CARE & MAINTENANCE

- Hose down the frame with fresh water periodically, more frequently if you live in a salty or an industrial environment.
- Make sure your umbrella is dry and clean prior to storing away for extended periods of time to prevent mould from developing. Storing it in between uses will extend its life and minimise wear and tear, giving you the best quality shade for longer.
- We highly recommend using a protective cover when not in use to preserve the condition of the canopy fabric, and any timber parts.

CLEANING

We recommend regular brushing of your canopy to remove any leaves, dirt and debris. In salty coastal environments, a monthly hose of the frame and canopy helps to remove build up of salt. For more intense cleaning, all of our patio umbrellas have removable canopies to allow for washing.

REPLACEMENT & REPAIRS

- All of our patio umbrellas are repairable! We stock replaceable parts for all of our patio umbrellas. Send us an email with photos of the issue you have and we'll be happy to assess it and provide a repair quote.
- At the end of their life, all of our aluminium frame umbrellas are fully recyclable...ready to give another product some life!
- You can purchase new canopies for all of our patio umbrellas. Contact us for a quote.

NORMAL CLEANING

- 1. Brush off dust and dirt with a medium to firm brush (like a dishwashing brush).
- 2. Spray the fabric with clean water. If a hose is used, try to avoid high pressure you don't want to strip the fabric.
- 3. Prepare a solution of solvent-free soap in warm water (no more than 40°C) and apply it on the fabric.
- 4. Scrub with a soft brush allowing the solution to penetrate the fabric.
- 5. Rinse with water to remove all traces of soap.
- 6. Leave it to air dry completely before storing.

INTENSIVE CLEANING

- 1. Brush off dust and dirt with a medium to firm brush (like a dishwashing brush).
- 2. Prepare a solution with 10% household bleach, 20% of solvent-free neutral detergent and 70% water.
- 3. Apply the solution on the fabric, allowing to remain between 15 and 20 minutes maximum.
- 4. Rinse with clean water several times to ensure all bleach residue is gone. Any bleach residue remaining on the canvas could damage the fabric.
- 5. Allow to air dry completely prior to storing.
- 6. Repeat the process if necessary.



Basil Bangs

6/8 Orchard Road, Brookvale NSW 2100

Phone: +61 2 9938 4759

Email: projects@basilbangs.com

www.basilbangs.com