

PRODUCT INFORMATION: SAFETY DATA SHEET			
SECTION 1 - COMPANY PRODUCT AND COMPANY IDENTIFICATION			
Product Name		FLEET 'PITCHMARKER C'	
Product Purpose		Line Marking (Outdoor)	
Company Identification		Fleet Australasia Ltd	
		20 Hinau Street	
		Whanganui 4501	
		New Zealand	
Website		www.fleetlinemarkers.co.nz	
		www.fleetlinemarkers.com.au	
Telephone		+64 6 349 0100	
Email		factory@flmnz.co.nz	
Emergency Telephone		+64274900880	
SECTION 2 - COMPOSITION			
Vinyl acrylic water-based line marking paint.			
SECTION 3 - HAZARD IDENTIFICATION			
Primary Routes of Exposure E		Eye contact	
S		Skin contact	
Eye Contact		Direct contact with this material may cause irritation.	
		Prolonged or repeated contact may cause irritation of the skin.	
SECTION 4 - FIRST AID MEASURES			
Eye Contact	-	with large amounts of water, before marking fluid dries, for at least 10	
	minutes. Se	eek medical advice if irritation persists.	
Skin Contact	Remove co	ntaminated clothing. Wash with soap and water before fluid dries.	
Ingestion	Drink plent	y of water. Do not induce vomiting. Seek medical advice.	
SECTION 5 - FIRE FIGHTING MEASURES			
Aqueous dispersions will not burn. Dried films are combustible. Material will spatter above 100°C			
Flash Point		Non-combustible	
Auto-ignition Temperature		Not applicable	
Extinguishing Agents V		Water, foam, carbon dioxide or dry powder extinguishers are all	
		suitable.	
SECTION 6 - ACCIDENTAL RELEASE MEASURES			
	Spillage should not be washed into any drain unless it leads to a suitable effluent treatment		
process. Residues and spillage should be soaked up with an inert absorbent (e.g. sand, earth) for			
disposal.			
SECTION 7 - HANDLING AND STORAGE			
Handling	Handle in accordance with good industrial safety and hygiene practices.		
Storage	Keep from freezing; product may coagulate. Store in sealed containers between 5°C and 30°C.		

Date of Issue: May 2024 | Version Number: 003



SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION			
ls	Local exhaust ventilation may be required in circumstances where		
	the product is sprayed, heated or dried in confined spaces.		
Personal Protection			
If spraye	prayed in confined spaces e.g. indoors, masks may be required.		
Gloves, i	ves, if risk of skin contact.		
Goggles	oggles, if risk of splashing.		
Standard	andard industrial overalls if risk of splashing.		
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
Flov	wable liquid		
Slig	light		
7.5	5 to 8.5		
App	prox. 100°C		
1.4	1 to 1.6 g/cm ³		
Full	lly miscible		
SECTION 10 - STABILITY AND REACTIVITY			
Fleet Pitchmarker C is stable under normal conditions of use - also see Handling and Storage.			
SECTION 11 - TOXICOLOGICAL INFORMATION			
,	LD_{50} (RAT) > 2000 mg/kg		
	Method: EEC 84/449, B.1		
kin	Non-irritant (Rabbit) Method: EEC 84/449, B4		
kin	Non-irritant (Rabbit) Method: EEC 84/449, B5		
	on If spraye Gloves, i Goggles Standard Flov Slig 7.5 App 1.4 Full C is stable SE		

The product is therefore considered to be of low acute oral toxicity to mammals.

Frequent contact may lead to skin and eye irritation, especially if the product is allowed to dry out.

Long term experience of handling of this product under industrial conditions indicates the absence of any chronic or acute effects. This product is harmless to health if used in the correct manner.

The toxicological data given is determined by analogy.

SECTION 12 - ECOLOGICAL INFORMATION

Chemical Oxygen Demand (C.O.D) | 800mg/1 (washdown, i.e., low concentration @ <500mg/1)

Severn Trent Water Authority determined the ecological data given.

Fleet Pitchmarker Cpaint is totally miscible with water and at low concentrations, exhibits low toxicity to fish. According to experience, this product has no harmful effect to the environment if used in the correct manner.

SECTION 13 - DISPOSAL INFORMATION

Fleet Pitchmarker C is not classified as hazardous waste. This product can be coagulated and separated from the aqueous phase for landfill or incineration. The residual liquid should not be discharged without prior consent.

Existing EEC, national and local regulations must always be complied with.

SECTION 14 - TRANSPORT INFORMATION

Fleet Pitchmarker C is not classified as hazardous for transportation

Date of Issue: May 2024 | Version Number: 003



SECTION 15 - REGULATORY INFORMATION EEC Hazard Classification None SECTION 16 - OTHER INFORMATION

Fleet Australasia Ltd classify this product as non-hazardous or toxic under normal conditions of

The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be carried out and should not be construed as a guarantee of specific properties.

Date of Issue: May 2024 | Version Number: 003

