# Haymes WOODCARE



**EXTERIOR & INTERIOR PRODUCT GUIDE** 

# **SELECT THE RIGHT PRODUCT**FOR YOUR PROJECT

Finding the right product for your project is vital. Whether you're looking for durability, quick dry or easy clean-up there is a Woodcare product for you. If you're still unsure of the best product for you, speak with your Woodcare expert at your local Haymes stockist. Visit haymespaint.com.au to find a stockist near you.

| EXTERIOR                          | UVEX                                      | Dexpress                                  | Decking Oil                  | Exterior Varnish    |
|-----------------------------------|---|---|------------------------------|---------------------|
| Use on                            | Decking, cladding a and window frame:     | Use on doors, windows, furniture and trim |                              |                     |
| Finish                            | Satin                                     | Low Sheen                                 | Matt                         | High Gloss          |
| Number of Coats                   | 3   | 2   | 2-3                          | 3                   |
| Recoat (at 25°C and 50% humidity) | 2 Hours                                   | 2 Hours                                   | 6 Hours                      | 16 Hours            |
| Clean up                          | Water                                     | Water                                     | Mineral Turps                | Mineral Turps       |
| Preparation Products              | Rapid Prep / Wood<br>Cleaner, Uvex Primer | Rapid Prep /<br>Wood Cleaner              | Rapid Prep /<br>Wood Cleaner | 180 grit sand paper |
| Durability Scale                  | ***                                       | ***                                       | **                           | ***                 |

When choosing the right product for your interior project, whether it be flooring, or furniture, wood panelling or benchtops, many things should be taken into consideration, particularly finish and durability.

| INTERIOR FLOORING                 | Easy Floor   | Aqualac Floor  | Tung Oil Finish |  |
|-----------------------------------|--|----------------|-----------------|--|
| Use on                            | Flooring, stairs, furniture, doors and window frames, wall panelling, trim and benchtops |                |                 |  |
| Finish                            | Satin or High Gloss  | Satin or Gloss | Satin Lustre    |  |
| Number of Coats                   | 3  | 3              | 3               |  |
| Recoat (at 25°C and 50% humidity) | 16 Hours   | 3 Hours        | 16 Hours        |  |
| Clean up                          | Mineral Turps  | Water          | Mineral Turps   |  |
| Odour                             | Medium   | Minimal        | Medium          |  |
| Durability Scale                  | ***  | ***            | ***             |  |

| INTERIOR CLEARS                   | Interior Varnish  | Aqualac Clear  |  |  |
|-----------------------------------|---|----------------|--|--|
| Use on                            | Furniture, doors and window frames, wall panelling and trim |                |  |  |
| Finish                            | Satin or High Gloss   | Satin or Gloss |  |  |
| Number of Coats                   | 2-3   | 2-3            |  |  |
| Recoat (at 25°C and 50% humidity) | 8 Hours   | 3 Hours        |  |  |
| Clean up                          | Mineral Turps   | Water          |  |  |
| Odour                             | Medium  | Minimal        |  |  |
| Durability Scale                  | ***   | ***            |  |  |

Front cover: Product used on Spotted Gum Cladding, Uvex Timber Finish tinted to Light Oak

## WHERE TO START... **PREPARATION**

Preparation is one of the most important jobs undertaken when preserving or enhancing timber. A poorly prepared or unclean surface will compromise the performance of any top coat you may apply, so it's important to follow all the relevant product preparation and application quidelines to get the best outcome for your timber project.

#### RAPID PREP

#### For new, unweathered exterior timber

Haymes Woodcare Rapid Prep is a simple to use, one step preparation product for new bare exterior timber. Rapid Prep fast forwards the weathering period to allow for immediate coating of your timber. No more waiting 4-6 weeks until the timber has been weathered naturally.

#### **FEATURES:**

- It removes surface tannins and extractives to optimise the performance of the finish coat
- Allows immediate coating onto new timber
- Simple one step preparation

#### **USE ON:**

New bare timber



30m<sup>2</sup>/300gm once mixed





DOWNLOAD Product Data Sheet / Safety Shee

#### **WOOD CLEANER**

#### For weathered timber

Haymes Woodcare Wood Cleaner is a powerful, easy-to-use solution that cleans, revives and prepares exterior timber for coating. Preparation with Woodcare Wood Cleaner helps timber absorb the coating and ensures maximum adhesion and performance. It is a vital first step in keeping your timber looking great for longer.

#### **FEATURES:**

- Restores grey and weathered timber
- Removes dirt, grease and tannin stains
- Revitalises water-stained or mould affected timber

#### **USE ON:**

New, old or weathered exterior timber

#### **CLEANS UP TO:**

15m<sup>2</sup>/L once mixed







### **WOOD PUTTY**

#### Interior + Exterior

Haymes Woodcare Wood Putty is a water based interior/exterior timber filler, suitable for use with water based or oil based coatings. It can also be used as a grain filler.

#### **FEATURES:**

- Easy-to-sand
- Quick-drying

#### **IDEAL FOR:**

Decking, cladding, flooring and panelling

#### SUITABLE SUBSTRATES:

Interior and exterior timber



DOWNLOAD Product Data Sheet / Safety Shee

#### COLOUR RANGE



Cedar



Hardwood



Jarrah



Merbau



Pine



Walnut

## **EXTERIOR CHECKLIST**



1. CLEAN to remove surface tannins, dirt and extractives.



2. CONDUCT WATER PENETRATION TEST to identify if the timber is ready for coating.



3. CALCULATE to ensure you have the required amount of product for your project.



**4. APPLY** when weather conditions are favorable.

## **EXTERIOR** TIMBER FINISHES

#### **WATER BASED** EXTERIOR TIMBER FINISHES



#### **UVEX** TIMBER FINISH SYSTEM: **PRIMER + FINISH**

Haymes UVEX is the premium finish system in our range and delivers a high end result every time.

#### STEP 1: HAYMES WOODCARE UVEX PRIMER

Haymes Woodcare UVEX Primer plays a vital role in the UVEX Timber Finish System. It provides adhesion, water repellence, mould and fungal protection while stabilising the timber surface to provide a sound foundation for the UVEX Finish top coats.

UVEX Primer can be used as a joinery pre-treatment for temporary protection against cupping and deterioration on timber prior to the application of any other Haymes water based topcoats.

#### **FEATURES:**

 Stabilising pre-treatment

• Primes and penetrates

Bare exterior timber

**COVERAGE RATE:** 

Up to 10m<sup>2</sup>/L









WOODCARE

**IVEX PRIMER** 



#### STEP 2: HAYMES WOODCARE UVEX FINISH

Haymes Woodcare UVEX Finish is a premium exterior timber finish that is UV and mould resistant. This long-lasting finish protects against cracking, moisture and abrasion. It is an easy-to-use coating that maintains the timber's natural appearance and requires minimal maintenance.

#### **FEATURES:**

- Outstanding durability
- Formulated for Australian conditions
- Highlights timber's natural appearance

#### IDEAL ON:

Cladding, decking, doors, windows, outdoor furniture

#### SUITABLE SUBSTRATES:

Exterior timbers e.g. Merbau, Spotted Gum & Blackbutt

#### FINISH:

Satin

#### **COVERAGE RATE:**

**COATS:** 

Up to 12m<sup>2</sup>/L

#### **COATS:**

#### **DURABILITY SCALE:**

\*\*\*















DOWNLOAD Product Data Sheet / Safety Sheet

NOTE: The UVEX Finish can be used with or without the UVEX Primer when coating bare timber. For high exposure areas and for longer-lasting performance the UVEX Primer is recommended.

#### **WATER BASED EXTERIOR TIMBER FINISHES**



### **DEXPRESS DECK & TIMBER STAIN**

Haymes Woodcare Dexpress is an easy-to-use timber finish that lasts 3X longer than traditional decking oils. This UV and mould resistant coating is perfect for preserving hardwood and softwood timbers including Merbau, Spotted Gum and Treated Pine. Dexpress is quick-drying and washes up easily in water.

#### **FEATURES:**

- Hard-wearing
- Quick-drying
- · Long-lasting cutting-edge formula

#### IDEAL ON:

Decking, cladding, fences, gates and screens

#### **SUITABLE SUBSTRATES:**

Exterior timbers e.g. Merbau, Spotted Gum, Treated Pine

#### FINISH:

Low sheen

#### COVERAGE RATE:

Up to 12m<sup>2</sup>/L

#### COATS:

2-3

#### **DURABILITY SCALE:**













WOODCARE

DEXPRESS



DOWNLOAD Product Data Sheet / Safety Shee

#### **SLIP RESIST NON-SLIP ADDITIVE**

Haymes Woodcare Slip Resist is a specifically designed additive for use in selected interior and exterior Haymes Woodcare products to achieve a slip resistant finish.

**IDEAL FOR USE IN:** UVEX Finish, Dexpress, Aqualac Floor Satin and Easy Floor Satin only.

**IDEAL FOR USE ON:** Interior and exterior timbers where a slip-resistant finish is required ie; **Exterior:** Timber decking, ramps, walkways. **Interior:** Stairs and landings.

MIXING RATIO: 150gm's/4 litres



DID YOU KNOW? You can increase performance by using a colour that matches the type of timber. For example, using Dexpress Merbau on Merbau timber.

## **EXTERIOR** TIMBER FINISHES

#### **OIL BASED** EXTERIOR TIMBER FINISHES



#### **DECKING OIL**

Haymes Woodcare Decking Oil is an oil based timber finish that penetrates surfaces to preserve exterior timber. It creates a protective barrier to repel water and protect timber from mould, algae and UV damage. Tintable to a wide range of colours, Decking Oil is ideal for use as an exterior timber stain.

#### **FEATURES:**

- · Will not crack or peel
- Penetrates and preserves
- Mould and algae resistant

#### **IDEAL ON:**

Decking, walkways, steps and fencing

#### **SUITABLE SUBSTRATES:**

Exterior timbers e.g. Merbau, Spotted Gum, Blackbutt

#### FINISH:

Matt/Natural look

#### **COVERAGE RATE:**

Up to  $10m^2/L$ 

#### COATS:

2-3

#### **DURABILITY SCALE:**







DOWNLOAD Product Data Sheet / Safety Shee

#### **EXTERIOR VARNISH**

Haymes Woodcare Exterior Varnish is a high-gloss finish that incorporates advance UV protection for enhanced, long-lasting performance. This durable, clear coating preserves the natural appearance of timber. Note: On bare timber, if staining is required, use Haymes Woodcare Decking Oil prior to top coating with Haymes Woodcare Exterior Varnish.

- Hard-wearing gloss finish
- UV Protection
- Oil-enriched

#### **IDEAL ON:**

Exterior timber; windows, doors, panelling, furniture and trim. Not suitable for walk on surfaces.

#### **SUITABLE SUBSTRATES:**

Exterior timbers

High gloss

#### **COVERAGE RATE:**

Up to 12m<sup>2</sup>/L

#### COATS:

#### **DURABILITY SCALE:**

















DOWNLOAD Product Data Sheet / Safety Shee

TIP: Conduct regular inspections and recoat at the first signs of deterioration to maintain protection from harmful UV damage.

# EXTERIOR COLOUR RANGE

#### **CHARCOALS / BROWNS**





Silver Ash

Wenge





Charcoal

Ebony



English Tea N Deep Earth N

#### **BLACKS / GREYS**





Black Ink

Licorice

Iron Grey



Just Black



**TRADITIONALS** 

Weathered Grey



Weathered ST Grey

#### **BROWNS**





Chocolate

Rose Walnut N







Contemporary Walnut

Nordic Teak ST

#### **RUSTIC**





Silver Leaf

Silver Grey

Grey Wash

ST





Light Oak



Dark Oak



Natural Oak ST







Grey Leaf

Soft Stone



Beige

Admiralty

Grey



Stone



New Teak



Caramel



Moccha

Merbau

N Tinted from Natural ST Tinted from Stain Tint Base



**HAYMES WOODCARE 07** 

## **INTERIOR** TIMBER FINISHES

## **WATER BASED INTERIOR TIMBER FINISHES**



#### **AQUALAC FLOOR**

Haymes Woodcare Aqualac Floor is a water based urethane that dries quickly with minimal odour to a completely clear finish. This durable interior floor finish has excellent scratch and mark resistance and is ideal for hard-wearing surfaces including bench tops, furniture, doors and skirting boards. **Note:** Yellowing may occur on light coloured timbers exposed to UV light.

#### **FEATURES:**

- Low-odour
- Quick-drying
- Easy to use

#### **IDEAL FOR:**

Timber floors, furniture, stairs and bench tops

#### **SUITABLE SUBSTRATES:**

Interior timbers

#### **AVAILABLE IN:**

Gloss and Satin

#### **COVERAGE RATE:**

Up to 14m<sup>2</sup>/L

#### **COATS:**

3

#### **DURABILITY SCALE:**















RE-COAT

DOWNLOAD Product Data Sheet / Safety Sheet

#### **AQUALAC FLOOR NON-SLIP**

#### **COMPLIES WITH AS 4586: P4 Rating**

Haymes Woodcare Aqualac Floor Non-Slip Finish is a premixed slip resistant product ideal for use on stairs, walkways, landings and interior timber where a slip resistant finish is required. Apply only as a final coat in conjunction with Aqualac Floor Satin. Please refer to product data sheet for further information at www.haymespaint.com.au/woodcare

#### **FEATURES:**

- Pre-mixed
- Final coat application

#### USE ON:

Stairs, walkways and landings

#### **COVERAGE RATE:**

Up to 14m<sup>2</sup>/L











DOWNLOAD Product Data Sheet / Safety Sheet

DID YOU KNOW? A gloss finish will give a shiny appearance and provide depth and clarity, highlighting the timber's natural features. A satin finish is perfect for hiding marks and dust.

## **INTERIOR** TIMBER FINISHES

#### **OIL BASED INTERIOR FLOOR FINISHES**

#### **EASY FLOOR**

Haymes Woodcare Easy Floor is an easy-to-apply interior coating designed to protect timber floors from wear and tear. This durable finish creates a barrier against abrasion, cracks and chips, and requires minimal ongoing maintenance. It is a tough timber coating that enhances and safeguards the natural beauty of your timber.

#### **FEATURES:**

- Hard-wearing
- Enhances and protects
- Easy to clean

#### **IDEAL FOR:**

Floors, stairs, skirting boards and bench tops

#### **SUITABLE SUBSTRATES:**

Interior timbers

#### **AVAILABLE IN:**

Gloss and Satin

#### **COVERAGE RATE:**

Up to 15m<sup>2</sup>/L

#### **COATS:**

**DURABILITY SCALE:** 











Haymes

WOODCARE

**EASY FLOOR** 



DOWNLOAD Product Data Sheet / Safety Sheet

#### **EASY FLOOR NON-SLIP**

#### **COMPLIES WITH AS 4586: P4 Rating**

Haymes Woodcare Easy Floor Non-Slip Finish is a premixed slip resistant product ideal for use on stairs, walkways, landings, and interior timber where a slip resistant finish is required. Apply only as a final coat in conjunction with Easy Floor Satin finish. Please refer to product data sheet for further information at www.haymespaint.com.au/woodcare

#### **FEATURES:**

- Pre-mixed
- Final coat application

#### **USE ON:**

Stairs, walkways and landings

#### **COVERAGE RATE:**

Up to 15m<sup>2</sup>/L









Haymes

WOODCARE

**JUNG OIL FINISH** 



DOWNLOAD Product Data Sheet / Safety Shee

#### **TUNG OIL FINISH**

Haymes Woodcare Tung Oil Finish is a high-quality tung oil blend, designed to highlight and enhance the natural beauty of timber. It will not crack, chip or bond timber edges together and is easy to maintain with a simple re-application.

#### **FEATURES:**

- Satin lustre finish
- Easy to maintain
- Will not crack or chip

#### **IDEAL FOR:**

Timber floors, bench tops, furniture, panelling and trim

#### **SUITABLE SUBSTRATES:**

Interior timbers

#### **FINISH:**

Satin lustre

#### **COVERAGE RATE:**

Up to 14m<sup>2</sup>/L

#### **COATS:**

#### **DURABILITY SCALE:**


















DOWNLOAD Product Data Sheet / Safety Sheet



## **INTERIOR** CLEAR FINISHES



## **AQUALAC CLEAR**

Haymes Woodcare Aqualac Clear is an easy-to-apply water based coating that preserves the natural colour of interior timber. This low-odour coating is a guick-drying alternative to traditional oil based products. It is an environmentally responsible product that is safe to use in the family home.

#### **FEATURES:**

- Non-yellowing
- Quick-drying
- Hard-wearing

#### **IDEAL FOR:**

Furniture, panelling, doors and cupboards

#### **SUITABLE SUBSTRATES:**

Interior timbers

#### **AVAILABLE IN:**

Gloss and Satin

#### **COVERAGE RATE:**

Up to 15m<sup>2</sup>/L

#### **COATS:**

2-3

#### **DURABILITY SCALE:**















WOODCARE

QUALAC CLEAR



DOWNLOAD Product Data Sheet / Safety Shee

#### INTERIOR VARNISH

Haymes Woodcare Interior Varnish is an easy-to-use product, suitable for use on natural and stained interior timber. Its hard-wearing finish resists heat and steam, making it ideal for use in areas such as kitchens and bathrooms. This durable coating preserves the natural look of timber and protects against wear and tear.

#### **FEATURES:**

- Long-lasting protection
- Easy-to-clean
- Tough durable finish

#### **IDEAL FOR:**

Furniture, panelling, doors and cupboards

#### **SUITABLE SUBSTRATES:**

Interior timbers

#### **AVAILABLE IN:**

Gloss and Satin

#### **COVERAGE RATE:**

Up to  $15m^2/L$ 

#### COATS:

2-3

#### **DURABILITY SCALE:**



















WOODCARE



## **INTERIOR** STAINS

#### **WOOD STAIN**

Haymes Woodcare Wood Stain is a penetrating, oil-based stain designed to add vibrance and colour to your timber preserving its natural character. This easy-to-apply finish will enhance the grain of interior timber and rejuvenate dull timber surfaces. Finish with a Haymes water-based or oil-based interior clear.

#### **FEATURES:**

- Simple to apply
- Enhances timber grain
- Ready for use

#### **IDEAL FOR:**

Interior furniture, architraves, windows and doors

#### **SUITABLE SUBSTRATES:**

Softwood and Hardwood timbers

#### **COVERAGE RATE:**

Up to 12m<sup>2</sup>/L

#### COATS:

1-2



DOWNLOAD Product Data Sheet / Safety Sheet

#### INTERIOR STAINS - on Radiata Pine



Walnut



Mahogany



Jarrah



Blackwood



Teak









 \* Colours, stains and visual images shown are as close to actual colour that printing processes allow.
 All samples are representations only.

#### INTERIOR CLEAR FINISHES - on Vic Ash



Brochure Design & Print : 61 Design



DID YOU KNOW? Water based clears are great for retaining the original appearance making them perfect for light coloured timber. Solvent-based are great for enhancing the timber colour as they impart a wet look.

Water based Solvent-based

TIP: When staining, ensure you test your colour on an off-cut or inconspicuous area before applying to the project.

Variation in electronic display screens and the printing process can result in a different colour appearance, the colours and images displayed are a guide only. Confirm your colour choice with a sample pot from a Haymes Paint Stockist. The images in this brochure are for illustration purposes only. For up to date product information including surface preparation, application and substrate specifications refer to the applicable Haymes Paint Product Data Sheet prior to selecting and applying products. For any other additional questions regarding product suitability, contact a Haymes Paint Representative on 1800 033 431.

M.G. Design & Building – Torquay / Photographer: Matthew Mallett Photography. Herbal Constructions - Warragul / Brett Thompson Painting & Decorating. Photography: Maritina Gemmola Styling: Ruth Welsby



# Haymes WOODCARE

Haymes Paint, the first family of Australian paint, has been making quality timber finishes for over 70 years, initially supplying French polishers and the furniture industry with lacquers, varnishes and stains.

Haymes Woodcare is a comprehensive range of innovative timber finishes, combining the very latest technology and formulations to protect and enhance the natural beauty of a wide range of timber.

All with the quality you have come to expect from Haymes.

From our family to yours, thank you for choosing to use Haymes Woodcare.