

#### CONFIDENTIAL

# **REPORT FOR**

# Evaluation of Dermatological Safety of Test Articles by Primary Irritation Patch Test on Healthy Adult Human Subjects (Single 24-hour Application).

## PROTOCOL NO. C3B01631

## **REPORT NO. C3B01631-RAV-A**

Final Report (01)

16 May 22

#### PREPARED FOR

#### **Ravishing Fashionistas International Pvt. Ltd.**

94, Sainik Nagar, PO- Harjinder Nagar, Raja Market Lane, Kanpur, Uttar Pradesh, Pin 208007

#### PREPARED BY CLIANTHA RESEARCH

Garden View, Corporate House No. 07, Opp. Auda Garden, Bodakdev, Ahmedabad - 380054 Tel# +91 - 79 - 68221100 Fax: +91-79-66219549

This document is strictly confidential. It was developed for Ravishing Fashionistas International Pvt. Ltd. by Solvius LLP (Cliantha Research) and should not be disclosed to a third party, with the exception of regulatory agencies and study audit personnel. Reproduction, modification or adaptation of the content in this document, in part or in total, is strictly forbidden without prior written approval by Cliantha Research.



#### 2. SUMMARY

The objective of this study was to determine the potential of the test articles to cause cutaneous irritation in adult human subjects after single 24-hour occluded patch application. This was a single center, evaluator-blinded study in healthy adult human subjects.

For C3B01631-RAV-A, single 24-hour application test articles along with positive and negative controls were kept in contact with the skin of subjects under occlusion for at least 24 hours (+2 hours). Subject's back region i.e. between the scapula and waist of the subject was utilized as application sites. Application sites were evaluated for scoring after 30+5 minutes of patch removal,  $24\pm2$  hours and subjects were contacted telephonically for any signs of irritation at patch application site after one week, if there were no signs like erythema, dryness, oedema or wrinkles then subject's participation was considered completed and they were compensated appropriately.

For C3B01631-RAV-A, twenty five (25) subjects completed the study. All subjects received test articles along with positive controls (1% SLS: AA) and negative control (CC).

Occluded patches were used in study (i.e. Finn Chambers measuring about 1 cm diameter). 1 cm diameter filter paper was placed on Finn chamber disc then test article was applied on the filter paper. Only area beneath the patch was considered for the irritation observation and any sign of irritation due to tape was not considered as patch irritation. There was no tape irritation that was observed in this study.

Subjects were contacted telephonically on Day 08 for any signs of irritation at patch application site, there were no complaints from subjects on signs like erythema, dryness, oedema or wrinkles so subject's participation was considered complete and they were compensated appropriately.

Cliantha Code	Batch No.	Product Description
А	AM001	Coffee and Almond Face Scrub
В	AM002	Tea Tree Cleanser Face Wash
С	AM003	Day and Night Care Advance lotion
D	AM004	Vitamin C Cleanser Face Wash
E	AM005	Refreshing Toner with Moringa Oliefera Seed Oil
F	AM006	Retinol Facial Serum
G	AM007	Hyaluronic Facial Serum with Vitamin C
Н	AM008	Nourishing and Brightening Moisturizer Face Cream
Ι	AM009	Ultra-Light UV Cream Daily Protection SPF 50 PA +++



Cliantha Code	Batch No.	Product Description
J	AM010	Refreshing Aqua Foaming cleanser 2 in 1 cleanser and scrub
K	AM011	Vitamin C Facial Serum
L	AM012	Vitamin C Foaming Face Wash
М	AM013	Tea Tree Foaming Face Wash
Ν	AM014	Exfoliating Facial Serum
0	AM015	Niacinamide Facial Serum

#### **Overall Conclusion:**

Test articles A to O qualifies the dermatological safety as per their classification into nonirritant category by 24hrs patch application test under occlusion.

The scoring method and mean score calculation used in this test are as per the Clause 4.3.1.3 in BIS 4011:2018 Methods of test for safety evaluation of cosmetics, Third revision (ICS 71.100.40).

Test articles were tested against 1% as Positive control and Sodium chloride Injection IP 0.9 % as a Negative Control, as per the standard (BIS) method 4011:2018 and 13424:2001. Positive control 1% Sodium lauryl sulfate was confirmed as Mild-Irritant when observed at 30 minutes and 24h post patch removal. Negative control Sodium chloride Injection IP 0.9 % was confirmed as Non-Irritant when observed at 30 minutes and 24h post patch removal.

The results imply that the test articles were tested by Dermatologist and found safe for all skin types as per the test conducted on 26 healthy subjects.

Note: Subjects with sensitive skin were not included in the study.



## 3. LIST OF ABBREVIATIONS

AE	:	Adverse Event
BIS	:	Bureau of Indian Standards
CRF	:	Case Report Form
CSR	:	Clinical Study Report
°C	:	Degree Celsius
COVID-19	:	Corona Virus Disease-2019
GCP	:	Good Clinical Practice
ICD	:	Informed Consent Document
ICH	:	International Council on Harmonization of Technical Requirements for Pharmaceuticals for Human Use
ICMR	:	Indian council of Medical Research
IEC	:	Institutional Ethics Committee
MIS	:	Mean Irritation Score
mL	:	Milliliter
SLS	:	Sodium Lauryl Sulphate
SOP	:	Standard Operating Procedure



## **16.3.** Efficacy Results and Tabulations

## Table 16.3.1 Analysis of Irritation Score after 30+5 min of patch removal (Visit 2)

	VISIT 02 [ Irritation Assessment after 30 + 5 min. of patch removal ]           Site#01 [Scrub]         Site#02 [Tea tree face wash]         Site#03 [Body lotion]         Site#04 [Vitamin-C face wash]													
Sub#	Coffee a		lmond			eanser Face	Site#03 [] Day and Advar	Nigh	t Care		n C C	in-C face wash] Cleanser Face ash		
	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total		
1	0	0	0	0	0	0	0	0	0	0	0	0		
2	0	0	0	0	0	0	0 0		0	0	0	0		
3	0	0	0	0	0	0	0	0	0	0	0	0		
4	0	0	0	0	0	0	0	0	0	0	0	0		
5	0	0	0	0	0	0	0	0	0	0	0	0		
6	0	0	0	0	0	0	0	0	0	0	0	0		
7	0	0	0	0	0	0	0	0	0	0	0	0		
8	0	0	0	0	0	0	0	0	0	0	0	0		
9	0	0	0	0	0	0	0	0	0	0	0	0		
10	0	0	0	0	0	0	0	0	0	0	0	0		
11	0	0	0	0	0	0	0	0	0	0	0	0		
12	0	0	0	0	0	0	0 0		0	0	0	0		
13	0	0	0	1	0	1	0	0	0	1	0	1		
14	0	0	0	0	0	0	0	0	0	0	0	0		
15	0	0	0	0	0	0	0	0	0	0	0	0		
16	0	0	0	0	0	0	0	0	0	0	0	0		
17	0	0	0	0	0	0	0	0	0	0	0	0		
18	0	0	0	0	0	0	0	0	0	0	0	0		
19	0	0	0	0	0	0	0	0	0	0	0	0		
20	0	0	0	0	0	0	0	0	0	0	0	0		
21	0	0	0	0	0	0	0	0	0	0	0	0		
22	0	0	0	0	0	0	0	0	0	0	0	0		
23	0	0	0	0	0	0	0	0	0	0	0	0		
24	0	0	0	0	0	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0	0	0	0	0	0		
26	0	0	0	0	0	0	0	0	0	0	0	0		
n		26			20	5		26			2	26		
MIS [Mean Irritation Score]		0.0			0.	0		0.0		0.0				
Standard Deviation		).00			0.2			0.00			0.20			
Interpretation		Irrita				ritant Upto 4.0/8.0 = N		Irrita			Non-I	rritant		

#### Protocol# C3B01631 CSR# C3B01631-RAV-A



# Final (01) Report

			VISIT	<mark>' 02 [ Irritatio</mark>	on As	sessment a	<mark>fter 30 + 5 m</mark>	<mark>in. o</mark> f	<mark>f patch rem</mark>	oval ]			
Sub#	Refresh	ing	ace toner] Toner with iefera Seed il	Site#06 [Retinol face serum] Retinol Facial Serum			Site#07   acid Hyalur Serum wi	ım] Facial	Site#08 [Moisturizer] Nourishing and Brightening Moisturizer Face Cream				
	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	
1	0	0	0	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	0	0	0	
9	0	0	0	0	0	0	0	0	0	0	0	0	
10	0	0	0	0	0	0	0	0	0	0	0	0	
11	0	0	0	0	0	0	0	0	0	0	0	0	
12	0	0	0	0	0	0	0	0	0	0	0	0	
13	0	0	0	0	0	0	0	0	0	0	0	0	
14	0	0	0	0	0	0	0	0	0	0	0	0	
15	0	0	0	0	0	0	0	0	0	0	0	0	
16	0	0	0	0	0	0	0	0	0	0	0	0	
17	0	0	0	0	0	0	0	0	0	0	0	0	
18	0	0	0	0	0	0	0	0	0	0	0	0	
19	0	0	0	0	0	0	0	0	0	0	0	0	
20	0	0	0	0	0	0	0	0	0	0	0	0	
21	0	0	0	0	0	0	0	0	0	0	0	0	
22	0	0	0	0	0	0	0	0	0	0	0	0	
23	0	0	0	0	0	0	0	0	0	0	0	0	
24	0	0	0	0	0	0	0	0	0	0	0	0	
25	0	0	0	0	0	0	0	0	0	0	0	0	
26	0	0	0	0	0	0	0	0	0	0	0	0	
n		2	6		26			26			26		
MIS [Mean Irritation Score]		0.	0		0.0			0.0		0.0			
Standard Deviation		0.0	)0		0.00		0.00			0.00			
Interpretation			ritant		-Irrita		Non-Irritant				Irrita	nt	
Mean Score E/D/W stands O stands for	s for : Ery	then	na/Dryness/W			oto 4.0/8.0	= Mild Irrita	ant, A	Above 4.0/	8.0 = Irritant			



							<mark>ifter 30 + 5 mi</mark>	<mark>in. of</mark>	patch remo	oval ]		
Sub#	Site#09   SP] Ultra-J Crea Protection +	] t UV uly	Sir [Aqua scru Refresl Foaming c cleanser	ce wash] Aqua ser 2 in 1	Sit [Vitamin-c Vitamin Se	e serum] Facial	Site#12 [Vitamin-c foaming face wash]					
	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
n		26			26			26			26	
MIS [Mean Irritation Score]		0.0			0.0			0.0			0.0	
Standard Deviation	0	.00			).00		(	).00			).00	
Interpretation		Irrita			Irrita			Non-Irritant			Irrita	nt
Mean Score E/D/W stands O stands for	s for : Erythe	ema/	Dryness/V			oto 4.0/8.0	= Mild Irritar	nt, Al	oove 4.0/8	.0 = Irritant		



			<b>V</b> ]	<mark>ISIT 03 [ Irrit</mark>	ation	Assessment after	<mark>r 24± 2 hours</mark>	of pa	tch remova	al ]					
Sub#	Site#0 Coffee a Face	lmond		Site#02 [Tea tree face wash] Tea Tree Cleanser Face Wash				lotion] It Care Ition	Site#04 [Vitamin-C face wash] Vitamin C Cleanser Face Wash						
	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total			
1	0	0	0	0	0	0	0	0	0	0	0	0			
2	0	0	0	0	0	0	0	0	0	0	0	0			
3	0	0	0	0	0	0	0	0	0	0	0	0			
4	0	0	0	0	0	0	0	0	0	0	0	0			
5	0	0	0	0	0	0	0	0	0	0	0	0			
6	0	0	0	0	0	0	0	0	0	0	0	0			
7	0	0	0	0	0	0	0	0	0	0	0	0			
8	0	0	0	0	0	0	0	0	0	0	0	0			
9	0	0	0	0	0	0	0	0	0	0	0	0			
10	0	0	0	0	0	0	0	0	0	0	0	0			
11	0	0	0	0	0	0	0	0	0	0	0	0			
12	0	0	0	0	0	0	0	0	0	0	0	0			
13	0	0	0	0	0	0	0	0	0	0	0	0			
14	0	0	0	0	0	0	0	0	0	0	0	0			
15	0	0	0	0	0	0	0	0	0	0	0	0			
16	0	0	0	0	0	0	0	0	0	0	0	0			
17	0	0	0	0	0	0	0	0	0	0	0	0			
18	0	0	0	0	0	0	0	0	0	0	0	0			
19	0	0	0	0	0	0	0	0	0	0	0	0			
20	0	0	0	0	0	0	0	0	0	0	0	0			
21	0	0	0	0	0	0	0	0	0	0	0	0			
22	0	0	0	0	0	0	0	0	0	0	0	0			
23	0	0	0	0	0	0	0	0	0	0	0	0			
24	0	0	0	0	0	0	0	0	0	0	0	0			
25	0	0	0	0	0	0	0	0	0	0	0	0			
26	0	0	0	0	0	0	0	0	0	0	0	0			
n		25			25			25			25				
MIS [Mean Irritation Score] Standard		0.0			0.(	)	0.0			0.0					
Standard Deviation	(	).00			0.0	0				0.00					
Interpretation	Non-	Irrita	nt	N	Non-Irritant			Non-Irritant				Non-Irritant			

#### Table 16.3.2: Analysis of Irritation Score after 24±2 hours of patch removal (Visit 3)

O stands for : Oedema Score



			VIS	SIT 03 [ Irrita	tion 4	Assessment	after 24±2 h	ours	of patch rei	moval ]				
Sub#	Site#05 [] Refreshing Moringa ( E/D/W	ner with	Site#06 [] se Retinol F E/D/W	I	Site#07 [ acid Hyalure Serum wit E/D/W	m] Facial	Nour Brighten	Site#08 [Moisturizer] Nourishing and Brightening Moisturizer Face Cream						
1	0	<b>0</b>	0	0	<b>0</b> 0	0	0	0	0	0	0	Total 0		
2	0	0	0	0	0	0	0	0	0	0	0	0		
3	0	0	0	0	0	0	0	0	0	0	0	0		
4	0	0	0	0	0	0	0	0	0	0	0	0		
5	0	0	0	0	0	0	0	0	0	0	0	0		
6	0	0	0	0	0	0	0	0	0	0	0	0		
7	0	0	0	0	0	0	0	0	0	0	0	0		
8	0	0	0	0	0	0	0	0	0	0	0	0		
<u> </u>	0	0	0	0	0	0	0	0	0	0	0	0		
10	0	0	0	0	0	0	0	0	0	0	0	0		
10	0	0	0	0	0	0	0	0	0	0	0	0		
12	0	0	0	0	0	0	0	0	0	0	0	0		
12	0	0	0	0	0	0	0	0	0	0	0	0		
13	0	0	0	0	0	0	0	0	0	0	0	0		
15	0	0	0	0	0	0	0	0	0	0	0	0		
16	0	0	0	0	0	0	0	0	0	0	0	0		
10	0	0	0	0	0	0	0	0	0	0	0	0		
18	0	0	0	0	0	0	0	0	0	0	0	0		
19	0	0	0	0	0	0	0	0	0	0	0	0		
20	0	0	0	0	0	0	0	0	0	0	0	0		
20	0	0	0	0	0	0	0	0	0	0	0	0		
21	0	0	0	0	0	0	0	0	0	0	0	0		
23	0	0	0	0	0	0	0	0	0	0	0	0		
23	0	0	0	0	0	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0	0	0	0	0	0		
26	0	0	0	0	0	0	0	0	0	0	0	0		
n		25	-		25			25			25			
MIS [Mean Irritation Score]		0.0			0.0			0.0			0.0			
Standard Deviation	0	0.00		(	0.00			0.00			0.00			
Interpretation		Irrita			Irrita			Irrita			on-Irrit	ant		
Mean Score E/D/W stands O stands for	s for : Erythe	ema/				oto 4.0/8.0	= Mild Irrita	nt, A	bove 4.0/8	.0 = Irritant				



			VISIT	03 [ Irritation	<mark>ı Ass</mark>	essment aft	er 24± 2 hours	s of p	atch remov	val ]		
Sub#	Ultra-Lig Daily Pro	rreen SPF- IV Cream on SPF 50 -+	[Aqua scru Refresh Foaming c cleanser	Site#10 [Aqua scrub face wash] Refreshing Aqua Foaming cleanser 2 in 1 cleanser and scrub				e serum] Facial	Site#12 [Vitamin-c foaming face wash]			
	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total	E/D/W	0	Total
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	1	0	1	1	0	1	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	1	0	1	0	0	0	0	0	0
23	0	0	0	1	0	1	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
n		25			25			25			25	
MIS [Mean Irritation Score]		0.0			0.1				0.0			
Standard Deviation		0.20		0	.33		0		(	0.00		
Interpretation	No	n-Irri	tant	Non-	Irrita	nt	Non-	nt	Non-	Irrita	nt	
Mean Score E/D/W stands O stands for	s for : Erythe	ema/l	Dryness/Wrii		Jpto	4.0/8.0 = N	Mild Irritant, A	Abov	/e 4.0/8.0 :	= Irritant		