

File version: 1

Methanol, 100%(v/v)

SDS Date: 01 Dec 2016

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 100%(v/v) Methanol SYNONYMS: Methyl alcohol PRODUCT CODES: 1008406

1008407

MANUFACTURER: Rigaku Reagents
ADDRESS: 9009 New Trails Drive
The Woodlands, TX 77381

USA

PHONE: +1 (281) 362-2300

EMAIL: ReagentOrders@Rigaku.com

CHEMICAL NAME: Methanol CHEMICAL FORMULA: CH₄O

PREPARED BY: Rigaku Reagents

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

OSHA HAZARDS: Flammable liquid, target organ effect, toxic by inhalation., toxic by ingestion, toxic by skin absorption, irritant

TARGET ORGANS: Liver, kidney, central nervous system

GHS CLASSIFICATION:

Flammable liquids (Category 2) Acute toxicity, Oral (Category 5) Acute toxicity, Inhalation (Category 5) Eye irritation (Category 2A)

Carcinogenicity (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Chronic aquatic toxicity (Category 4)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS





Signal word: Danger Hazard statement(s):

H225 Highly flammable liquid and vapor.

H301 + H311 Toxic if swallowed or in contact with skin

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs.

Precautionary statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves/ protective clothing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

POTENTIAL HEALTH EFFECTS:

EYES: Causes eye irritation.

SKIN: Toxic if absorbed through skin. Causes skin irritation.

INGESTION: Toxic if swallowed.



File version: 1

Methanol, 100%(v/v)

SDS Date: 01 Dec 2016

INHALATION: Toxic if inhaled. Causes respiratory tract irritation.

SECTION 2 NOTES:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS: Methanol

METHANOL:

CAS NO. 67-56-1	<u>% WT</u>	<u>% VOL</u> ≤ 100
OSHA PEL-TWA: OSHA PEL STEL :	<u>ppm</u> 200 250	<u>mg/m3</u> 260 325
ACGIH TLV-TWA: ACGIH TLV STEL:	200 250	260 325

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

SKIN: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

INHALATION: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT:

F: 51.8° **C**: 11.0 °

AUTOIGNITION TEMPERATURE:

F: 851.0° **C**: 455.0 °

NFPA HAZARD CLASSIFICATION

HEALTH: 2 FLAMMABILITY: 3 **REACTIVITY: 0**

HMIS HAZARD CLASSIFICATION

FLAMMABILITY: 3 **REACTIVITY: 0 HEALTH: 2**

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

HAZARDOUS DECOMPOSITION PRODUCTS: Hazardous decomposition products formed under fire conditions. - Carbon oxides,

SECTION 5 NOTES: Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking. Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES



SDS Date: 01 Dec 2016

Safety Data Sheet

File version: 1

Methanol, 100%(v/v)

PERSONAL PRECAUTIONS: Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

ENVIRONMENTAL PRECAUTIONS: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

EYE PROTECTION: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SKIN PROTECTION: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

WORK HYGIENIC PRACTICES: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: clear, colorless

PHYSICAL STATE: clear liquid

pH AS SUPPLIED: No data available pH (Other): No data available

BOILING POINT: F:

F: 148.5 °

C: 64.7°

FREEZING POINT:

F: -98 °

C: -144 °

VAPOR PRESSURE (mmHg): 97.7

@

: 68.0°

C: 20.0 °

VAPOR DENSITY (AIR = 1): No data available



Methanol, 100%(v/v)

SDS Date: 01 Dec 2016

File version: 1

SPECIFIC GRAVITY (H2O = 1): 0.791

 α

F: 77 ° **C:** 25 °

EVAPORATION RATE: No data available

SOLUBILITY IN WATER: Completely miscible

MOLECULAR WEIGHT: No data available

VISCOSITY: No data available

@

F: No data available C: No data available

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under recommended storage conditions. Vapors may form explosive mixture with air.

CONDITIONS TO AVOID (STABILITY): Heat, flames and sparks. Extremes of temperature and direct sunlight.

INCOMPATIBILITY (MATERIAL TO AVOID): Acid chlorides, acid anhydrides, oxidizing agents, alkali metals, reducing agents, acids

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Hazardous decomposition products formed under fire conditions. - Carbon oxides.

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

ORAL LD50: Rat - 5,628 mg/kg

INHALATION LC50: Rat - 4 h - 64000 ppm; rat - 4 h - 87.6 mg/l

DERMAL LD50: Rabbit - 15,800 mg/kg

SKIN CORROSION/IRRITATION: Rabbit - Irritating to skin. - 24 h

SERIOUS EYE DAMAGE/EYE IRRITATION: Rabbit - Eye irritation - 24 h

RESPIRATORY OR SKIN SENSITIZATION: Guinea pig - OECD Test Guideline 406 - Does not cause skin sensitization.

GERM CELL MUTAGENICITY:

GENOTOXICITY IN VITRO: Non-mammalian - Other cell types - negative **GENOTOXICITY IN VIVO:** Mouse - male and female - Intraperitoneal - negative

CARCINOGENICITY:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

OSHA.

REPRODUCTIVE TOXICITY: No data available.

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION



File version: 1

Methanol, 100%(v/v)

SDS Date: 01 Dec 2016

TOXICITY:

TOXICITY TO FISH: LC50 - Oncorhynchus mykiss (rainbow trout) - 19,000.00 mg/l - 96 h; mortality LC50 - Lepomis macrochirus (Bluegill) - 15,400 mg/l - 96 h

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES: EC50 - Daphnia magna (Water flea) - 24,500.00 mg/l - 48 h; EC100 -

Daphnia magna (Water flea) - 10,000.00 mg/l - 24 h

TOXICITY TO ALGAE: Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 22,000 mg/l -96 h

PERSISTENCE AND DEGRADABILITY: aerobic. Result: 72 % - rapidly biodegradable

BIOACCUMULATIVE POTENTIAL: Cyprinus carpio (Carp) - 72 d at 20 °C. Bioconcentration factor (BCF): 1.0

MOBILITY IN SOIL: Will not adsorb on soil.

PBT AND vPvB ASSESSMENT

No data available

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

CONTAMINATED PACKAGING: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Methanol
HAZARD CLASS: 3
ID NUMBER: 1230
PACKING GROUP: II
MARINE POLLUTANT: No
POISON INHALATION HAZARD: No

WATER TRANSPORTATION

PROPER SHIPPING NAME: METHANOL HAZARD CLASS: 3 (6.1) ID NUMBER: 1230

PACKING GROUP: II EMS-No: F-E, S-D

MARINE POLLUTANT: No

AIR TRANSPORTATION

PROPER SHIPPING NAME: Methanol ALASARD CLASS: 3 (6.1)
ID NUMBER: 1230
PACKING GROUP: II

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

OSHA HAZARDS: Flammable liquid, target organ effect, toxic by inhalation., toxic by ingestion, toxic by skin absorption, irritant

SARA 302 COMPONENTS: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 COMPONENTS: The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

Methanol 67-56-1



File version: 1

Methanol, 100%(v/v)

SDS Date: 01 Dec 2016

SARA 311/312 HAZARDS: Fire hazard, acute health hazard, chronic health hazard

MASSACHUSETTS RIGHT TO KNOW COMPONENTS:

CAS-No.

Methanol 67-56-1

PENNSYLVANIA RIGHT TO KNOW COMPONENTS:

CAS-No.

Methanol 67-56-1

NEW JERSEY RIGHT TO KNOW COMPONENTS:

CAS-No.

Methanol 67-56-1

CALIFORNIA PROP. 65 COMPONENTS: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

DISCLAIMER: The above information is believed to be correct but does not necessarily include all information and should be used only as a guide. The information in this document is based on our current knowledge and applies to the product with regard to appropriate safety precautions. This document does not represent any guarantee of the properties of the product. Rigaku Reagents will not be held liable for any damage resulting from handling or contact with the above product.