





AB-1760-T

E23-004563

09-23

TEST REPORT

| Customer Informations | |
|-----------------------|--|
| Company Name | Utopia Crafts Ltd. |
| Company Address | 14 Marsh Green Road North Marsh Barton Trading Estate Exeter EX2 8NY |

| Sample Information | n | | | | | | | | |
|--------------------------------|----|-------------------------|-------------------------------|------------|------------------------------|--|--|--------|--|
| Number of seal | | - | Date of received sample | 25.08.2023 | | | | | |
| Amount of sample | | 1 PCS | Type of sample | - | | | | | |
| Brand of sample | | - | Model number of the sample | Utopia C | rafts Chunky UVL04 Pink Swan | | | | |
| Packing number of sample | | - | Number of pages of the Report | 6 | | | | | |
| Age group / Number of repo | rt | - / E23-004563 | Remarks | - | | | | arks - | |
| | | Sample Descriptions | | | | | | | |
| PART No | | Materiel | Sampling Location | | Colour | | | | |
| P1 | | TEXTILE | UVL04 | | PINK SWAN | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| The date of receipt of test it | em | 25.08.2023 | | | | | | | |
| Sample Date Out | | 01.09.2023 | | | | | | | |
| Date of test | | 25.08.2023 - 01.09.2023 | | | | | | | |
| Result | | PASS | | | | | | | |

- * The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission.

 * This report contains the results only by the methods of testing on the sample tested.

 * Unsigned test reports are invalid.

- * KAZLIÇEŞME DERİ ÜRÜNLERİ ARAŞTIRMA GELİŞTİRME SAN.TİC.LTD.ŞTİ. accredited by TÜRKAK under registration number AB-1760-T for TS EN ISO/IEC 17025:2017 as test
- * KAZLIÇEŞME DERI UKUNLEKI AKAŞTIKMA GELIŞTIKME GAR. HOLER İŞ. K. 100-ER. Multilateral Agreement (MLA) and to the International Laboratory aboratory.

 * Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

 * Decision Rule: It is a rule that states how uncertainty should be taken into account in the evaluation of the analysis result. If you do not have a preference regarding the decision rule, evaluation is made using the measurement uncertainty calculation, which is the calculation method of the laboratory, in cases where evaluation can be made. Measurement uncertainty is added, subtracted or not included in the result according to customer demand.

 NOTE: At the request of customers this report have been translated into English from the original Turkish format.

AB-1760-T E23-004563 09-23

Responsible

| TEST | PARTS | | | | | | | | | | | | | | | | |
|----------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| TEST | 1 | | | | | | | | | | | | | | | | |
| *EN 71-3 | Р | | | | | | | | | | | | | | | | |

P:Pass

F: Fail

N.R:No Requirement S.C: Still Continous L.S: Lack of Sample N.C: No Comment

N.A: Not applicable

* Marked tests are covered by the acreditation

* Disclaimer Statement: -

Yunus YILMAZ R.S Receiving and Reporting

Approved by 01.09.2023

Industrial Chemis

Hasan DEĞER

Doküman Kodu: 17025-7.8-FRM-21 Revizyon No/Tarihi: 00-20220408

^{*}When requested by the customer, the measurement uncertainty of the tests is reported, but the measurement uncertainty value is not taken into account in the "Pass / Fail" evaluation. The reported uncertainty is the expanded uncertainty and is obtained using the standard uncertainty coverage factor k = 2. The reliability level is 95%. The declaration of conformity is given according to the simple

| AB-1760-T |
|------------|
| E23-004563 |
| 09-23 |

<u>1- EN 71-3 ANALYSIS</u>

Safety Of Toys: Migration of Certain Elements

TOXIC ELEMENTS ANALYSIS TS EN 71-3:2013+A3:2018

 $\label{lem:acid_extraction} \mbox{ Acid extraction method determined by Inductively Coupled Plasma} - \mbox{Mass Spectrometer (IC-ICP / MS)}$

| Toy Material | Category I | Category II | Category III | Parts |
|--|---------------|----------------|-----------------|-------|
| Paints, varnishes, varnishes, printing inks, polymers, coatings and similar coatings | | | | |
| Polymeric and similar materials, including laminates with or without textile reinforcement, except for other textiles | | | | |
| Paper and cardboard | | | | |
| Textiles, natural or synthetic | | | \boxtimes | 1 |
| Glass, ceramics, metal materials | | | | |
| Other materials with or without bulk paint (eg wood, fiber board, hard plate, bone and leather) | | | | |
| Compressed dye tablets, materials intended to leave a trace or such similar materials in solid form in the toy (eg, interior of coloring pencils, chalk, pastel paint) | | | | |
| Soft modeling materials including modeling sludge and plaster | | | | |
| Finger paints, varnishes, varnishes, liquid ink in the fountain pen and liquid paints containing such similar materials (eg, adhesive and moist substances, foam solution) in liquid form in the toy | | | | |
| Stick adhesives | | | | |

AB-1760-T E23-004563

09-23

| ELEMENT | IMMIGRATION | | | | | | | | |
|----------------|---------------------|-------------|--------------|--|--|--|--|--|--|
| | CATEGORY I mg/kg | CATEGORY II | CATEGORY III | | | | | | |
| ALUMINIUM (AI) | 2250 | 560 | 28130 | | | | | | |
| ANTIMONY (Sb) | 45 | 11,3 | 560 | | | | | | |
| ARSENIC (As) | 3,8 | 0,9 | 47 | | | | | | |
| COPPER (Cu) | 622,5 | 156 | 7700 | | | | | | |
| BARIUM (Ba) | 1500 | 375 | 18750 | | | | | | |
| BORON (B) | 1200 | 300 | 15000 | | | | | | |
| MERCURY (Hg) | 7,5 | 1,9 | 94 | | | | | | |
| ZINC (Zn) | 3750 | 938 | 46000 | | | | | | |
| CADMIUM (Cd) | 1,3 | 0,3 | 17 | | | | | | |
| TIN (Sn) | 15000 | 3750 | 180000 | | | | | | |
| COBALT (Co) | 10,5 | 2,6 | 130 | | | | | | |
| CHROMIUM (III) | 37,5 | 9,4 | 460 | | | | | | |
| CHROMIUM (VI) | 0,02 | 0,005 | 0,053 | | | | | | |
| LEAD (Pb) | 2 | 0,5 | 23 | | | | | | |
| MANGAN (Mn) | 1200 | 300 | 15000 | | | | | | |
| NICKEL (Ni) | 75 | 18,8 | 930 | | | | | | |
| ORGANIC TIN | 0,9 | 0,2 | 12 | | | | | | |
| SELENIUM (Se) | 37,5 | 9,4 | 460 | | | | | | |
| STRONTIUM (Sr) | 4500 | 1125 | 56000 | | | | | | |

AB-1760-T E23-004563 09-23

TOXIC ELEMENTS ANALYSIS TS EN 71-3+A1:2021

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (IC-ICP / MS)

| | | PARTS (ppm) REPORTIN | | ORTING | REQUIREMENT | |
|----------------|------|----------------------|--|--------|-------------|--------|
| ELEMENTS | 1 | | | LIMI | T (ppm) | (ppm) |
| ANTIMONY (Sb) | N.D | | | 0 | ,125 | 560 |
| ARSENIC (As) | N.D | | | 0 | ,125 | 47 |
| BARIUM (Ba) | N.D | | | 0 | ,125 | 18750 |
| CADMIUM (Cd) | N.D | | | 0 | ,125 | 17 |
| CHROMIUM (III) | N.D | | | 0 | ,005 | 460 |
| CHROMIUM (VI) | N.D | | | 0, | 0005 | 0,053 |
| LEAD (Pb) | N.D | | | 0 | ,125 | 23 |
| MERCURY (Hg) | N.D | | | 0 | ,125 | 94 |
| SELENIUM (Se) | N.D | | | 0 | ,125 | 460 |
| ALUMINIUM (AI) | N.D | | | 0 | ,125 | 28130 |
| BORON (B) | N.D | | | 0 | ,125 | 15000 |
| COBALT (Co) | N.D | | | 0 | ,125 | 130 |
| COPPER (Cu) | N.D | | | 0 | ,125 | 7700 |
| MANGAN (Mn) | N.D | | | 0 | ,125 | 15000 |
| NICKEL (Ni) | N.D | | | 0 | ,125 | 930 |
| STRONTIUM (Sr) | N.D | | | 0 | ,125 | 56000 |
| TIN (Sn) | N.D | | | 0 | ,125 | 180000 |
| ORGANIC TIN | N.D | | | | 0,02 | 12 |
| ZINC (Zn) | N.D | | | 0 | ,125 | 46000 |
| PASS / FAIL | PASS | | | | | |

^{*}The reported values were calculated with the sum of the immigration values.
*N.D = Not Detected
*All results below the reporting limit are written in N.D.

AB-1760-T E23-004563

09-23

Numunenin Fotoğrafı



#TEST RAPORU SONU#