

Г



09-23

TEST REPORT

Company Name		afts Ltd.							
Company Address		14 Marsh	Marsh Green Road North Marsh Barton Trading Estate Exeter EX2 8NY						
Sample Information	1								
Number of seal	-		Date of received sample	25.08.2023					
Amount of sample	1 PCS		Type of sample	-					
Brand of sample	-		Model number of the sample	Utopia C	rafts Chunky UVL06 Dark Scarlet				
Packing number of sample	-		Number of pages of the Report	6					
Age group / Number of report	- / E23-004565		Remarks						
PART No		Sample Descriptions							
PARTNO	Mater	iel	Sampling Location	Colour					
P1	TEXTI	E	UVL06		DARK SCARLET				

Result	PASS
Date of test	25.08.2023 - 01.09.2023
Sample Date Out	01.09.2023
The date of receipt of test item	25.08.2023

* The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission. * This report contains the results only by the methods of testing on the sample tested. * Unsigned test reports are invalid.

* The report cannot be partially copied and reproduced without the written permission of the laboratory. * KAZLIÇEŞME DERİ ÜRÜNLERİ ARAŞTIRMA GELİŞTİRME SAN.TİC.LTD.ŞTİ. accredited by TÜRKAK under registration number AB-1760-T for TS EN ISO/IEC 17025:2017 as test

* KAZLIÇEŞME DERI UKUNLEKI AKAŞTIKMA GELIŞTIKME GAK HOLED ŞUR dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde yilde dösterle yilde dösterle yilde dösterle yilde dösterle yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yilde yil

AB-1760-T
E23-004565
09-23

TEOT	PARTS																
TEST	1																
*EN 71-3	Ρ																

P:Pass F: Fail

N.R:No Requirement S.C: Still Continous

L.S: Lack of Sample

N.C: No Comment

N.A: Not applicable * Marked tests are covered by the acreditation * Disclaimer Statement: -

*When requested by the customer, the measurement uncertainty of the tests is reported, but the measurement uncertainty value is not taken into account in the "Pass / Fail" evaluation. The reported uncertainty is the expanded uncertainty and is obtained using the standard uncertainty coverage factor k = 2. The reliability level is 95%. The declaration of conformity is given according to the simple acceptance decision rule.

Yunus YILMAZ R.S Receiving and Reporting

Industrial Chemis Responsible

Approved by 01.09.2023

Müdürü Hasan DEĞER

AB-1760-T E23-004565 09-23

1- EN 71-3 ANALYSIS

Safety Of Toys: Migration of Certain Elements

TOXIC ELEMENTS ANALYSIS

TS EN 71-3:2013+A3:2018

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (IC-ICP / MS)

Toy Material	Category I	Category II	Category III	Parts
Paints, varnishes, varnishes, printing inks, polymers, coatings and similar coatings				
Polymeric and similar materials, including laminates with or without textile reinforcement, except for other textiles				
Paper and cardboard				
Textiles, natural or synthetic			\boxtimes	1
Glass, ceramics, metal materials				
Other materials with or without bulk paint (eg wood, fiber board, hard plate, bone and leather)				
Compressed dye tablets, materials intended to leave a trace or such similar materials in solid form in the toy (eg, interior of coloring pencils, chalk, pastel paint)				
Soft modeling materials including modeling sludge and plaster				
Finger paints, varnishes, varnishes, liquid ink in the fountain pen and liquid paints containing such similar materials (eg, adhesive and moist substances, foam solution) in liquid form in the toy				
Stick adhesives				

AB-1760-T

E23-004565

09-23

ELEMENT		IMMIGRATION	
-	CATEGORY I mg/kg	CATEGORY II mg/kg	
ALUMINIUM (AI)	2250	560	28130
ANTIMONY (Sb)	45	11,3	560
ARSENIC (As)	3,8	0,9	47
COPPER (Cu)	622,5	156	7700
BARIUM (Ba)	1500	375	18750
BORON (B)	1200	300	15000
MERCURY (Hg)	7,5	1,9	94
ZINC (Zn)	3750	938	46000
CADMIUM (Cd)	1,3	0,3	17
TIN (Sn)	15000	3750	180000
COBALT (Co)	10,5	2,6	130
CHROMIUM (III)	37,5	9,4	460
CHROMIUM (VI)	0,02	0,005	0,053
LEAD (Pb)	2	0,5	23
MANGAN (Mn)	1200	300	15000
NICKEL (Ni)	75	18,8	930
ORGANIC TIN	0,9	0,2	12
SELENIUM (Se)	37,5	9,4	460
STRONTIUM (Sr)	4500	1125	56000

AB-1760-T
E23-004565
09-23

TOXIC ELEMENTS ANALYSIS TS EN 71-3+A1:2021 Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (IC-ICP / MS)

		PARTS (ppm)	REPORTING	REQUIREMENT	
ELEMENTS	1		LIMIT (ppm)	(ppm)	
ANTIMONY (Sb)	N.D		0,125	560	
ARSENIC (As)	N.D		0,125	47	
BARIUM (Ba)	N.D		0,125	18750	
CADMIUM (Cd)	N.D		0,125	17	
CHROMIUM (III)	N.D		0,005	460	
CHROMIUM (VI)	N.D		0,0005	0,053	
LEAD (Pb)	N.D		0,125	23	
MERCURY (Hg)	N.D		0,125	94	
SELENIUM (Se)	N.D		0,125	460	
ALUMINIUM (AI)	N.D		0,125	28130	
BORON (B)	N.D		0,125	15000	
COBALT (Co)	N.D		0,125	130	
COPPER (Cu)	N.D		0,125	7700	
MANGAN (Mn)	N.D		0,125	15000	
NICKEL (Ni)	N.D		0,125	930	
STRONTIUM (Sr)	N.D		0,125	56000	
TIN (Sn)	N.D		0,125	180000	
ORGANIC TIN	N.D		0,02	12	
ZINC (Zn)	N.D		0,125	46000	
PASS / FAIL	PASS				

*The reported values were calculated with the sum of the immigration values. *N.D = Not Detected *All results below the reporting limit are written in N.D.

Numunenin Fotoğrafı



#TEST RAPORU SONU#