GLAMRDiP

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 18-02-2022

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER:

Commercial Product Name: GLOW
Unique Product Code: GLOW
Trade Name: GLOW

Chemical Composition/Product Form: Ethyl 2 Cyanoacrylate, Tocopheryl Acetate, Calcium

Pantothenate

CAS No: 7085-85-0, 7695-91-2, 138932-10-2

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCES OR MIXTURES AND USES ADVISED AGAINST:

Intended use: This product is a manicure top coat to be used for a glossy

finish.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Company Name: JDS BRANDS LTD

Company Address: 71-75, Shelton Street, Covent Garden, London, WC2H 9JQ

United Kingdom

Business Telephone: +44 7946 733 773

Website: www.glamrdip.co.uk
Email: admin@glamrdip.co.uk

1.4 EMERGENCY TELEPHONE NUMBERS (24-HOUR EMERGENCY CONTACT):

24-hour Emergency Contact: +44 7946 733 773

(During Office Hours)

24-hour emergency call NHS helpline on 111 or if using outside UK then contact local emergency

services

SECTION 2: HAZARDS IDENTIFICATION:

2.1 EMERGENCY OVERVIEW: This SDS should be retained and available for employees and

other users of this product. The toxicological properties of the mixture have not been fully investigated. This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), Regulation (EC) No. 1907/2006, Regulation (EU) No. 2015/800, Regulation (EC) No. 1272/2008 and Regulation (EU) 2020/878. Dangerous substance or mixture according to the Globally

Harmonized System (GHS).

2.2 LABELING AND CLASSIFICATION IN ACCORDANCE WITH REGULATION (EU) NO. 1272/2008 – 2017/776 (CLP)

SAFETY DATA SHEET FOR GLOW PAGE 1 OF 15

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

Hazards Pictograms





Signal Word: Flammable

Hazards Classification of Substance: FL3

Hazard Statements: H302: Harmful if swallowed.

H319: Causes serious eye irritation.H335: May cause respiratory irritation.H226: Flammable liquid and vapor

Precautionary Statements: P102: Keep out of reach of children. Store locked up.

P210: Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye

protection/face protection

Response Phases: P305+351+338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses if present and easy to

do – continue rinsing.

P337+313: If eye irritation persists get medical

advice/attention.

P370+P378: In case of fire: Never use water to extinguish.

P261: Avoid breathing dust/fumes/gas/mist/vapors/spray

P264: Wash the hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P301+P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Remove immediately

all contaminated clothing. Rinse skin with water/shower.

P332+P313: If skin irritation occurs – Get medical advice.

P333: If skin irritation or rash occurs – Get medical advice.

Storage Statements: P403+P235: Store in well-ventilated place.

P404: Store in a closed container.

SAFETY DATA SHEET FOR GLOW PAGE 2 OF 15

GLAMRDIP

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

P405: Store locked up. **P391:** Collect spillage.

Please refer to Section 7 for Storage and Section 13 for

Disposal information.

Disposal Statements: P273: Avoid release to the environment.

P501: Dispose of contents and/or container in accordance with local, regional, national and/or international regulation. Please refer to Section 7 for Storage and Section 13 for

Disposal information.

Hazard(s) not otherwise classified (HNOC): None Identified

Supplemental Information: None

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

2.3.1 SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention and call a physician if symptoms

develop or persist.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical

attention if irritation develops. Cold water may be used.

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes

with plenty of water for at least 15 minutes. Cold water may be used. Get medical

attention.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person. Loosen tight clothing such as a collar,

tie, belt or waistband. Get medical attention if symptoms appear.

Chronic: Severe eye exposure may cause blindness. Severe ingestion may result in death.

Severe inhalation may cause lung inflammation and pulmonary edema.

Carcinogenic Effects: Not Available
Mutagenic Effects: Not Available
Teratogenic Effects: Not Available
Developmental Not Available
Toxicity: Not Available
Adverse effects: Not Available

SAFETY DATA SHEET FOR GLOW PAGE 3 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 TYPE OF PRODUCT:

Mixture

3.2 INGREDIENTS:

CHEMICAL NAME	PRODUCT IDENTIFIER (CAS)	COMPOSITION	CLASIFICATION FOR (CLP) 1272/2008
ETHYL 2 CYANOACRYLATE	7085-85-0	97.00%	FL1
TOCOPHERYL ACETATE	7695-91-2	1.00%	NON HAZARDOUS
CALCIUM PANTOTHENATE	138932-10-2	1.00%	NON HAZARDOUS

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

4.1.1 FIRST AID MEASURES GENERAL:

Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)

4.1.2 IN CASE OF INHALATION:

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen by trained personnel. Seek medical attention immediately

4.1.3 IN CASE OF SKIN CONTACT:

Immediately flush skin with plenty of water for at least 15 minutes. Remove/take off immediately all contaminated clothing. Do not rub the skin and eyes after direct contact with the product. Seek medical attention immediately. Wash contaminated clothing before reuse.

4.1.4 IN CASE OF EYE CONTACT:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minute holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing and immediately get medical attention.

4.1.5 IN CASE OF INGESTION:

If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting. Immediately call a POISON CENTRE or doctor/physician. If swallowed, rinse mouth with water (only if the person is conscious).

4.2 SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED:

4.2.1 SYMPTOMS/INJURIES:

SAFETY DATA SHEET FOR GLOW PAGE 4 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

Causes skin and eye irritations. Material may be irritating to the mucous membranes and upper respiratory

4.2.2 SYMPTOMS/INJURIES AFTER INHALATION:

May cause drowsiness or dizziness

4.2.3 SYMPTOMS/INJURIES AFTER SKIN CONTACT:

May cause skin irritation and itching.

4.2.4 SYMPTOMS/INJURIES AFTER EYE CONTACT:

Causes serious eye irritation.

4.2.5 SYMPTOMS/INJURIES AFTER INGESTION:

May cause irritation of the linings of the mouth, throat and gastrointestinal tract. Ingestion may cause nausea, vomiting and diarrhea.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1 SUITABLE EXTINGUISHING MEDIA:

Use the following fire extinguishing media:

Water Spray:NOCarbon Di Oxide:YESAlcohol Resistant Foam:YESDry Chemical:YES

5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Explosion Hazards:No Information Available

Specific Hazards Arising from the

Chemical: In a fire or if heated, a pressure increase will occur and the

container may burst. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water

courses.

Hazardous Combustion Products: Carbon monoxide (CO) and Carbon dioxide (CO2), Phosphorus

Oxides

Reactivity: Not Determined

5.3 ADVICE FOR FIRE FIGHTERS:

SAFETY DATA SHEET FOR GLOW PAGE 5 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

Firefighters should wear full firefighting turn-out gear (full Bunker gear) including **NIOSH** approved self-contained breathing apparatus **(SCBA)** with full face piece operated in the pressure demand or other positive pressure mode.

Special protective equipment and

precautions for firefighters: Firefighters must use standard protective equipment including

flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting

fires.

Firefighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Use

standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water

sources.

Specific methods: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Keep unnecessary personnel away. Wear approved respiratory protection, chemically compatible gloves and protective clothing such as protective coveralls and shoe covers for spills. Avoid breathing vapors and provide adequate ventilation.

6.2 ENVIRONMENTAL PRECAUTIONS:

Contain and collect spillage as per local regulations. Keep out of drinking water supplies, sewers, storm drains, surface waters, and soils.

6.3 SPILL AND LEAK RESPONSE:

Small Spills: Soak up spills with inert solids, such as clay or diatomaceous

earth as soon as possible. Collect spillage. Store away from other materials. Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of

according to local, state, and federal regulations.

SAFETY DATA SHEET FOR GLOW PAGE 6 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0 **Large Spills:**

Stop leak if you can do so without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Extinguish all sources of ignition. Wear self-contained breathing apparatus, chemical safety goggles and full protective clothing. Ventilate area. Use a shovel to put the material into a convenient waste disposal container. Sweep up or vacuum. Finish cleaning by spreading water on the contaminated surface and clean surface thoroughly to remove residual contamination. Collect in suitable container for disposal. For proper waste disposal, see section 13 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Use personal protective equipment as required. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.1.1 ADDITIONAL HAZARDS WHEN PROCESSED:

Handle empty containers with care since residual vapors may be present which are irritants in nature are.

7.1.2 HYGIENE MEASURES:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Technical Measures:

Ensure the ventilation system is regularly maintained and tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. A washing facility/water for eye and skin cleaning purposes should be

present. Comply with applicable regulations.

Keep container tightly closed. Protect containers against physical damage. Detached outside storage is preferable. Store in corrosion-proof area at temperatures below 77 degrees F (25 degrees C). Store away from direct sunlight or

Storage Conditions:

SAFETY DATA SHEET FOR GLOW PAGE 7 OF 15

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0



other heat sources. Use appropriate containment to avoid environmental contamination.

7.3 SPECIFIC END USE(S):

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Not Established as a Mixture

8.2 EXPOSURE CONTROLS:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states(including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Personal Protective Equipment:

avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional personal protection equipment (PPE) may be required i.e. Protective goggle, gloves, protective clothing.

Respiratory protection:

Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE) or NIOSH approved respirator. Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

Eye Protection: Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

SAFETY DATA SHEET FOR GLOW PAGE 8 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

Hand Protection: Chemical resistant gloves are recommended to prevent skin

contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Body Protection: Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance (Physical State and Color): Liquid, Clear
Odor: Low Odor
Odor Threshold: Not Available

pH: 7.0

Melting/Freezing Point:Not AvailableBoiling Point:Not AvailableFlash Point:Not AvailableEvaporation Rate:Not AvailableFlammability (Solid; Gas):Not Available

Upper/Lower Flammability or

Explosion Limits:

Vapor Pressure (mm Hg @ 20°C):

Not Available

Not Available

Not Available

Relative Density:

Not Available

Not Available

Specific Gravity:

Not Available

Solubility in Water: Insoluble in Water

Weight per Gallon:

Partition Coefficient (n-octanol/water):

Auto-Ignition Temperature:

Not Available

Not Available

Not Available

SAFETY DATA SHEET FOR GLOW PAGE 9 OF 15

GLAMRDiP

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

Viscosity: Not Available

9.2 OTHER INFORMATION

No additional information is available at this time

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Product is stable under normal conditions

Chemical Stability: Stable

Possibility of Hazardous Reactions: Not established

Conditions to Avoid: Avoid direct sunlight, extremely high or low temperatures and

open flames.

Incompatible Materials: Avoid mixing with acids, most common metals, strong

oxidizing agents, brass zinc, and chlorine, and aluminum, copper, bronze, mercury, and dimethyl sulfate and acetyl

chloride.

Hazardous Decomposition Products: Readily biodegradable, formation of toxic and corrosive

combustion gasses is possible.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

No experimental toxicological data on the preparation is available. The toxicological classification for this mixture has been carried out by using the conventional calculation method of the **Regulation (EU) No. 1272/2008~2017/776 (CLP)**.

Skin corrosion/irritation: Not classified (based on available data, the classification

criteria are not met)

Serious eye damage/irritation: Not classified (based on available data, the classification

criteria are not met)

Respiratory or skin sensitization: Respiratory sensitizer (based on available data, the

classification criteria are not met)

Germ cell mutagenicity:Not classified (based on available data, the classification

criteria are not met)

Carcinogenicity: Non-Carcinogenic

Reproductive Toxicity: Not classified (based on available data, the classification

criteria are not met)

Specific target organ toxicityNot classified (based on available data, the classification

(single exposure): criteria are not met)

Specific target organ toxicityNot classified (based on available data, the classification

SAFETY DATA SHEET FOR GLOW PAGE 10 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

(repeated exposure): criteria are not met)

Aspiration Hazards: Not classified (based on available data, the classification

criteria are not met)

Potential adverse humanBased on available data, the classification criteria are not met.

health effects and symptoms:

Symptoms/injuries after inhalation: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after skin contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after eye contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after ingestion: Not classified (based on available data, the classification

criteria are not met)

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for this mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2017/776 (CLP).

12.2 PERSISTANCE AND DEGRADIBILITY:

Not established.

12.3 BIO ACCUMULATIVE POTENTIAL:

The product itself and its products of degradation are not toxic

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

Avoid release to the environment.

12.7 WATER ENDANGERMENT CLASS:

At present, there are no eco-toxicological assessments for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Chemical waste generators must determine whether a

discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional,

SAFETY DATA SHEET FOR GLOW PAGE 11 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

and national hazardous waste regulations to ensure complete

and accurate classification.

Additional Information: Handle empty containers with care because residual vapors

are irritants.

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows;

UN Identification Number: Not Regulated

Proper Shipping Name:

Hazard Class Number and Description:

None
Packing Group:

None

None
Nort Label(s) Required:
None
North American Emergency Response
Guidebook Number:

None
RQ Quantity:
None

14.2 ENVIRONMENTAL HAZARDS:

Marine Pollutant: The components of this product are designated by the

Department of Transportation to be Marine Pollutants (49 CFR

172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None

14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA) AND ICAO:

This product is considered as dangerous good.

14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):

This product is considered as dangerous good.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR):

This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15: REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS
UNITED STATES	TSCA	All ingredients are listed or otherwise compliant
EUROPE	EINECS or ELINCS	All ingredients are listed or otherwise compliant
CANADA	CEPA (DSL/NDSL)	All ingredients are listed or otherwise compliant

SAFETY DATA SHEET FOR GLOW PAGE 12 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 18-02-2022

Version: 1.0

AUSTRALIA	AICS	All ingredients are listed or otherwise compliant
JAPAN	ENCS	All ingredients are listed or otherwise compliant
SOUTH KOREA	KECI	All ingredients are listed or otherwise compliant
CHINA	IECSC	All ingredients are listed or otherwise compliant
PHILIPPINES	PICCS	All ingredients are listed or otherwise compliant

US EPA TSCA Requirements:

No data available

Canada WHMIS Confidential Business Information (CBI):

No data available

US EPA SARA TITLE III Reporting and Notification Requirements:

Subject to Section 302 (TPQ):

Subject to Section 304 (RQ):

No data available

Subject to Section 311 or 312:Refer to the health and physical classifications

in section 2

Subject to Section 313:No data available

STATE REGULATORY INFORMATION: Chemicals listed below may be specifically

regulated by individual states. For details on state regulatory requirements you should

contact the appropriate state agency.

SECTION 16: OTHER INFORMATION

Prepared By: Syed Muhammad Shamuel Shees (CSP, CMIOSH, MIIRSM, PE)

Date of Printing: 18-02-2022

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary.

All health and safety information contained in this bulletin should be provided to your employees or customers. **JDS BRANDS LTD** assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, **JDS BRANDS LTD** assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

SAFETY DATA SHEET FOR GLOW PAGE 13 OF 15

GLAMRDIP

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 18-02-2022 Version: 1.0

KEY TO ABBREVIATIONS:

KEY TO ABBREVIATIONS:		
ABBREVIATIONS	MEANING	
AH 1	Aspiration Hazard Category 1	
ATD 4	Acute Toxicity - Dermal Category 4	
ATI 4	Acute Toxicity - Inhalation Category 4	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
FL1	Flammable Liquid, Hazard Category 1	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H361	Suspected of damaging fertility or the unborn child	
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route)	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
P202	Do not handle until all safety precautions have been read and understood	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking	
P233	Keep container tightly closed	
P240	Ground/bond container and receiving equipment	
P241	Use explosion-proof electrical, ventilating and lighting equipment	
P242	Use only non-sparking tools	
P243	Take precautionary measures against static discharge	
P260	Do not breathe vapour or dust	
P261	Avoid breathing vapour or dust	
P264	Wash hands and other contacted skin thoroughly after handling	
P270	Do not eat, drink or smoke when using this product	
P271	Use only outdoors or in a well-ventilated area	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	
P280	Wear protective gloves/eye protection/face protection	
P301/310 IF SWALLOWED	Immediately call a POISON CENTER or doctor/physician	
P301/312 IF SWALLOWED	Call a POISON CENTER or doctor/physician if you feel unwell	
	Į.	

SAFETY DATA SHEET FOR GLOW PAGE 14 OF 15



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Version: 1.0

Date: 18-02-2022

P302/352 IF ON SKIN	Wash with plenty of soap and water		
P303/361/353 IF ON SKIN (or hair)	Remove/take off immediately all contaminated clothing. Rinse skin with water/shower		
P304/340 IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing		
P305/351/338 IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy		
	to do. Continue rinsing		
P308/313 IF exposed or concerned	Get medical advice/attention		
P312	Call a POISON CENTRE or doctor/physician if you feel unwell		
P330	Rinse mouth		
P331	Do not induce vomiting		
P332/313 If skin irritation	Get medical advice/attention		
occurs	Get medical advice/ attention		
P333/313 If skin irritation	Get medical advice/attention Get medical advice/attention		
or rash occurs			
P337/313 If eye irritation persists			
P362	Take off contaminated clothing and wash before reuse		
P363	Wash contaminated clothing before reuse		
P370/378 In case of fire	Use carbon dioxide, dry chemical, and foam for extinction		
P391	Collect spillage		
P403/235	Store in a well-ventilated place. Keep cool		
P405	Store locked up		
P501	Dispose of contents/container to approved disposal site, in accordance with local		
	regulations		
REP 2	Toxic to Reproduction Category 2		
SCI 2	Skin Corrosion / Irritation Category 2		
SS 1	Sensitization Skin Category 1		
SS 1A	Sensitization Skin Category 1A		
SS 1B	Sensitization Skin Category 1B		
STO-RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2		

SAFETY DATA SHEET FOR GLOW PAGE 15 OF 15