1 of 1

## Baked 3G HHC Disposable | Pink Lychee

Sample ID: SA-240326-37148

Batch: 1152

Type: Finished Product - Inhalable

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 04/01/2024 Completed: 04/10/2024 Client

Baked HHC 11885 44th St N Clearwater, FL 33762

USA



Summary

Test Cannabinoids **Date Tested** 04/10/2024

Status Tested

ND Total Δ9-THC

54.9 % (6aR,9R,10aR)-HHC

95.1% **Total Cannabinoids** 

**Not Tested** Moisture Content **Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	0.125	1.25
CBT	0.018	0.054	ND	ND
78-THC	0.0104	0.0312	ND	ND
19-THC	0.0076	0.0227	ND	ND
19-THCV	0.0069	0.0206	ND	ND
6aR,9R,10aR)-HHC	0.0067	0.02	54.9	549
(6aR,9S,10aR)-HHC	0.0067	0.02	40.1	401
Total Δ9-THC			ND	ND
Total			95.1	951

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone

Tested By: Scott Caudill Laboratory Manager







CCO Date: 04/10/2024

Accreditation #108651 Date: 04/10/2024 This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.