

# FOXWING®

## 270° Awning



### Key Features:

- ★ One piece, easy swing-out awning
- ★ UPF50+
- ★ 270° Coverage
- ★ Continuous skirting for greater rain protection
- ★ Zipped edges on all sides for accessories



### Description:

Unique, due to its simple 1-person operation, the Foxwing 270° Awning can be set up and packed down in minutes. All claw spigot telescopic poles, reflective guy ropes and pegs are included and come with their own travel bag for neat storage that can be kept attached in the main bag or removed and stored separately with an easy clip-in/clip-out system.

The Foxwing 270° Awning features a continuous external skirt to provide greater weatherproofing once accessories are attached, as well as integrated LED mounting points on the underside of the awning.

# FOXWING<sup>®</sup>

## 270° Awning

### FEATURES

#### Easily Attach to Most Roof Racks

The Foxwing Awning easily attaches to most roof rack cross bars, and mounting kits can be sourced for other roof racks.

#### Updated Accessories

The Foxwing accessories are now better than ever! The Awning Extensions now come as a set of two and can be zipped together. The Tapered Extensions are more waterproof and seal around the poles.

#### Modularity

Zip a brand new Foxwing Tagalong directly to your Foxwing 270° Awning for instant extra space. With the use of an Awning Connector, you can even zip your favourite Oztent RV to the awning.

#### ModCan Material

We have developed this new material for Global Markets. ModCan is rated to CPAI-84 flame resistant specifications, completely waterproof, UV resistant and incredibly strong. This also means that the Foxwing 270° Awning is UPF50+, waterproof and mould resistant.





# FOXWING<sup>®</sup>

## 270° Awning

### Specifications:

| Materials                               |   |
|---|---|
| Awning                                  | Exclusive ModCan Material (Ripstop, CPAI-84 Fire Resistant Polyester) |
| Frame                                   | Solid aluminium   |
| Dimensions                              |   |
| Packed Size                             | 255cm (L) x 18cm (W) x 9cm (H)<br>100" (L) x 7" (W) x 4" (H)          |
| Set Up Size                             | 240cm (radius)<br>94" (radius)<br>270° coverage (11m <sup>2</sup> )   |
| Weight                                  | 19kg<br>41lb  |
| Warranty                                |   |
| Warranty Period                         | 2 years (Manufacturer's Warranty)                                     |
| Package Contents                        |   |
|   | Quantity  |
| Awning                                  | 1   |
| 2.2m (87") Telescopic Claw Spigot Poles | 4   |
| Pegs/Stakes                             | 10  |
| Guy Ropes                               | 8   |
| Bracket Fit Kit                         | 1   |
| Tension Strap                           | 1   |
| User's Manual                           | 1   |



All images shown remain the property of the publisher. All images used in this datasheet are for illustration purposes only and actual items may vary in appearance. Precautions have been taken to assure accuracy of the information on this sheet. Typographic or pictorial errors that are brought to our attention will be corrected in subsequent updates. Product dimensions shown here are nominal and are provided for the convenience of our customers. The Oztent Group reserves the right to make product changes from time to time, without prior notification, which may change the dimensions shown. The designs and dimensions of the products listed on this sheet are correct at the date of last publication and are subject to change without notice.



OFW27AWLHA