24" Bar Handle Dishwasher

800 Series - Stainless Steel SHX78B75UC





SHX78B75UC Stainless Steel

Patented CrystalDry™ technology transforms moisture into heat to get dishes, including plastics, 60% drier.¹

Features & Benefits

42 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

The Flexible 3rd Rack with fold down sides adds 30% more² loading area, perfect for utensils and ramekins.

Connect to WiFi and enable Home Connect™ to reorder dish tabs via Amazon³, plus get alerts when dishes are done.

The Favorite button allows you to easily access your preferred cycle/option combination with 1 touch.

The AquaStop® leak protection system contains leaks through a precisely engineered system, giving you the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	7
Number of options	7
dBA	42
Drying system	CrystalDry [™] option
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Control
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop® Plus
Sanitize option	Yes
Water softener	Yes
Five-level wash	Yes
ChildLock	No
Home Connect [™] (WiFi enabled)	Yes
Special features	InfoLight®
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption	269 kWh
Total annual water consumption	623.5 g

Home Connect
Home Connect



Capacity		
Number of place settings	15	
Technical Details		
Watts	1440 W	
Current	12 A	
Volts	120 V	
Frequency	60 Hz	
Power cord full length	67"	
Power cord install length from edge of unit when facing the door	Left – 47 1/4" Right – 47 1/4"	
Minimum water pressure	14 lb/sin	
Length outlet hose	74 3/4"	
Dimensions & Weight		
Overall appliance dimensions (HxWxD)	34 1/16" x 23 9/16" x 22 9/16"	
Required cutout size (HxWxD)	34 1/16" x 24" x 24"	
Adjustable feet	Yes	
Net weight	106 lbs	
Accessories—Optional		
Junction Box	SMZPCJB1UC	
Drain Hose Extension Kit	SGZ1010UC	
Dishwasher Accessory Kit	SMZ5000	
Anti-Tarnish Silverware Cassette	SMZ5002UC	
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC	

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

¹Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry®. Drying performance may vary by dish type. ²Compared to a Bosch dishwasher with 2 racks.


³Smart reordering via the Amazon Alexa app. Only available in participating countries.


24" Bar Handle Dishwasher


800 Series - Stainless Steel SHX78B75UC





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Bar Handle Dishwasher

800 Series - Stainless Steel SHX78B75UC



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC). $\label{eq:sgz1010UC} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll}$

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.