Technical Data Sheet





Double IBC spill containment bund

Application

For the storage and bunding of tanks, drums and other equipment:

- Fits two intermediate bulk containers (IBC) units; or
- Two pallets of drums; or
- Compressors, generators, mobile equipment, pump sets.

FEATURES

- Materials compatible with most chemicals, acids and oils
- · Heavy duty construction stands up to the harshest environments
- Removable grated floor for ease of access and cleaning
- Manufactured and tested in Australia
- An encapsulated data plate on every bund detailing instructions for use, nett weight, maximum UDL, sump capacity and materials of construction.

SPECIFICATIONS		
Product name	Double IBC spill containment bund	
Code	DBDIBC	
Dimensions*	2830mm (L) x 1490mm (W) x 670mm (H)	
Sump capacity	1470 litres	
Maximum load (UDL)	3600kg	
Material (bund)	Rotationally moulded polyethylene	
Material (grate)	High impact, injection-moulded polypropylene x4	
Weight	141kg (including grate)	
Drain	50mm FBSP plug at each end	

^{*}Sizes may vary marginally due to manufacturing tolerances

TEST CERTIFICATE		
Date	January 2013	
Report #	6116	
Testing authority	NATA Accredited Engineers	
Test type	Compression test	
Result	No failure or significant deformation	


Copies of full test certificate available upon request

OPTIONS AND ACCESSORIES

CODE	DESCRIPTION
OFB	Oil filter bag
OFBR	Oil filter bag replacement







CODE	DESCRIPTION
DBDIBC-COV	Soft IBC bund cover- yellow canvacon

