

KÄRCHER

makes a difference



CUSTOMIZED MOBILE CLEANING.

An customizable pressure washer trailer for on-site cleaning.

TRK-6000



TRK-6000 - shown with options and gas-powered hot water pressure washer; accommodates both gas and diesel-powered pressure washers. Tool box shown is no longer available on this unit.

Customizable mobile solution.

Kärcher has made customizing a mobile wash system for on-site cleaning easy.

1. Choose a compatible skid-mounted hot water pressure washer for the dual-axle TRK-6000 trailer. The trailer comes with a 330-gallon water tank.
1. Customize your trailer with a broad selection of options and accessories, such as hose reels, chrome coverings, etc.



1 Smart features

- Electrical wiring is recessed within the tubular frame.
- Lighted license plate holder and recessed tail lights.
- Two 3-way ball valves for easy switching of the water flow from the holding tank to a faucet.
- Electric brakes and break away kit

2 Outstanding mobility

- 1,500 lb.-rated swivel jack with a 2-5/16-inch ball coupler for quick and easy hook up of the trailer.
- Wheel and axle assembly has an industrial undercarriage leaf-spring suspension of up to 3,500 lbs. per axle and 15-inch, white-spoke wheels (TRK-6000 above shown with optional chrome wheels and fenders).

3 Powerful and durable

- Extra-rugged 2-by-3 inch structural tubing is covered with a powder-coated epoxy black finish for all-weather protection.
- Durable steel cage for holding the tank and pressure washer in place.
- High-density, polyethylene water tank with 12-inch access port, 1-1/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter; two 5/16-inch chains for additional safety.

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	Axle	(GVWR) lbs.	Water Tank (Gallons)	Ship Weight (lbs)*	Ship Dimensions (L x W x H) Inches
TRK-6000	1.103-807.0	Tandem	6000	330	1980	185 x 82 x 65

*Trailer and water tank only

OPTIONS (FIELD INSTALLED)

Order No.	Description
<input type="checkbox"/> 8.904-051.0	Battery installed on pressure washer
<input type="checkbox"/> 8.902-438.0	Hydraulic brakes, two axles, 2-5/16" ball coupler
<input type="checkbox"/> 8.902-452.0	Hydraulic brakes, two axles, 3" Lunette eye coupler
<input type="checkbox"/> 8.902-471.0	3" Lunette eye hitch coupler
<input type="checkbox"/> 8.912-409.0	2-5 gallon bucket chemical rack (factory installed only)
<input type="checkbox"/> 8.915-156.0	High-pressure hose, 3/8-inch x 100 ft., 2-Wire, installed
<input type="checkbox"/> 8.902-447.0	Hose reel kit for 100 ft. Of 3/8-inch high-pressure hose
<input type="checkbox"/> 8.902-448.0	Hose reel kit for 200 ft. Of 3/8-inch high-pressure hose
<input type="checkbox"/> 8.902-449.0	Hose reel kit for 75 ft. Of 3/4-inch industrial garden hose
<input type="checkbox"/> 8.902-455.0	Skid mounting & plumbing kit (required for mounting pressure washer to trailer)
<input type="checkbox"/> 8.902-469.0	Sign plate
<input type="checkbox"/> 8.902-466.0	Chrome wheels, pair, (2 pair required)
<input type="checkbox"/> 8.902-468.0	Chrome fenders, pair

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444
Fax 905-672-3155

www.karcher.ca