

KÄRCHER

makes a difference



DELIVERS A CLEANING PUNCH.

Fuel-powered stationary water heating module.

Stationary Hot Water Generator Series



Model 9452



Model 9462

Heating modules for attaching to a cold water pressure washer.

The 9400 Series heating modules give customers the flexibility to “convert” a cold water pressure washer into a hot water unit. By attaching the heating module to a cold water pressure washer the pressurized water is now heated to produce all the benefits of hot water cleaning. The four models use fuel oil, diesel or natural gas to heat the water using Kärcher’s high-efficiency, vertical heating coil.



1 Powerful and durable

- High-efficiency burner with transformer for years of reliable and affordable operation; produces up to 920,000 BTU.
- Rugged, heavy-duty steel cabinet painted with an epoxy powder-coat finish for all-weather protection.
- Multiple fuel-burner types available: Diesel, Kerosene, Home Heating Oil, Natural Gas, LP Gas (optional).

2 Smart features

- Effective heating of up to 10 GPM provides supplemental hot water for cold water pressure washers.
- Helpful trilingual labels with operating instructions in English, Spanish and French for owner and operator protection.
- Many uses: fleet, oilfield, and food processing applications.
- Designed to attach to cold water pressure washers with cleaning power of 6 to 10 GPM and up to 3200 PSI.
- All models operate on 115V/ 1PH and are ETL safety certified.

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Volt / PH	CC	BTU / Hour	AMP	Fuel	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
9450	1.103-905.0	10	3200	115/1	389	700,000	8	Oil-Fired	525	32.5 x 25 x 50.5
9452	1.103-906.0	10	3200	115/1	479	540,000	1	Natural - Gas- Fired	500	32.5 x 25 x 50.5
9460	1.103-907.0	10	3200	115/1	688	920,000	8	Oil-Fired	920	40.5 x 32 x 65
9462	1.103-908.0	10	3200	115/1	688	920,000	1	Natural - Gas- Fired	935	40.5 x 32 x 65

OPTIONS (FIELD INSTALLED)

ORDER NO.	DESCRIPTION
<input type="checkbox"/> 8.903-076.0	Natural-Gas to LP Conversion for Model 9452 (Factory Installed)
<input type="checkbox"/> 8.903-075.0	Natural-Gas to LP Conversion for Model 9462 (Factory Installed)
<input type="checkbox"/> 9.801-040.0	10" Natural Gas-Fired Draft Diverter for Model 9452
<input type="checkbox"/> 8.717-730.0	12" Natural Gas-Fired Draft Diverter for Model 9462
<input type="checkbox"/> 8.749-806.0	10" Power Dampener
<input type="checkbox"/> 8.753-171.0	12" Power Dampener
<input type="checkbox"/> 8.749-807.0	Power Dampener Wiring Harness

Included
 Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Phone 888-805-9852

Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444

Fax 905-672-3155

www.karcher.ca