

Cure & Seal 25 EX

Version 1

pg. 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Synonyms:	Cure & Seal 25 EX
= ,	N/A
CAS No:	Mixture
1.2 Product Use:	25% solids exempt solvent-based cure and seal.
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	Chemtrec: (800) 424-9300
Date of Last Revision:	June 30, 2016
Date of Current Revision:	July 1, 2018
	piratory system irritation. May be an aspiration hazard.
Reactivity Hazards: None.	lammable liquid with a flash point of 64°F (18°C). tal effects of this product have not been investigated,

EU and GHS Symbols

Signal Word

Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

265-199-0 is listed in Annex I 649-356-00-4 232-489-3 is listed in Annex I 649-345-00-4 208-760-7 is listed in Annex I 601-029-00-7



Cure & Seal 25 EX

Substances not listed either individually or in group entries must be self classified.Components Contributing to Classification:Petroleum naptha, light aromatic, Dimethyl Carbonate, 1,2,4,-Trimethylbenzene, 1,3,5 – Trimethylbenzene2.2 Label Elements:Flammable Liquid Category 2 Skin Irritation Category 2 Germ Cell Mutagenicity Category 1B STOT – SE Category 3 (Respiratory System, Central Nervous System) Aspiration Hazard Category 2 Hazard Statements:Flammable Liquid Category 1 Chronic Aquatic Toxicity Category 2 Hazard Statements:Hazard Statements:H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
2.2 Label Elements:GHS Hazard Classifications:Flammable Liquid Category 2 Skin Irritation Category 2 Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1B STOT – SE Category 3 (Respiratory System, Central Nervous System) Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2 Hazard Statements:Hazard Statements:H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
GHS Hazard Classifications:Flammable Liquid Category 2 Skin Irritation Category 2 Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1B STOT – SE Category 3 (Respiratory System, Central Nervous System) Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2 Hazard Statements:Hazard Category 1 Chronic Aquatic Toxicity Category 2 Hazard Statements:Hazard Statements:H25 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Skin Irritation Category 2Germ Cell Mutagenicity Category 1BCarcinogenicity Category 1BSTOT – SE Category 3 (Respiratory System, Central Nervous System)Aspiration Hazard Category 1Chronic Aquatic Toxicity Category 2Hazard Statements:H225 Highly flammable liquid and vapour H315 Causes skin irritationH340 May cause genetic defects H350 May cause cancerH335 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Carcinogenicity Category 1B STOT – SE Category 3 (Respiratory System, Central Nervous System) Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2 Hazard Statements: H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
STOT – SE Category 3 (Respiratory System, Central Nervous System) Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2Hazard Statements:H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Central Nervous System) Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2 H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Aspiration Hazard Category 1 Chronic Aquatic Toxicity Category 2 H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Hazard Statements:Chronic Aquatic Toxicity Category 2 H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
Hazard Statements:H225 Highly flammable liquid and vapour H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
H315 Causes skin irritation H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
H340 May cause genetic defects H350 May cause cancer H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
H336 May cause drowsiness or dizziness H304 May be fatal if swallowed and enters
H304 May be fatal if swallowed and enters
airways H411 Toxic to aquatic life with long lasting
effects
Precautionary Statements: P210 Keep away from heat/sparks/open
flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/Bond container and receiving
equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against
static discharge.
P280 Wear protective gloves/eye
protection/face protection.
P264 Wash thoroughly after handling. P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions
have been read and understood.
P261 Avoid breathing
dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated
area.
P273 Avoid release to the environment. Response Statements: P303+P361+P353 IF ON SKIN (or hair): Take
Response Statements: P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
skin with water/shower.



Cure & Seal 25 EX

				pg. 3	
			chemica	378 In case of fire: Use dry sand, dry al or alcohol-resistant foam for	
		t	extinctic P302+P352 IF (n. DN SKIN: Wash with plenty of water.	
				eatment (see supplemental first aid	
			nstructions on t		
				kin irritation occurs: Get medical	
			advice/attention		
				hing before reuse.	
			advice/attention	exposed or concerned: Get medical	
				NHALED: Remove person to fresh air	
			and keep comfortable for breathing.		
				SON Center/doctor if you feel unwell.	
		F	P301+P310 IF S	WALLOWED: Immediately call a	
			POISON Center		
			P331 Do NOT ir		
Storago Statomont			P391 Collect spi		
Storage Statement	5.		P403+P235 Store in a well-ventilated place. Keep cool. P233 Keep container tightly closed.		
			P405 Store locked up.		
Disposal Statemen	its:		P501 Dispose of contents/container in accordance with		
•			local/regional/national/international regulations.		
2.3 Health Hazards					
The most significa symptoms of over Acute: Inhalation: May ca Skin Contact: May cracking. Eye Contact: Dire Ingestion: May ca Chronic: Repeated Target Organs: Acute: Skin, Resp Chronic: Skin	ant routes o rexposure a ause respira y cause mo ct contact to use lung da exposure r piratory Syst	re described in atory tract irrita derate irritation o the eyes may amage if aspira may cause skin tem, Lungs	xposure: a for this produc a the following p tion. May cause a to skin. Repea y be irritating. ted. a dryness or cra	e headaches, drowsiness, or dizziness. ted exposure may cause skin dryness or cking.	
The most significal symptoms of over Acute: Inhalation: May ca Skin Contact: May cracking. Eye Contact: Dire Ingestion: May ca Chronic: Repeated Target Organs: Acute: Skin, Resp	ant routes o rexposure a ause respira y cause mo ct contact to use lung da exposure r piratory Syst	f overexposure ire described in atory tract irrita derate irritation o the eyes may amage if aspira may cause skin tem, Lungs	xposure: a for this produc a the following p tion. May cause a to skin. Repea y be irritating. ted. a dryness or cra	aragraphs. headaches, drowsiness, or dizziness. ted exposure may cause skin dryness or cking.	
The most significa symptoms of over Acute: Inhalation: May ca Skin Contact: May cracking. Eye Contact: Dire Ingestion: May ca Chronic: Repeated Target Organs: Acute: Skin, Resp Chronic: Skin	ant routes o rexposure a ause respira y cause mo ct contact to use lung da exposure r piratory Syst	f overexposure ire described in atory tract irrita derate irritation o the eyes may amage if aspira may cause skin tem, Lungs	xposure: a for this produc a the following p tion. May cause a to skin. Repea y be irritating. ted. a dryness or cra	aragraphs. headaches, drowsiness, or dizziness. ted exposure may cause skin dryness or cking.	
The most significa symptoms of over Acute: Inhalation: May ca Skin Contact: May cracking. Eye Contact: Dire Ingestion: May ca Chronic: Repeated Target Organs: Acute: Skin, Resp Chronic: Skin	ant routes o rexposure a ause respira y cause mo ct contact to use lung da exposure r biratory System ON / INFOR	f overexposure ire described in atory tract irrita derate irritation o the eyes may amage if aspira may cause skin tem, Lungs	xposure: for this produce the following p tion. May cause to skin. Repea y be irritating. ted. dryness or cra INGREDIENTS EINECS No. 265-199-0	aragraphs. headaches, drowsiness, or dizziness. ted exposure may cause skin dryness or cking. Hazard Classification Flam. Liq. 3; Skin Irrit. 2; Carc. 1B, Muta. 1B; STOT SE 3; ASP. Tox. 1, Aquatic Chronic 2	
The most significa symptoms of over Acute: Inhalation: May ca Skin Contact: May cracking. Eye Contact: Dire Ingestion: May ca Chronic: Repeated Target Organs: Acute: Skin, Resp Chronic: Skin	ant routes o rexposure a ause respira y cause mo ct contact to use lung da exposure r biratory System ON / INFOR	f overexposure ire described in atory tract irrita derate irritation o the eyes may amage if aspira may cause skin tem, Lungs RMATION ON	xposure: for this produc the following p tion. May cause to skin. Repea be irritating. ted. dryness or cra INGREDIENTS EINECS No.	aragraphs. headaches, drowsiness, or dizziness. ted exposure may cause skin dryness or cking. Hazard Classification Flam. Liq. 3; Skin Irrit. 2; Carc. 1B, Muta. 1B; STOT	




Cure & Seal 25 EX

Version 1				pg. 4		
				Specific target organ toxicity (single exposure) Category 3		
1,3,5 – Trimethylbenzene	< 2%	108-67-8	203-604-4	Flam. Liq. 3; Skin Irrit. 2; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 2;		
Proprietary Solvent Blend	< 20%	N/E	N/E	N/E		
Copolymer of Styrene and 2-Ethylhexylacrylate	< 30%					
Balance of other ingredients are respiratory sensitizers).	e non-hazai	rdous or less tha	an 1% in concen	tration (or 0.1% for carcinogens, reproductive toxins, or		
his product has been classif	ied in acco	ordance with th	he hazard crite	tions based on the ANSI Z400.1-2010 format. ria of the CPR and the MSDS contains all the ndustrial Standard JIS Z 7250:2000		
SECTION 4 – FIRST AID ME	EASURES	5				
4.1 Description of Fi	irst Aid M	easures:				
Eye Contact:	sol	lution for sever	al minutes. Re	with plenty of water or eye wash move contacts if present and easy to do.		
Skin Contact:	Wa	Seek medical attention if irritation persists. Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.				
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.					
Ingestion:	If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.					
Medical Conditions	pro					
Generally Aggravate	ed					
By Exposure:		 Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact. 				
4.2 Symptoms and I				osure to skin, eyes, and respiratory		
				ay cause headaches, drowsiness, or		
13 Docommondatio		ziness. Aspira		d aliminata avaravnasura		
4.3 Recommendatio	ons to Phy	vsicians: Treat	symptoms ar	d eliminate overexposure.		
SECTION 5 - FIRE FIGHTIN	IG MEAS	URES				
5.1 Fire Extinguishi	ng Materia	als:				
5.1 Fire Extinguishi	ng Materia	<u>als:</u> 				

Use the following fire extinguishing materials: Water Spray: No



Cure & Seal 25 EX



SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.



pg. 6

Cure & Seal 25 EX

Version 1

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

25% solids solvent-based cure & seal.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Petroleum naptha, light aromatic	64742-95-6	2000 mg/mg ³	350 mg/m³
Dimethyl Carbonate	616-38-6	None Listed	None Listed
1,2,4,-Trimethylbenzene	95-63-6	25 ppm	25 ppm
1,3,5 – Trimethylbenzene	108-67-8	25 ppm	25 ppm
Proprietary Solvent Blend	N/E	N/E	N/E



Cure & Seal 25 EX

Version 1	pg. 7
8.2 Exposure Controls: Ventilation and Engineering Controls:	Use with adequate ventilation to ensure exposure levels are maintained below the limits
The following information on appropriate Personal employers in complying with OSHA regulations fou standards of EU member states (including EN 149 protection), and those of Japan. Please reference a details.	nd in 29 CFR Subpart I (beginning at 1910.132), or for respiratory PPE, and EN 166 for face/eye
Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.
Body Protection:	Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties: Appearance (Physical State and Color): Clear liquid



Cure & Seal 25 EX

Version 1

pg. 8

Odor: Characteristic hydrocarbon Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: 212°F (100°C) Flash Point: 64°F (18°C) Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion Limits: LEL 0.7%, UFL 7.5% Vapor Pressure (mm Hg @ 20°C (68° F): 11 mm Hg 100°F Vapor Density: No data available Relative Density: No data available Specific Gravity: 1.04g/cm3 Solubility in Water: Not miscible Weight per Gallon: 8.68lb/gal Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity:	This product is not reactive.
10.2 Stability:	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur.
10.4 Conditions to Avoid:	Avoid excessive temperatures, exposure to sunlight, sources
	of ignition.
10.5 Incompatible Substances:	Strong oxidizing agents.
10.6 Hazardous Decomposition Products	Carbon monoxide and dioxide smoke.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:			
Toxicity Data:			
Petroleum naptha,	64742-95-6	LD50 Dermal - Rabbit	>2000 mg/kg
light aromatic	04742-95-0	LC50 Inhalation – Rat	10,00 mg/mg³
		LD50 Oral – Rat	13000 mg/kg
Dimethyl Carbonate	616-38-6	LD50 Dermal – Rabbit	5000 mg/kg
		LC50 Inhalation – Rat	140 mg/L (4h)
1.2.4 Trimothylbonzono	95-63-6	LD50 Oral – Rat	5000 mg/kg
1,2,4,-Trimethylbenzene	90-03-0	LC50 Inhalation – Rat	18 mg/L (4h)
4.2.5 Trimethylkensens 400.07	100 67 0	LD50 Oral – Rat	5000mg/kg
1,3,5 – Trimethylbenzene	108-67-8	LC50 Inhalation – Rat	24 mg/L (4h)
Proprietary Solvent Blend	N/E	N/E	N/E



Cure & Seal 25 EX

on 1	pg. 9
Suspected Cancer Agent:	Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.
Irritancy:	Skin and respiratory irritant.
Sensitization to the Product:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product contains ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity:

Petroleum naptha,	64742-95-6	LC50 – Fish	9.2 mg/l – 96h
light aromatic	04742-95-0	EC50 – Algae	3.3 mg/l
Dimethyl Carbonate	616-38-6	LC50 – Fish	1000mg/L – 96h
1,2,4,-Trimethylbenzene	95-63-6	LC50 – Fish	7.72mg/L – 96h
1,3,5 – Trimethylbenzene	108-67-8	LC50 – Fish	3.48mg/L – 96h
Proprietary Solvent Blend	N/E	N/E	N/E

12.2 Persistence and Degradability:

12.3 Bioaccumulative Potential:

No specific data available on this product. No specific data available on this product.

No specific data available on this product.

12.4 Mobility in Soil: 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

- 12.6 Other Adverse Effects:
- 12.7 Water Endangerment Class:
- No data available At present, there are no ecotoxicological assessments for this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

13.2 EU Waste Code:

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows. **UN Identification Number:** UN1139 **Proper Shipping Name:** Coating Solution Hazard Class Number and Description: Class 3 - Flammable Liquid



Cure & Seal 25 EX

Version 1	pg. 10
Packing Group: DOT Label(s) Required:	ll Flammable Liquid
North American Emergency Response Guidebook Number: 14.2 Environmental Hazards:	128
Marine Pollutant: <u>14.3 Special Precaution for User:</u> <u>14.4 International Air Transport Association</u> <u>Shipping Information (IATA):</u> <u>14.5 International Maritime Organization</u> <u>Shipping Information (IMO):</u> UN Identification Number: Proper Shipping Name:	The components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). None This product is considered as dangerous goods. UN1139 Coating Solution
Hazard Class Number and Description: Packing Group: EMS-No:	Class 3 – Flammable Liquids II F-E-S-E
SECTION 15 – REGULATORY INFORMATION	
of Title III of the Superfund Amendments and Reau U.S. SARA 311/312: Acute Health: Yes; Chronic Health: Yes; Fire: Yes; U.S. CERCLA Reportable Quantity: T-Butyl Acetate – 5,000 U.S. TSCA Inventory Status: The components of this product are listed on the T Other U.S. Federal Regulations: None known California Safe Drinking Water and Toxic Enford This product does not contain ingredients on the P	the reporting requirements of Sections 302, 304, and 313 uthorization Act. Reactivity; No SCA Inventory or are exempted from listing. cement Act (Proposition 66):
 <u>15.2 Canadian Regulations:</u> <u>Canadian DSL/NDSL Inventory Status:</u> Components are DSL Listed, NDSL Listed and/or a Other Canadian Regulations: Not applicable <u>Canadian Environmental Protection Act (CEPA)</u> This product has been classified in accordance wit Regulations and the MSDS contains all of the infor Canadian WHMIS Classification and Symbols: This product is Class B2, Flammable Liquid, and D Controlled Product Regulations.) Priorities Substances Lists: h the hazard criteria of the Controlled Products



Cure & Seal 25 EX

Version 1 pg. 11 **15.3 European Economic Community Information:** This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details. **Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. **15.4 Australian Information for Product:** Components of this product are listed on the International Chemical Inventory list. **15.5 Japanese Information for Product:** Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI. **15.6 International Chemical Inventories:** Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed **SECTION 16 – OTHER INFORMATION**

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET