

## SpecRez

Version 1

pg. 1

### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	SpecRez
Synonyms:	NA
CAS No:	Mixture
1.2 Product Use:	Concrete paving curing compound
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	Chemtrec: (800) 424-9300
Date of Last Revision:	July 1, 2018
Date of Current Revision:	March 19, 2020

#### **SECTION 2 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a white liquid with a characteristic hydrocarbon odor. <u>Health Hazards</u>: May cause skin irritation.

Flammability Hazards: This product is not a flammable liquid.

Reactivity Hazards: None.

<u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not regulated



EU and GHS Symbols

Signal Word Danger

### 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

204-007-1 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.Components Contributing to Classification:Slack Wax, Oleic Acid2.2 Label Elements:Skin Irritation Category 2

**Hazard Statements:** 

Skin Irritation Category 2 Carcinogenicity Category 1B H315 Causes skin irritation H350 May cause cancer



## SpecRez

Version 1				pg. 2
Precautionary Stat	tements:		P280 W	/ear protective gloves.
-			P264 W	ash thoroughly after handling
				btain special instructions before use.
				o not handle until all safety precautions
			have be	en read and understood.
Response Stateme	ents:		P302+F	2352 IF ON SKIN: Wash with plenty of
·			water.	
			P321 S	pecific treatment (see supplemental first
				ructions on this label).
				2313 If skin irritation occurs: Get medical
				attention.
				2364 Take off contaminated clothing and
				othing before reuse.
				2313 IF exposed or concerned: Get
				advice/attention.
Storage Statement				tore locked up.
Storage Statement				
Disposal Statemer	its:			ispose of contents/container in
				ance with
			iocai/reę	gional/national/international regulations.
2.3 Health Hazards	or Rieke	From Exposur	·•·	
Symptoms of Over				
				t are by contact with skin or eyes. The
symptoms of over				
	exposure a	are described in	i the following p	aragraphs.
Acute:	ious offerst			
Inhalation: No ser				
	y cause mo	poerate irritation	i to skin. Repea	ated exposure may cause skin dryness or
cracking.				
Eye Contact: Dire				
Ingestion: May ca				
Chronic: Repeated	exposure	may cause skir	n dryness or cra	icking.
Target Organs:				
Acute: Skin.				
Chronic: Skin.				
SECTION 3 – COMPOSITI	ON / INFO	RMATION ON	INGREDIENTS	6
Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Oleic Acid	0-2%	112-80-1	204-007-1	Skin Irrit. 2
Slack Wax	<3%	64742-61-6	265-165-5	Carc 1B
Delever of other in one disease		1 1 4	10/ 1	

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000



# SpecRez

ION 4 – FIRST AID MEASU			3
	RES		
4.1 Description of First A	id Measures:		
Eye Contact:	solution for several mi	yes, flush with plenty of water or eye wash nutes. Remove contacts if present and easy to do.	
Skin Contact:	Seek medical attention if irritation persists. Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.		
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.		
Ingestion:	If product is swallowed professional advice is induce vomiting or giv unconscious, having o	d, call physician or poison center immediately. If not available, do not induce vomiting. Never e dilutents (milk or water) to someone who is convulsions, or who cannot swallow. Seek medical f the label and/or SDS with the victim to the	
Medical Conditions	, I		
Generally Aggravated			
By Exposure:		piratory system or eye problems may be	
	aggravated by prolong		
		<b>yed:</b> Exposure to skin may cause irritation.	
4.3 Recommendations to	Physicians: Treat sym	ptoms and eliminate overexposure.	
ON 5 – FIRE FIGHTING ME	ASURES		
ON 5 – FIRE FIGHTING ME			
5.1 Fire Extinguishing Ma	terials:	Water Spray: Yes	
	terials:	<b>Water Spray</b> : Yes Foam: Yes	
5.1 Fire Extinguishing Ma	terials:		
5.1 Fire Extinguishing Ma	terials:	Foam: Yes	
5.1 Fire Extinguishing Ma	terials:	Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes	
5.1 Fire Extinguishing Ma	<u>terials:</u> inguishing materials:	Foam: Yes Halon: Yes Carbon Dioxide: Yes	
5.1 Fire Extinguishing Ma Use the following fire ext 5.2 Unusual Fire and Exp Irritating and toxic fumes	<u>iterials:</u> inguishing materials: <u>losion Hazards:</u> may be produced at h	Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes	
Use the following fire ext 5.2 Unusual Fire and Exp Irritating and toxic fumes the formation of a toxic a	<u>iterials:</u> inguishing materials: losion Hazards: may be produced at H queous solution. Do n	Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class nigh temperatures. Use of water may result if	




## SpecRez

### Version 1

pg. 4

- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully
  applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



## SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

### **6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

### 6.3 Spill and Leak Response:

#### **Small Spills:**

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

### Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).



## SpecRez

Version 1

pg. 5

## SECTION 7 - HANDLING AND STORAGE

#### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

#### 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

#### 7.3 Specific Uses:

Concrete curing compound.

### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Oleic Acid	112-80-1	Not Listed	Not Listed
Slack Wax	64742-61-6	Not Listed	Not Listed

#### 8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the



## SpecRez

Hand Protection: Body Protection:	European Standard EN166, Australian Standards, or relevant Japanese Standards. Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed.
Body Protection:	the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed.
	It nononony rotar to appropriate Standards at
	If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where
	objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.
TION 9 – PHYSICAL AND CHEMICAL PROPERTIE 9.1 Information on Basic Physical and Chemic	
Appearance (Physical State and Color): White Odor: Slight	
Odor Threshold: No data available pH: 9.75 +/- 0.75	
Melting/Freezing Point: No data available	
Boiling Point: 212°F (100°C) Flash Point: Not applicable	
Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable	

Viscosity: 100 +/- 15 cps 9.2 Other Information: No data available

Auto-Ignition Temperature: No data available Decomposition Temperature: No data available

Vapor Density: Heavier than air Relative Density: No data available

Specific Gravity: 1.0 +/- .01 Solubility in Water: Soluble Weight per Gallon: 8.3 +/- 0.1

Upper/Lower Flammability or Explosion Limits: Not data available

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Partition Coefficient (n-octanol/water): No data available



## SpecRez

Version 1

pg. 7

## SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity:	This product is not reactive.
10.2 Stability:	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur.
10.4 Conditions to Avoid:	Avoid excessive temperatures, exposure to sunlight, sources
	of ignition.
10.5 Incompatible Substances:	Strong oxidizing agents.
10.6 Hazardaus Decomposition Broducts	· Carbon manavida and diavida amaka

10.6 Hazardous Decomposition Products: Carbon monoxide and dioxide smoke.

### **SECTION 11 – TOXICOLOGY INFORMATION**

# 11.1 Information on Toxicological Effects:

Toxicity Data:			
Oleic Acid	112-80-1	LD50 Oral – Rat	74,000 mg/kg
Slack Wax	64742-61-6	LD50 Oral – Rat	>5,000 mg/kg
Slack Wax	04742-01-0		>5,000 mg/kg

Suspected Cancer Agent:	Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.
Irritancy:	Skin irritant.
Sensitization to the Product:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product does not contain ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.

## **SECTION 12 – ECOLOGICAL INFORMATION**

#### 12.1 Toxicity:

Oleic Acid	112-80-1	LC50 – Fathead Minnow 205 mg/l – 96h
2.2 Persistence	and Degradability:	No specific data available on this product.
12.3 Bioaccumul	ative Potential:	No specific data available on this product.
12.4 Mobility in S	oil: No specific data available on this product.	
12.5 Results of P	BT and vPvB Assess	ment: No specific data available on this product.
12.6 Other Adver	se Effects:	No data available
12.7 Water Endar	ngerment Class:	At present, there are no ecotoxicological assessments
	-	for this product.



## SpecRez

Version 1

pg. 8

## SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

## 13.2 EU Waste Code:

## SECTION 14 - TRANSPORTATION INFORMATION

#### 14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by	the U.S. Department of Transportation, as follows.
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
DOT Label(s) Required:	Not applicable
North American Emergency	
Response Guidebook Number:	Not applicable
14.2 Environmental Hazards:	
Marine Pollutant:	The components of this product are not designated by
	the Department of Transportation to be Marine
	Pollutants (49 CFR 172.101, Appendix B).
14.3 Special Precaution for User:	None
14.4 International Air Transport Association	
Shipping Information (IATA):	This product is not considered as dangerous goods.
14.5 International Maritime Organization	
Shipping Information (IMO):	
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
EMS-No:	Not applicable

### **SECTION 15 – REGULATORY INFORMATION**

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture: United States Regulations:
U.S. SARA Reporting Requirements: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.
U.S. SARA 311/312: Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No
U.S. CERCLA Reportable Quantity: Not applicable
U.S. TSCA Inventory Status:



# SpecRez

Version 1	pg. 9
The components of this product are listed on the TSCA Inventory or are exempted from listin Other U.S. Federal Regulations: None known	ng.
California Safe Drinking Water and Toxic Enforcement Act (Proposition 66): This product does not contain ingredients on the Proposition 65 Lists. 15.2 Canadian Regulations:	
Canadian DSL/NDSL Inventory Status: Components are DSL Listed, NDSL Listed and/or are exempt from listing Other Canadian Regulations:	
Not applicable Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:	
This product has been classified in accordance with the hazard criteria of the Controlled Pro Regulations and the MSDS contains all of the information required by those regulations. Canadian WHMIS Classification and Symbols:	ducts
This product is Class D2B, Materials causing other toxic effects, per WHMIS Controlled Prod Regulations.	duct
$\overline{\mathbf{T}}$	
<u>15.3 European Economic Community Information:</u> This product meets the definition of a hazardous substance or preparation as defined by the Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directive 2 for Details.	
Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixture by the sup 15.4 Australian Information for Product:	plier.
Components of this product are listed on the International Chemical Inventory list. 15.5 Japanese Information for Product:	
Japanese Minister of International Trade and Industry (MITI) Status: The components of this listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, o Chemical Substances by the Japanese MITI. <u>15.6 International Chemical Inventories:</u>	product are not r Designated
Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed	
Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed	



## SpecRez

Version 1

pg. 10

### **SECTION 16 – OTHER INFORMATION**

Date of Printing: March 19, 2020

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

### END OF SDS SHEET