

### Super Por-Rok®

Version 1

pg. 1

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	Super Por-Rok®
Synonyms:	N/Á
CAS No:	Mixture
1.2 Product Use:	Anchoring Cement
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	Chemtrec: (800) 424-9300
Date of Last Revision:	February 1, 2015
Date of Current Revision:	July 1, 2018

**EMERGENCY OVERVIEW:** This product is a gray powder with minimal odor.

<u>Health Hazards</u>: May cause skin and respiratory irritation and burns to the eyes. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs. Contains components that are defined as human carcinogens.

Flammability Hazards: This product is not considered flammable.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not Regulated



EU and GHS Symbols

Signal Word Danger

#### 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

# EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

238-878-4 is not listed in Annex I 266-043-4 is not listed in Annex I Substances not listed either individually or in group entries must be self classified.

**Components Contributing to Classification:** 

Crystalline Silica (Quartz)/Silica Sand, Portland Cement, Calcium Sulfoaluminate Cement



n 1	pg. 2
2.2 Label Elements:	
GHS Hazard Classifications:	Carcinogenicity Category 1 A
	STOT – SE Category 3 (Respiratory System)
	Skin Irritation Category 2
	Skin Sensitization Category 1
	Eye Damage Category 1
Hazard Statements:	H351 Suspected of causing cancer
	H373 May cause damage to organs
	(Respiratory System) through prolonged or
	repeated exposure
	H335 May cause respiratory irritation
	H315 Causes skin irritation
	H317 May cause an allergic skin reaction
	H318 Causes serious eye damage
Precautionary Statements:	P201 Obtain special instructions before use.
,	P202 Do not handle until all safety precautions
	have been read and understood.
	P260 Do not breath
	dust/fume/gas/mist/vapours/spray.
	P264 Wash thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated
	area.
	P272 Contaminated work clothing should not be
	allowed out of the workplace
	P270 Do not eat, drink or smoke when using
	this product.
	P280 Wear protective gloves/eye
	protection/face protection.
Response Statements:	P308+P313 IF exposed or concerned: Get
Response otatements.	medical advice/attention.
	P304+P340 IF INHALED: Remove person to
	fresh air and keep comfortable for breathing.
	P312 Call a POISON CENTER/Doctor if you
	feel unwell.
	P302+P352 IF ON SKIN: Wash with plenty of
	water.
	P333+P312 If skin irritation or rash occurs: Get
	medical advice/attention.
	P362+P364 Take off contaminated clothing and
	wash it before reuse.
	P305+P351+P338 IF IN EYES: Rinse
	cautiously with water for several minutes.
	Remove contact lenses, if present and easy to
	do. Continue rinsing.
	P310 Immediately call a POISON
	CENTER/Doctor.
Storage Statements:	P403+P233 Store in a well-ventilated place
Storage Statements:	P403+P233 Store in a well-ventilated place. Keep container tightly closed.



### Super Por-Rok®

Disposal Statements:	P501 Dispose of contents/container in accordance with local/regional/national/international regulations
2.3 Health Hazards or Risks From E	
Symptoms of Overexposure by Rou	•
	xposure for this product are by contact with skin or eyes. The
symptoms of overexposure are desc	ribed in the following paragraphs.
Acute:	
Inhalation: May cause respiratory irr	
Skin Contact: May cause irritation to	
Eye Contact: Contact with the eyes Ingestion: May cause gastrointesting	•
Chronic: Repeated exposure may cause	· · · · · · · · · · · · · · · · · · ·
Target Organs:	
Acute: Eyes, Skin, Respiratory	
Chronic: Lung, Skin	
Onionio. Eurig, Okin	

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Crystalline Silica (Quartz)/ Silica Sand	40-60%	14808-60-7	238-878-4	Carc. 2, STOT RE2
Portland Cement	15-30%	65997-15-1	266-043-4	STOT SE3, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1
Calcium Sulfoaluminate Cement	15-30%	960375-09-1		
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

#### SECTION 4 – FIRST AID MEASURES

#### 4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.



n 1		
ngestion:	If product is swallowed, call physician or poison center if you feel un If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek med advice. Take a copy of the label and/or SDS with the victim to the he professional.	r dical
Medical Conditions		
Generally Aggravated		
By Exposure:	Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact.	
4.2 Symptoms and Effe	cts Both Acute and Delayed: Exposure to skin and respiratory may ca irritation. Contact with the eyes may cause burns. Contact with skin cause an allergic reaction. Repeated exposure may cause damage the lungs.	may
4.3 Recommendations t	to <b>Physicians:</b> Treat symptoms and eliminate overexposure.	
5.1 Fire Extinguishing N	<u>Materials:</u> xtinguishing materials: Water Spray: Yes	
DN 5 – FIRE FIGHTING N 5.1 Fire Extinguishing N Use the following fire ex	Materials: xtinguishing materials: Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class	
5.1 Fire Extinguishing M Use the following fire ex 5.2 Unusual Fire and Ex Irritating and toxic fume	Materials:       Water Spray: Yes         xtinguishing materials:       Water Spray: Yes         Foam: Yes       Halon: Yes         Halon: Yes       Carbon Dioxide: Yes         Dry Chemical: Yes       Dry Chemical: Yes         Other: Any "C" Class       Other: Any the set of water may result         aqueous solution. Do not allow run-off from fire fighting to enter	: if
5.1 Fire Extinguishing M Jse the following fire ex 5.2 Unusual Fire and Ex rritating and toxic fume the formation of a toxic drains or water courses	Materials:       Water Spray: Yes         xtinguishing materials:       Water Spray: Yes         Foam: Yes       Halon: Yes         Halon: Yes       Carbon Dioxide: Yes         Dry Chemical: Yes       Dry Chemical: Yes         Other: Any "C" Class       Other: Any "C" class         es may be produced at high temperatures. Use of water may result       aqueous solution. Do not allow run-off from fire fighting to enter	: if
5.1 Fire Extinguishing M Use the following fire ex 5.2 Unusual Fire and Ex Irritating and toxic fume the formation of a toxic	Materials:       Water Spray: Yes         xtinguishing materials:       Water Spray: Yes         Foam: Yes       Halon: Yes         Halon: Yes       Carbon Dioxide: Yes         Dry Chemical: Yes       Dry Chemical: Yes         Other: Any "C" Class       Other: Any "C" class         es may be produced at high temperatures. Use of water may result       aqueous solution. Do not allow run-off from fire fighting to enter         s.       No	: if




pg. 5

### Super Por-Rok®

#### Version 1

• If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



#### SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

#### 6.2 Environmental Precautions:

If liquid was introduced, construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

#### 6.3 Spill and Leak Response:

#### Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

#### Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

#### **SECTION 7 - HANDLING AND STORAGE**



### Super Por-Rok®

#### Version 1

pg. 6

#### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

#### 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

#### 7.3 Specific Uses:

Rapid setting concrete repair mortar.

#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL	ACGIH TWA
Crystalline Silica (Quartz)/Silica Sand	14808-60-7	TWA 10 mg/m3 (resp) TWA 30 mg/m3 (total)	Ca TWA 0.05 mg/m3	0.025 mg/m3
Portland Cement	65997-15-1	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	TWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)	1 mg/m3 (total)
Calcium Sulfoaluminate Cement		TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)		.05 mg/m3

#### 8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Maintain airborne contaminant concentrations below guidelines listed above. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate



ersion 1	pg. 7
Body Protection:	Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.
CTION 9 – PHYSICAL AND CHEMICAL PROPI	ERTIES
<ul> <li>9.1 Information on Basic Physical and Ch ppearance (Physical State and Color): Gra Odor: No data available</li> <li>Odor Threshold: No data available</li> <li>pH: No data available</li> <li>Melting/Freezing Point: No data available</li> <li>Boiling Point: No data available</li> <li>Flash Point: No data available</li> <li>Evaporation Rate: No data available</li> <li>Flammability (Solid; Gas): No data available</li> <li>Flammability (Solid; Gas): No data available</li> <li>Upper/Lower Flammability or Explosion L</li> <li>Vapor Pressure (mm Hg @ 20°C (68° F): N</li> <li>Vapor Density: No data available</li> <li>Relative Density: No data available</li> <li>Specific Gravity: 2.6 – 2.7</li> <li>Solubility in Water: Partial</li> <li>Weight per Gallon: No data available</li> <li>Partition Coefficient (n-octanol/water): No</li> <li>Auto-Ignition Temperature: No data available</li> <li>9.2 Other Information: No data available</li> </ul>	ay powder le .imits: No data available No data available o data available ble
CTION 10 – STABILITY AND REACTIVITY <u>10.1 Reactivity:</u> <u>10.2 Stability:</u> <u>10.3 Possibility of Hazardous Reactions:</u> <u>10.4 Conditions to Avoid:</u> <u>10.5 Incompatible Substances:</u>	This product is not reactive. Stable under conditions of normal storage and use. Will not occur. No data available. Hydrogen fluoride.



sion 1	pg. 8
10.6 Hazardous Decomposition Product	<u>ts:</u> No data available.
TION 11 - TOXICOLOGY INFORMATION	
11.1 Information on Toxicological Effec	
Toxicity Data: Suspected Cancer Agent:	No data available Crystalline Silica (Quartz)/Silica Sand (CAS 14808-60-7) is found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore is considered to be a cancer-causing agent by these agencies.
Irritancy:	Skin, eye, and respiratory irritant.
Sensitization to the Product: Germ Cell Mutagenicity:	This product is expected to cause skin sensitization. This product does not contain ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.
TION 12 - ECOLOGICAL INFORMATION	
12.1 Toxicity:	No data available
12.2 Persistence and Degradability:	No specific data available on this product.
12.3 Bioaccumulative Potential:	No specific data available on this product.
12.4 Mobility in Soil:	No specific data available on this product.
	ent: No specific data available on this product.
12.6 Other Adverse Effects:	No data available
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments
	for this product.
TION 13 - DISPOSAL CONSIDERATIONS	
13.1 Waste Treatment Methods:	Waste disposal must be in accordance with
	appropriate U.S. Federal, State, and local
	regulations, those of Australia, EU Member
	States and Japan.
13.2 EU Waste Code:	Not determined
ION 14 - TRANSPORTATION INFORMATION	ON
14.1.I.S. Department of Transportation	(DOT) Shinning Regulations:
<b>14.1 U.S. Department of Transportation</b> This product is classified (per 49 CFR 172	(DOT) Shipping Regulations: .101) by the U.S. Department of Transportation, as follows
This product is classified (per 49 CFR 172	.101) by the U.S. Department of Transportation, as follows.
This product is classified (per 49 CFR 172 UN Identification Number:	.101) by the U.S. Department of Transportation, as follows. Not applicable
This product is classified (per 49 CFR 172 UN Identification Number: Proper Shipping Name:	.101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated
This product is classified (per 49 CFR 172 UN Identification Number:	.101) by the U.S. Department of Transportation, as follows. Not applicable
This product is classified (per 49 CFR 172 UN Identification Number: Proper Shipping Name: Hazard Class Number and Description:	.101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not applicable
This product is classified (per 49 CFR 172 UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group:	.101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not applicable Not applicable



Version 1	pg. 9
Response Guidebook Number:	Not applicable
14.2 Environmental Hazards:	•••
Marine Pollutant:	The components of this product are not designated by
	the Department of Transportation to be Marine
	Pollutants (49 CFR 172.101, Appendix B).
14.3 Special Precaution for User:	None
14.4 International Air Transport Association	
Shipping Information (IATA):	Not regulated.
14.5 International Maritime Organization	
Shipping Information (IMO):	
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group: EMS-No:	Not applicable Not applicable
EMIS-NO.	
SECTION 15 – REGULATORY INFORMATION	
of Title III of the Superfund Amendments and Reau U.S. SARA 311/312: Acute Health: Yes; Chronic Health: Yes; Fire: No; F U.S. CERCLA Reportable Quantity: None U.S. TSCA Inventory Status: The components of this product are listed on the TS Other U.S. Federal Regulations: None known California Safe Drinking Water and Toxic Enford This product does contain "Silica, crystalline", which <u>15.2 Canadian Regulations:</u> Canadian DSL/NDSL Inventory Status: Components are DSL Listed, NDSL Listed and/or a Other Canadian Regulations: Not applicable Canadian Environmental Protection Act (CEPA) This product has been classified in accordance with Regulations and the MSDS contains all of the inform Canadian WHMIS Classification and Symbols:	he reporting requirements of Sections 302, 304, and 313 thorization Act. Reactivity; No SCA Inventory or are exempted from listing. <b>Cement Act (Proposition 65):</b> h is on the Proposition 65 Lists. Are exempt from listing <b>Priorities Substances Lists:</b> h the hazard criteria of the Controlled Products

remains the responsibility of the user.



### Super Por-Rok®

Version 1	pg. 10
T)	
<b>15.3 European Economic Community Information:</b> This product meets the definition of a hazardous substance or preparation as Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subse 2 for Details.	defined by the European equent Directives. See Section
Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixt 15.4 Australian Information for Product:	
Components of this product are listed on the International Chemical Inventory	/ list.
<u>15.5 Japanese Information for Product:</u> Japanese Minister of International Trade and Industry (MITI) Status: The com listed as Class I specified Chemical Substances, Class II Specified Chemical Chemical Substances by the Japanese MITI. <u>15.6 International Chemical Inventories:</u>	
Listing of the components on individual country Chemical Inventories is as fol Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed	<u>llows:</u>
Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed	
SECTION 16 – OTHER INFORMATION	
Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018	
The information contained herein is believed to be accurate but is not warrant calculations are based on information furnished by the manufacturer of the pr the components of the product. Users are advised to confirm in advance of th current, applicable and suited to the circumstances of use. This safety sheet of situations which the user may experience during processing. Each aspect of y examined to determine if, or where, additional precautions may be necessary information contained in this bulletin should be provided to your employees of assumes no responsibility for injury to vendee or third party person proximate reasonable safety procedures are not adhered to as stipulated in the data she assumes no responsibility for injury caused by abnormal use of this material e procedures are followed. Compliance with all applicable federal, state, and low	roduct and manufacturers of ne need that information is cannot cover all possible your operation should be your operation

**END OF SDS SHEET**