

CLUB TREADMILLS

SUPERIOR STRENGTH AND DURABILITY



Our treadmills have been placed in the most demanding commercial environments around the world, where our fitness equipment has proven its strength and endurance. When using a Landice treadmill in a commercial facility, you can be confident of its long-lasting and reliable performance.

EXPERT CRAFTSMANSHIP SINCE 1967

A SMOOTH RIDE

Landice is the industry leader in treadmill shock absorption. Our standard VFX Shock Absorption System provides optimum comfort while reducing impact on your joints. It is 5 times softer than running on grass and great for runners and walkers seeking impact reduction.

THE FINEST TREADMILLS

Landice built its reputation on the quality and craftsmanship of its treadmills. Since 1967, we have engineered the most innovative and durable fitness products in the industry, in the USA.

COMMERCIAL WARRANTY

The Club warranty covers products for more than 5 hours of usage per day in any pay-for-membership facility.

**5-year parts, 3-year console,
2-year wear items, 1-year labor**



THE BENCHMARK FOR FITNESS

TREADMILL FRAME COMPARISON

Solid construction – commercial grade

| | L7 CLUB | L10 CLUB |
|---------------------------|--|--|
| User Capacity | 400 lbs. | 500 lbs. |
| Equipment Weight | 300 lbs. | 460 lbs. |
| Dimensions | 35" W x 76" L x 59" H | 34" W x 83" L x 64" H |
| Running Surface | 20" W x 58" L | 22" W x 60" L |
| Power | 220 VAC, 50/60Hz, 10A (optional) 110 VAC, 50/60Hz, 15A (standard) | 220 VAC, 50/60Hz, 10A (optional) 110 VAC, 50/60Hz, 15A (standard) |
| Roller | 2 ½" 14lbs. | 3 ½" 22lbs. |
| Step-up Height | 5 ½" | 9" |
| Speed | 0.5 to 11 mph | 0.5 - 15.5 mph (220 VAC) 0.5 - 12.5 mph (110 VAC) |
| Incline | 0% to 15% | 0% to 15% |
| Drive System [†] | 4 HP Continuous duty DC motor | 5 HP Continuous duty AC motor |
| Deck | 1" - Reversible | 1" - Reversible |
| Control Panels | Landice Achieve Pro Sports | Landice Achieve Pro Sports |



[†]The stated horsepower is based on the motor's horsepower rating as measured in a laboratory setting. The motor's horsepower rating is an indication of the robustness of the motor. It does not reflect the operational horsepower of the motor which is typically limited by home electrical systems.

CLUB

Designed specifically for high-volume usage in health club settings, the L-Series Club treadmills are ideal for walkers, joggers and serious runners alike. The L7 offers an aluminum frame and whisper quiet 4 HP[†] continuous duty motor, and the L10 offers a steel frame with a 5 HP[†] AC drive. The L7 offers one of the lowest step-up heights in the industry, while the L10 accommodates users over 6 feet tall with a spacious running surface.

TREADMILL CONSOLE OPTIONS



| LANDICE ACHIEVE | |
|-------------------|--|
| Display | 9" color LCD with capacitive touch buttons |
| Programs | 8 Built-in programs 6 User-defined programs, 3 Goal programs 2 Interactive HRC Built-in programs 4 Interactive HRC User programs 3 Fitness tests 2 HIIT programs |
| Keypad | Numeric keypad with express speed and incline keys |
| Heart Rate | Contact heart rate with heart-rate control. Wireless chest strap is an option on commercial products. |
| Bluetooth | Yes (see website for details) |
| Warranty | 3 year console warranty |



| PRO SPORTS | |
|-------------------|--|
| Display | 9" color LCD |
| Programs | 5 Built-in programs 5 User-defined programs, 3 Goal programs |
| Keypad | Numeric keypad with express speed and incline keys |
| Heart Rate | Contact heart rate (read only) |
| Warranty | 3 year console warranty |

To review additional warranty details and treadmill options, please visit us at www.landice.com.

COMMERCIAL ELLIPTICAL

THE INDUSTRY'S TOP-RATED
ELLIPTICAL WORKHORSE



The Landice E9 Commercial Elliptical is manufactured to exceed industry standards. It is one of the most durable and safest ellipticals on the market. The E9 accommodates any fitness level with easy entry and one of the lowest step-up heights in the industry. This machine is designed to satisfy light commercial and club applications.

COMMERCIAL WARRANTY

5-year parts

3-year console

1-year labor





| LANDICE ACHIEVE | |
|--------------------|---|
| Display | 9" color LCD with capacitive touch buttons |
| Programs | 8 Built-in programs, 6 User-defined programs, 3 Goal programs, 2 Interactive HRC Built-in programs, 4 Interactive HRC User programs, 3 Fitness tests, 2 HIIT programs |
| Keypad | Numeric keypad for quick data entry |
| Heart Rate | Interactive contact heart rate |
| Resistance Levels | 1-20 |
| User Capacity | 500 lbs. |
| Active Footprint | 35" W x 76" L x 67" H |
| Physical Footprint | 35" W x 68" L x 67" H |
| Power | 110 VAC, 60Hz, 15A 220 VAC, 60Hz, 15A (optional) |
| Handrails | 2" Medical-Grade Side Rails |
| Stride Length | Fixed 21" stride |
| Drive System | Center Drive |
| Flywheel | 11" diameter, 20 lbs. |
| Pedals | 2" Spacing with Orthopedic Gel Inserts |
| Bluetooth | Yes (see website for details) |

[Certifications: UL 1647, CAN/CSA - C22.2, CE]

WARRANTY

Landice offers a 5-year parts, 3-year console, and a 1-year labor warranty which is valid for all commercial applications including light commercial, rehabilitation, health clubs and pay-for-membership facilities.

THE ELLIPTICAL WORKHORSE

The Landice E9 Commercial Elliptical offers multiple and varied workouts with just one machine. Its center-drive technology replicates the natural stride of outdoor running with zero-impact on your knees. Stand upright on the frame's stationary platform and isolate your workout to strengthen your upper body using the machine's variable resistance settings.

COMMERCIAL BIKES

RELIABILITY & PERFORMANCE

SETTING
THE NEW
STANDARD

Our step-through R9 recumbent and U9 upright bikes provide the style and durability found in all Landice equipment. Aesthetically designed and self-powered, these machines will complement any club or light commercial application. These bikes are engineered with user and facility in mind and set the new standard.

COMMERCIAL WARRANTY

5-year parts
3-year console
1-year labor





SETTING THE NEW STANDARD

Complete with comfort, conveniences and innovation, the R9 and U9 series represent the new standard in reliability and performance from a name you can trust – Landice.

To review additional bike options, please visit us at www.landice.com.

| | R9 | U9 |
|-------------------------------|--|--|
| Frame Type | Step-through recumbent with low step-over height | Upright |
| Pedal Type | Self-balanced pedals with adjustable straps | Self-balanced pedals with adjustable straps |
| Seat Adjustment | Forward/backwards with 15 settings | Up/down with 12 settings |
| Flywheel Weight | 15 lbs. | 15 lbs. |
| Resistance System | Eddy current magnetic braking system | Eddy current magnetic braking system |
| Resistance Range | 1-20 | 1-20 |
| Handlebar | Console grip bars, seat grips with contact heart-rate monitoring and resistance controls | Racing style handlebars with contact heart-rate monitoring and resistance controls |
| Display | Landice Achieve: 9" color LCD with capacitive touch buttons | Landice Achieve: 9" color LCD with capacitive touch buttons |
| Heart Rate | Contact heart rate for heart rate control/wireless chest-strap (optional) | Contact heart rate for heart rate control/wireless chest-strap (optional) |
| Accessories | Water bottle holder, accessory pocket | Water bottle holder, accessory pocket |
| Electrical Requirement | Self-powered | Self-powered |
| Transport Wheels | Yes | Yes |
| Levelers | Yes | Yes |
| Assembled Weight | 205 lbs. | 159 lbs. |
| Dimensions | 65.74" L x 25.31" W x 52.20" H | 44.56" L x 24.72" W x 58.11" H |
| Max User Weight | 350 lbs. | 350 lbs. |
| Bluetooth | Yes (see website for details) | Yes (see website for details) |

WARRANTY

Landice offers a 5-year parts, 3-year console, and a 1-year labor warranty valid to all commercial applications which include light commercial, hotels, health clubs and pay-for-membership facilities.

PROGRAMS

Landice Achieve

- 8 Built-in programs
- 6 User-defined programs
- 3 Goal programs
- 2 Interactive HRC Built-in programs
- 4 Interactive HRC User programs
- 2 HIIT programs

WORKOUT FEEDBACK

- Speed, Distance, Laps, Calories,
- Cal/Hour, RPM, Resistance, Watts, Time,
- METS, Heart Rate, Target Heart Rate,
- Time in Heart-Rate Zone

SPORTS/PHYSICAL THERAPY & REHABILITATION

REHABILITATION TREADMILLS - ELLIPTICALS - BIKES



The Landice line of rehabilitation products provides the very best in functional usage and reliability. From reversing treadmills to low-impact ellipticals and easy-to-start self-powered bikes, Landice fitness equipment provides the perfect tools to assist a wide variety of patients in their recovery and rehabilitation.

REHABILITATION EQUIPMENT

L7 / L8 Rehab Treadmills

E9 Elliptical

R9 / U9 Recumbent & Upright Bikes

THE ROAD TO RECOVERY STARTS HERE

L7 & L8 REHAB TREADMILLS

Made with the finest materials, the L7 and L8 Rehabilitation Treadmills provide the best and safest support for all your rehabilitative programs. With a low step-up height, zero starting speed, 300 micro-amp isolation leakage kit and extended parallel medical handrails, these treadmills are ideal for any physical therapy and sports conditioning center. A number of unique options are also available, such as a reversing treadbelt for downhill walking, 100 micro-amp hospital isolation leakage kit, and an orthopedic suspension system. For a complete list of options please visit us at www.landice.com.

TREADMILL FRAME COMPARISON

Solid aluminum construction – rust free and durable

| | L8 | L7 |
|---------------------------|--|--|
| User Capacity | 500 lbs. | 400 lbs. |
| Equipment Weight | 340 lbs. | 300 lbs. |
| Dimensions | 35" W x 83" L x 61.5" H | 35" W x 76" L x 60" H |
| Running Surface | 22" W x 63" L | 20" W x 58" L |
| Power | 110 VAC, 60Hz, 15A 220 VAC, 60Hz, 15A (optional) | 110 VAC, 60Hz, 15A 220 VAC, 60Hz, 15A (optional) |
| Rollers | 3 ½" 22 lbs. | 2 ½" 14 lbs. |
| Step-up Height | 7 ½" | 5 ½" |
| Speed | 0.1 to 12 mph | 0.1 to 12 mph |
| Incline | 0% to 15% | 0% to 15% |
| Drive System [†] | 4 HP Continuous Duty Motor | 4 HP Continuous Duty Motor |
| Deck | 1" - Reversible | 1" - Reversible |
| Control Panel | Rehabilitation | Rehabilitation |
| Heart Rate | Interactive Contact Heart Rate | Interactive Contact Heart Rate |
| Warranty* | 5-year parts, 3-year console, 2-year wear items, 1-year labor | 5-year parts, 3-year console, 2-year wear items, 1-year labor |

*Treadmills are covered by the LTD warranty which offers coverage for usage of less than 5 hours per day.

[†]The stated horsepower is based on the motor's horsepower rating as measured in a laboratory setting. The motor's horsepower rating is an indication of the robustness of the motor. It does not reflect the operational horsepower of the motor which is typically limited by home electrical systems.



Landice engineers, assembles and tests the finest specialty fitness equipment on the market and is one of the only manufacturers to do so in the USA. Landice has been recognized repeatedly by leading consumer rating publications as having the world's finest treadmills and ellipticals.

COMFORTABLE AND SAFE REHAB

BIKE SPECIFICATIONS

| | R9 | U9 |
|-------------------------------|--|--|
| Frame Type | Step-through recumbent with low step-over height | Upright |
| Pedal Type | Self-balanced pedals with adjustable straps | Self-balanced pedals with adjustable straps |
| Seat Adjustment | Forward/backwards with 15 settings | Up/down with 12 settings |
| Flywheel Weight | 15 lbs. | 15 lbs. |
| Resistance System | Eddy current magnetic braking system | Eddy current magnetic braking system |
| Resistance Range | 1-20 | 1-20 |
| Handlebar | Console grip bars, seat grips with contact heart-rate monitoring and resistance controls | Racing style handlebars with contact heart-rate monitoring and resistance controls |
| Control Panel | Landice Achieve: 9" color LCD with capacitive touch buttons | Landice Achieve: 9" color LCD with capacitive touch buttons |
| Heart Rate | Contact heart rate for heart rate control/wireless chest-strap (optional) | Contact heart rate for heart rate control/wireless chest-strap (optional) |
| Accessories | Water bottle holder, accessory pocket | Water bottle holder, accessory pocket |
| Electrical Requirement | Self-powered | Self-powered |
| Transport Wheels | Yes | Yes |
| Levelers | Yes | Yes |
| Assembled Weight | 205 lbs. | 159 lbs. |
| Dimensions | 65.74" L x 25.31" W x 52.20" H | 44.56" L x 24.72" W x 58.11" H |
| Max User Weight | 350 lbs. | 350 lbs. |
| Bluetooth | Yes (see website for details) | Yes (see website for details) |
| Warranty* | 5-year parts, 3-year console, 1-year labor | 5-year parts, 3-year console, 1-year labor |

*Bikes are covered by the Club warranty which offers coverage for usage of more than 5-hours per day.

R9 / U9 BIKES

The Landice R9 & U9 bikes offer a comfortable and safe rehabilitation option. The wide step-through design on the R9 allows for easy access along with superior back support. The U9 offers well-cushioned seating with adjustable height levels to support a personalized lower-body rehabilitation regimen.



NATURAL BIOMECHANICS – LOW IMPACT

Patients at any athletic level from beginner to professional will find physical benefits and rehabilitative functionality on a Landice.

The E9 offers one of the only fitness units that enables both upper and lower body exercise capabilities. Patients can stand upright on the frame’s stationary footpads and perform an isolated workout to strengthen the upper body. This back-and-forth motion is considered a preferable position as opposed to a seated rotational movement.

For the lower body, the center- drive technology replicates the biomechanics of walking or running. The E9 provides a low impact alternative to treadmills.

The elliptical also features an accessible, safe, stable and patient-friendly exercise platform. Users can easily grab the side rails, step-up and safely start a workout. The pedals will move only when the patient engages the upper body handrails and/or foot pedals.

E9 ELLIPTICAL FEATURES

| LANDICE ACHIEVE | |
|---------------------------|---|
| Control Panel | Landice Achieve: 9" color LCD with capacitive touch buttons |
| Programs | 8 Built-in programs, 6 User-defined programs, 3 Goal programs, 2 Interactive HRC Built-in programs, 4 Interactive HRC User programs, 3 Fitness tests, 2 HIIT programs |
| Keypad | Numeric keypad for quick data entry |
| Heart Rate | Interactive contact heart rate |
| Resistance Levels | 1-20 |
| User Capacity | 500 lbs. |
| Active Footprint | 35" W x 76" L x 67" H |
| Physical Footprint | 35" W x 68" L x 67" H |
| Power | 110 VAC, 60Hz, 15A 220 VAC, 60Hz, 15A (optional) |
| Handrails | 2" Medical-Grade Side Rails |
| Stride Length | Fixed 21" stride |
| Drive System | Center Drive |
| Flywheel | 11" diameter, 20 lbs. |
| Pedals | 2" Spacing with Orthopedic Gel Inserts |
| Bluetooth | Yes (see website for details) |
| Warranty* | 5-year parts, 3-year console, 1-year labor |



*Ellipticals are covered by the Club warranty which offers coverage for usage of more than 5-hours per day.

Visit us at www.landice.com for additional options and complete warranty information.