



Keis

TUBE
CATALOG



AIRLESS PUMP TUBE



Basic Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ♣ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Cap Size (mm) Width x (Depth) x Height	Addable Options		Remarks
01	Mini Airless Pump Tube	19	5~20	AT19-ASC	16.2 x 30.2	●	♣	-
02	Airless Pump Softbody Tube	35	35~90	AT35-APS	30.3 x 40.5	●	♣	-
03	Airless Pump Twitter Tube	35	35~90	AT35-APS	32 x 41.4	●	♣	-
04	Airless Pump Nature Curve Tube	35	35~90	AT35-APS	33.5 x 41	●	♣	-
05	Airless Pump Ace Tube	35	35~90	AT35-APS	30.8 x 38.8	●	♣	-
06	Airless Pump Plain Tube	35	35~90	AT35-APS	26.8 x 38.4	●	♣	-
07	Airless Pump Mild Tube	22	10~35	AT22-APM	22.9 x 35.2	●	♣	-
		25	10~50	AT25-APM	26.5 x 39	●	♣	-
		30	30~70	AT30-APM	26.5 x 39	●	♣	-
		35	35~90	AT35-APM	32.9 x 43.3	●	♣	-
		40	50~150	AT40-APM	32.9 x 43	●	♣	-
08	Airless Pump Low Profile Tube	25	10~50	AT25-APL	23.9 x 37.5	●	★ ♣	-
		30	30~70	AT30-APL	23.9 x 37.5	●	★ ♣	-
		35	35~90	AT35-APL	23.9 x 37.5	●	★ ♣	-
09	Airless Pump Collar Tube	22	10~35	AT22-API	22 x 31.2	●	♣	-
		22	10~50	AT25-API	24.7 x 44	●	★ ♣	-
		30	30~70	AT30-AP	24.7 x 44	●	★ ♣	-
		35	35~90	AT35-APL	24.7 x 44	●	★ ♣	-
		40	50~150	AT40-APC	24.7 x 44	●	★ ♣	-
10	Clear Pump Tube	30	30~70	AT30-CLP	23.7 x 37.5	●	★ ♣	-
11	Airless Pump Grip Tube	30	30~70	AT30-APG	37.5 x 43.3	●	♣	-
12	Low Profile Airless Tube B	30	30~70	AT30-LWP	28.3 x 22.4	●	♣	-

Oval Tube / Square Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✦ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Airless Pump Low Profile Oval Tube	30	30~70	AT30-LWO	23.9 x 37.5	● ★ ✦	-
02	Airless Pump Oval Tube	35	35~90	AT35-APO	42.5 x 26.5 x 46.5	● ✦	-
03	Flat Airless Tube	30	30~70	AT30-LFA	16.2 x 30.2	● ✦	-
04	Square Airless Tube	30	30~70	AT30-SQA	25.8 x 40.5	● ✦	-

Applicator Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✦ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Airless Pump Finger Button Tube	22	10~35	AT22-FIG	19.4 x 55	● ✦	Button Option : Airless Pump Finger Button / Renewal Airless Pump Finger Button
02	Fixed Nozzle Finger Tube	22	10~35	AT22-FIG	19.5 x 53.2	● ✦	-
03	Cooling Ball Pump Tube	25	10~50	AT25-APC	24.6 x 49	● ✦	Applicator Material : SUS
04	Metal Pump Slide Tube	22	10~35	AT22-MSL	18.6 x 69.7	● ✦	Applicator Material : Zn

Tube with Special Function



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✦ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Airless Pump Shut-off Tube	25	10~50	AT25-APC	26.4 x 50.4	★ ✦	-
		30	30~70	AT30-APC	26.4 x 50.4	★ ✦	-
		35	35~90	AT35-APC	26.4 x 50.4	★ ✦	-
		40	50~150	AT40-APC	26.4 x 50.4	★ ✦	-
02	Spray Tube	25	10~50	AT25-APC	24.6 x 49	● ✦	-
		30	30~70	AT30-APC	24.6 x 49	● ✦	-
		35	35~90	AT35-APC	24.6 x 49	● ✦	-
		40	50~150	AT40-APC	24.6 x 49	● ✦	-
03	Simple Look Airless Tube	35	35~90	AT35-SPL	31.9 x 39.8	● ✦	-



Screw Cap Tube

Basic Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✚ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	General Standard Tube	13.5	3~5	NT13.5-GSC	Φ2	12.6 x 11	● ✚	-
		19	5~20	NT19-GSC	Φ2	18 x 11.9	■ ● ✚	-
		25	10~50	NT25-GSC	Φ2, Φ3, Φ4, Φ5	23 x 15.8	■ ● ✚	-
		30	30~70	NT30-GSC	Φ2, Φ3, Φ4, Φ5	26.4 x 17.4	■ ● ✚	-
		40	50~150	NT40-GSC	Φ2, Φ3, Φ4, Φ5, Φ6	42 x 22.7	■ ● ★ ✚	-
		45	50~200	NT45-GSC	Φ2, Φ3, Φ4, Φ5, Φ6	42 x 22.7	■ ● ✚	-
		50	100~250	NT50-GSC	Φ2, Φ3, Φ4, Φ5, Φ6	47 x 24	■ ● ★ ✚	-
02	General Nail Cap Tube	19	5~20	NT19-GRC	Φ2	18 x 15.2	● ✚	-
03	General Nature Curve Tube	35	35~90	NT35-GSC	Φ2, Φ3, Φ4, Φ5	34.5 x 22	■ ● ✚	-
04	Coin Tube	25	10~50	NT25-CIN	Φ2, Φ3, Φ4, Φ5	24.8 x 14.9	■ ✚	-
		30	30~70	NT30-CIN	Φ2, Φ3, Φ4, Φ5	24.8 x 14.9	■ ✚	-

Basic Tube



■ Foil Seal |
 ● Metalizing Cap |
 ★ Metal Cap |
 ✱ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Point Roulette A Tube	13.5	3~5	NT13.5-PTC	Φ1.5	10.7 x 18.8	✱	-
		16	3~5	NT16-PTC	Φ1.5	10.7 x 18.8	✱	-
02	Point Roulette B Tube	13.5	3~5	NT13.5-PTC	Φ1.5	9.8 x 18.3	✱	-
		16	3~5	NT16-PTC	Φ1.5	9.8 x 18.3	✱	-
03	Point Standard Tube	19	5~20	NT19-PTC	Φ1.5	14 x 20.7	● ★ ✱	-
		22	10~35	NT22-PTC	Φ1.4	14.5 x 20.7	● ★ ✱	-
		25	10~50	NT25-PTC	Φ1.5	14.5 x 20.7	● ★ ✱	-
04	Point Standard Serration Cap Tube	19	5~20	NT19-PSS	Φ1.5	15.5 x 20.7	✱	-
		22	10~35	NT22-PSS	Φ1.4	15.5 x 20.7	✱	-
		25	10~50	NT25-PSS	Φ1.5	15.5 x 20.7	✱	-
05	Point Standard Big Cap Tube	22	10~35	NT22-PSB	Φ1.4	18.6 x 22.8	● ✱	-
		25	10~50	NT25-PSB	Φ1.5	18.6 x 22.8	● ✱	-
06	Point Renewal Tube	19	5~20	NT19-PRC	Φ1.5	13.5 x 22.3	● ★ ✱	-
07	Point Medical Tube	19	5~20	NT19-PRC	Φ1.5	18 x 27.5	● ✱	-
08	Point Spot-On Standard Tube	19	5~20	NT19-PSC	Φ1.5	17.6 x 32	● ✱	-
		25	10~50	NT25-PSO	Φ1.5	23 x 32	● ✱ Cap Size Option : 17.6 x 32	-
09	Point Spot-On Roulette C Tube	19	5~20	NT19-PSC	Φ1.5	14.5 x 30.9	● ✱	-
		25	10~50	NT25-PSO	Φ1.5	14.5x30.9	● ✱	-

Basic Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | + Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Appli Dropper Tube	16	3~5	NT16-ADR	Φ1.5	13.8 x 26	● +	-
02	Clear Tip Tube	19	5~20	NT19-CTC	Φ2 (Nozzle)	10.5 x 19.8	● +	-
03	Clear Point Tube	19	5~20	NT19-CPC	Φ2 (Nozzle)	10.5 x 19.8	● +	-
04	Flat Tip Tube	19	5~20	NT19-FTC	Φ1.9 (Nozzle)	16.5 x 30.1	● +	-
05	General Standard Tube Ver.2	30	30~70	NT30-GS2	Φ2, Φ3, Φ4, Φ5	26.5 x 17.2	■ ● ★ +	-
06	General Softbody Tube	30	30~70	NT30-GS2	Φ2, Φ3, Φ4, Φ5	26.9 x 17.5	■ ● +	-
07	General Boston Tube	30	30~70	NT30-GS2	Φ2, Φ3, Φ4, Φ5	28 x 17.3	■ ● +	-
08	General Show Cap Tube	30	30~70	NT30-GS2	Φ2, Φ3, Φ4, Φ5	31.9 x 17.5	■ ● +	-
09	General Dual Cap Tube	30	30~70	NT30-GS2	Φ2, Φ3, Φ4, Φ5	28 x 25	■ ● +	Cap Material : ABS+PP / PETG+PP

Oval Tube



■ Foil Seal
 ● Metalizing Cap
 ★ Metal Cap
 ✦ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	General Oval Tube	30	30~70	NT30-GOC	Φ1.5, Φ2.5	33 x 23.6 x 24	● ★ ✦	-
02	General Oval A Tube	40	50~130	NT40-GOC	Φ2	47.6 x 24.8 x 23	● ★ ✦	-
03	General Renewal Oval Tube	35	35~90	NT35-GRO	Φ2	41.6 x 21.7 x 22.5	■ ● ★ ✦	-
		40	50~130	NT40-GRO	Φ2	45.5 x 25 x 22.5	■ ● ★ ✦	-
04	Flat Point Neck Tube	35	35~90	NT35-PNT	Φ2	38.7 x 22.5 x 26.5	■ ● ✦	-
05	Flat Oval Tube	40	50~130	NT40-FOV	Φ2.2	49.1 x 23.9 x 32	■ ✦	-

Applicator Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | + Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Lip Gloss Round Tube	16	3~5	NT16-LGR	Φ1.5	15 x 17.5	● +	-
02	Lip Gloss Bevel Round Edge Cap Tube	16	3~5	NT16-LGB	Φ1.5	14.8 x 18.5	● +	-
		19	5~20	NT19-LBL	Φ1.5	18.1 x 20.6	● +	-
03	Lip Gloss Bevel Standard Tube	19	5~20	NT19-LBL	Φ1.5	18 x 21.5	● +	-
04	Appli Finger Tube	16	3~5	NT16-APF	Φ1.25	14.9 x 23.9	● +	-
		19	5~20	NT19-AFC	Φ2	16.1 x 27	● +	-
05	Appli Dome Tube	16	3~5	NT16-APD	Φ1.4	13.8 x 26	● +	-
06	Triangle Tube	19	5~20	NT19-TTC	Φ2	18.2 x 20.2	● +	-
07	2 Way Applicator Tube	19	5~20	NT19-2WA	Φ6	17.6 x 19	● +	Applicator Material : NBR
08	Metal Slide Tube	22	10~35	NT22-MSL	-	20 x 29	● +	Applicator Material : Zn
09	Soft Applicator Tube	19	5~20	NT19-SAC	Φ1.4	15.8 x 27.4	● +	Applicator Material : Silicone
10	Cleansing Tube	19	5~20	NT19-CLC	Φ1.5	16.8 x 30.3	● +	Applicator Material : POE
11	Dome Dome Tube	25	10~50	NT25-DOM	Φ1.8 (Nozzle)	25.1 x 26.2	● +	Applicator Material : PP+TPE
12	Dome Dome Metal Ball Tube	25	10~50	NT25-DOM	-	22.4 x 27.4	● +	Applicator Material : SUS
13	Ice Tube	22	10~35	NT22-ICE	Φ2	21.2 x 40.8	● +	Applicator Material : PP
		40	50~150	NT40-ICE	Φ2	38.5 x 33.4	● +	Applicator Material : PP

Tube with Special Function



■ Foil Seal |
 ● Metalizing Cap |
 ★ Metal Cap |
 ✚ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Point Airless Standard Tube	19	5~20	NT19-PAS	Φ1.5 (Nozzle)	14.5 x 20.7	● ★ ✚	-
		25	10~50	NT25-PAS	Φ1.5 (Nozzle)	14.5 x 20.7	● ★ ✚	-
		30	30~70	AT30-PAS	Φ1.5 (Nozzle)	14.5 x 20.7	● ★ ✚	-
02	Point Airless Standard Serration Cap Tube	19	5~20	NT19-PAS	Φ1.5 (Nozzle)	15.5 x 20.7	✚	-
		25	10~50	NT25-PAS	Φ1.5 (Nozzle)	15.5 x 20.7	✚	-
		30	30~70	NT30-PAS	Φ1.5 (Nozzle)	15.5 x 20.7	✚	-
03	Point Airless Standard Big Cap Tube	25	10~50	NT25-PAB	Φ1.5 (Nozzle)	18.6 x 22.8	● ✚	-
		30	30~70	NT30-PAB	Φ1.5 (Nozzle)	18.6 x 22.8	● ✚	-
04	Point Airless Renewal Mild Cap Tube	22	10~35	NT22-PAR	Φ1.7 (Nozzle)	17.2 x 20.7	● ✚	-
05	Point Airless Renewal Metal A Cap Tube	22	10~35	NT22-PAR	Φ1.7 (Nozzle)	18 x 31.5	★ ✚	-
06	Point Airless Renewal Metal B Cap Tube	22	10~35	NT22-PAR	Φ1.7 (Nozzle)	18 x 28.4	★ ✚	-

FLIP-TOP CAP TUBE



Basic Tube



Flip-top Tube



Flip-top Standard Tube



Renewal Flip-top Tube



Renewal Flip-top Edge Tube

■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✚ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Flip-top Tube	16	3~5	NT16-FLT	Φ2	Φ2	15.1 x 14.7	✚	-
		19	5~20	NT19-FTT	Φ2	Φ2	17.4 x 15.4	✚	-
02	Flip-top Standard Tube	35	35~90	NT35-FTS	Φ3, Φ4, Φ5	Φ3	33.2 x 21.6	■ ✚	-
		40	50~150	NT40-FTS	Φ9	Φ5	38 x 23.4	■ ✚	-
		45	50~200	NT45-FTS	Φ9	Φ5	42.8 x 24.5	■ ✚	-
		50	100~250	NT50-FTS	Φ9	Φ3	48 x 25.7	■ ✚	-
03	Renewal Flip-top Tube	30	30~70	NT30-RNF	Φ4	Φ2, Φ3, Φ4	28 x 21.1	■ ✚	Cap Option: Matt/Glossy
		40	50~150	NT40-RFT	Φ3, Φ5, Φ7	Φ3, Φ5, Φ7	38.1 x 23.7	■ ✚	
		45	50~200	NT45-RNF	Φ3, Φ5, Φ7	Φ3, Φ5, Φ7	41.7 x 24.3	■ ✚	
		50	100~250	NT50-RNF	Φ3, Φ5, Φ7	Φ3, Φ5, Φ7	47.7 x 25.9	■ ✚	
04	Renewal Flip-top Edge Tube	40	50~150	NT40-FTC	Φ3, Φ5, Φ7	Φ3, Φ5, Φ7	37.8 x 25	■ ✚	-
		50	100~250	NT50-FTC	Φ3, Φ5, Φ7	Φ3, Φ5, Φ7	47.5 x 26.5	■ ✚	-

Basic Tube



Flip-top Dual Tube



Light Flip-top Tube



Large Neck
Flip-top Tube



Tamper Evident
Flip-top Tube



Low Flip-top Tube

■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | ✚ Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Flip-top Dual Tube	40	50~150	NT40-FTD	Φ2, Φ3, Φ4, Φ5, Φ6	Φ6	37.8 x 24.2	■ ✚	-
		45	50~200	NT45-FTD	Φ5, Φ6, Φ9	Φ6	42.8 x 25.2	■ ✚	-
		50	100~250	NT50-FTD	Φ2, Φ3, Φ4, Φ5, Φ6, Φ9	Φ6	48 x 25	■ ✚	-
02	Light Flip-top Tube	30	30~70	NT30-FTC	Φ2.0	Φ2	17.4 x 15.4	■ ✚	-
03	Large Neck Flip-top Tube	50	100~250	NT50-FTL	Φ25	Φ5, Φ7	48.1 x 21	■ ✚	-
04	Tamper Evident Flip-top Tube	50	100~250	NT50-TEF	Φ20.2	Φ3, Φ5, Φ7, Φ9	48 x 16.6	✚	-
05	Low Flip-top Tube	50	100~250	NT50-TEF	Φ20.2	Φ3, Φ5	44.7 x 14.3	✚	ECOCERT

Oval Tube / Square Tube



Square Flip-top Tube



Oval Flip-top Tube



Flat Point Neck
Flip-top Tube



Twist Up Tube

■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | + Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Oval Flip-top Tube	35	3~5	NT35-OFT	Φ4	Φ3	40.7 x 22.5 x 22.3	■ +	-
		40	5~20	NT40-OFT	Φ5.5	Φ5	46.1 x 29 x 23.2	■ +	-
02	Flat Point Neck Flip-top Tube	35	35~90	NT35-FPN	Φ4	Φ3	39.1 x 22.3 x 26.3	■ +	-
03	Square Flip-top Tube	45	50~200	NT45-SQF	Φ6	Φ5	38.8 x 23.2	■ +	-

Tube with Special Function

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
04	Twist Up Tube	30	30~70	NT30-TWU	Φ12.6	-	28.3 x 26	+	-
		40	50~150	NT40-TWU	Φ12.6	-	28.3 x 26	+	-

ETC

Applicator Tube / Oval Tube



■ Foil Seal | ● Metalizing Cap | ★ Metal Cap | + Coating / Offset / Hot Stamping / Silk Screen

no.	Name	Dia. (Φ)	Capacity (g)	Item Code	Head Orifice	Cap Size (mm) Width x (Depth) x Height	Addable Options	Remarks
01	Applicator Turning Rolling Puff Tube	35	10~50	NT35-APS	Φ8.8	33.4 x 53.6	● +	Applicator Material : NBR
		40	30~70	NT40-APS	Φ12.8	33.4 x 53.6	● +	
02	Applicator Turning Brush Tube	35	35~90	NT35-APS	Φ8.8	33 x 63	● +	Applicator Material : Nylon
		40	50~150	NT40-APS	Φ12.8	33 x 63	● +	
03	Oval Elastic Tube	35	35~90	NT35-OVE	Φ3.9	38.5 x 28.6 x 26.4	● +	Applicator Material : PP+TPE

事業 案内



化粧品 容器

国内製品から海外製品まで幅広い製品群の中から、お客様の要望にあった容器をご提案します。

色、形、素材など、無限の組み合わせの中からお客様のイメージとコストバランスに合った最適な容器をご提案します。各種オーダーメイド容器もおまかせください。

取扱い製品

- ・プラスチック容器
- ・エアレス容器
- ・アクリル容器
- ・硝子容器
- ・チューブ容器
- ・金属容器
- ・ファンデーション、チーク等 各種コンパクト容器
- ・アイライナー容器
- ・マスカラ容器
- ・口紅容器
- ・各種オーダーメイド容器
その他、食品容器等



化粧品 OEM

お客様のオリジナル化粧品を、開発・企画提案から製造、完成品までサポートいたします。

オリジナル化粧品の開発・企画から、製造・充填・完成品にいたるまでトータルサポート。
化粧品・医薬部外品の開発・企画提案から受託製造・充填・セットアップ作業まで一貫して行います。

取扱い製品

<研究開発>

- ・スキンケア製品
- ・ボディケア製品
- ・ヘアケア製品

<バルク製造>

- ・化粧水
- ・乳液ジェル
- ・クリーム
- ・シャンプー
- ・リンス
- ・香水調合 他

<小分け充填>

- ・化粧水
- ・乳液ジェル
- ・クリーム
- ・シャンプー
- ・リンス
- ・香水 他

<アッセンブリー>

- ・各種セットアップ
- ・シュリンク
- ・ヒートシール
- ・圧栓
- ・ロット印字等の作業



株式会社ケイズ <http://www.ksplant.co.jp>

金沢本社

住所	〒920-0356 石川県金沢市専光寺町ニ188
TEL	076-268-3070(代)
FAX	076-268-3171

Access

【JR金沢駅】西口からタクシーで20分
【北陸高速道】金沢西ICから車で10分
【小松空港】車で40分(北陸高速利用:小松IC～金沢西IC)



東京営業所 - Show Room -

住所	〒104-0031 東京都中央区京橋2-1-1 第二荒川ビル8F
TEL	03-5200-7131
FAX	03-5200-7133

Access

【JR東京駅】八重洲南口から徒歩5分

大阪営業所 - Show Room -

住所	〒543-0014 大阪市天王寺区玉造元町3-9 八光ビル5F
TEL	06-6763-3326
FAX	06-6763-3328

Access

【JR環状線】「玉造」駅 南側出口より徒歩1分 【地下鉄長堀鶴見緑地線】「玉造」駅 5番出口より徒歩3分