

CERTIFICATE OF COMPLIANCE



GREENGUARD

PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

Sedus
on spot cosy

166622-410

Certificate Number

03/27/2020 - 10/19/2021

Certificate Period

Certified

Status

UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

Commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2014e Credit 7.6.1. Seating products are modeled in the seating environment with a ventilation rate of 24.8 m³/hour.

Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.



UL investigated representative samples of the identified Product(s) to the identified Standard(s) or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Certificate Holder (collectively "Agreement"). The Certificate Holder is authorized to use the UL Mark for the identified Product(s) manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement.

GREENGUARD Certification Criteria for Mattresses, Bedding, Component Materials and Seating Units

Criteria	CAS Number	Maximum Allowable Predicted Concentration	Units
TVOC ^(A)	-	0.25	mg/m ³
Formaldehyde	50-00-0	30.7 (25 ppb)	µg/m ³
Total Aldehydes ^(B)	-	0.50	ppm
4-Phenylcyclohexene ^(C)	4994-16-5	3.25	µg/m ³
Individual VOCs ^(D)	-	1/10th TLV	-

- (A) Defined to be the total response of measured VOCs falling within the C₆ – C₁₆ range, with responses calibrated to a toluene surrogate.
- (B) The sum of all measured normal aldehydes from formaldehyde through nonanal, plus benzaldehyde, individually calibrated to a compound specific standard. Heptanal through nonanal are measured via TD/GC/MS analysis and the remaining aldehydes are measured using HPLC/UV analysis.
- (C) Applicable to flooring and furniture, including component materials.
- (D) Allowable levels for chemicals not listed are derived from 1/10th of the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, and Cincinnati, OH 45211-4438).



Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
S 60151092

Blatt *Sheet*
0001

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Längstens gültig bis <i>Latest expiration date</i>	<i>(day/mo/yr)</i>
	0010--60395807 001	03.08.2025	

Genehmigungsinhaber *License Holder*
Sedus Stoll Aktiengesellschaft
Christof-Stoll-Str. 1
79804 Dogern
Deutschland

Fertigungsstätte *Manufacturing Plant*
Sedus Stoll Aktiengesellschaft
Gewerbestr. 2
79804 Dogern
Deutschland

Prüfzeichen *Test Mark*

Geprüft nach *Tested acc. to*
DIN EN 16139/03.14



www.tuv.com
ID 111122724

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Besucherstuhl

Besucherstuhlreihe „on spot cosy“
Mit den Modellen UC-227 Vierfussstuhl Holz und UC-242 Kufenstuhl
Einteilige Sitz- Rückenlehenschale aus Kunststoff mit Armlehnen, rundum gepolstert und mit Stoff bezogen.
Kufenstuhl: Gestell aus mehrfach gebogenem, lackiertem oder verchromtem Stahldraht aus zwei Teilen, miteinander verschweißt.
Vierfussstuhl Holz: Vierbeinergestell aus Massivholz Eiche. Gestelle sind mittels Schrauben mit der Sitzschale verbunden.
Alle sicherheitsrelevanten Anforderungen der DIN EN 16139:2014-03 Belastungsstufe 1 sind erfüllt.

7

Außenmaße (H x B x T) / Gewicht:
785 x 600 x 535 mm / 8,75 kg (Kufenstuhl)
795 x 600 x 535 mm / 8,4 kg (Vierfussstuhl Holz)

Parent ID: 0000043152.

7

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde. Produkt und Fertigungsstätte erfüllen § 20 und § 21 des Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation. Product and production fulfill par § 20 and § 21 of the Product Safety Law.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Ausstellungsdatum *Date of Issue* : 04.08.2020 (day/mo/yr)

Zertifizierungsstelle

C. Prosch

