

SAFETY DATA SHEET

SECTION 1 . IDENTIFICATION

Product Name: NL-60 CLEAR PART B Product Code: NL-60B

NewLook International
1525 S Gladiola St. #8
SALT LAKE CITY, UT 84104

EMERGENCY CONTACT: **PERS**
DOMESTIC & CANADA : (800) 633-8253
INTERNATIONAL: (801) 629-0667

SECTION 2. HAZARD(S) IDENTIFICATION

GHS Ratings:

Flammable liquid	3	Flash point $\geq 23^{\circ}\text{C}$ and $\leq 60^{\circ}\text{C}$ (140°F)
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Respiratory sensitizer	1	Respiratory sensitizer
Skin sensitizer	1	Skin sensitizer
Reproductive toxin	1A	Based on human evidence

GHS Hazards

H226	Flammable liquid and vapour
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H360	May damage fertility or the unborn child

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P233	Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/.../equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash ... thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P285	In case of inadequate ventilation wear respiratory protection
P321	Specific treatment (see ... on this label)
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P337+P313 If eye irritation persists, get medical advice/attention

P342+P311 Call a POISON CENTER or doctor/physician

P370+P378 In case of fire: Use ... for extinction

P405 Store locked up

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents/container to ...

Signal Word: Danger



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Homopolymer of Hexamethylene Diisocyanate	28182-81-2	50.00% - 60.00%
XYLOL	106-42-3	40.00% - 50.00%

SECTION 4. FIRST AID MEASURES

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms

Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue Rinsing. Get medical attention, if irritation or symptoms of overexposure persists.

Immediately wash skin with soap and plenty of water.

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person

SECTION 5. FIRE FIGHTING MEASURES

Flash Point: 25 C (77 F)

LEL: N/A UEL: N/A

Not applicable

Foam, Carbon dioxide (CO2) or dry chemical or water spray (water stream may be ineffective).

No information available

Not available

Firefighters, and others exposed, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately.

Stop leak, Dike and contain spill. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.

SECTION 7. HANDLING and STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.

Avoid exposure to heat, light, and air for prolonged periods of time. Store in a cool, dry well ventilated area away from sources of heat and incompatible materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools.

No information available.

SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Homopolymer of Hexamethylene Diisocyanate 28182-81-2	Not Established	Not Established	Not Established
XYLOL 106-42-3	Not Established	150 ppm STEL 100 ppm TWA	NIOSH: 100 ppm TWA; 435 mg/m3 TWA 150 ppm STEL; 655 mg/m3 STEL

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below Always use adequate ventilation that comply with local regulations.

Eye/face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, c

Skin Protection: Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eye

Respiratory Protection: A NIOSH air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances when

SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

Boiling Point 138 °C Lbs VOC/Gallon Less Water 3.47 % VOL by Volume 3.47	Specific Gravity (SG) 1.028 Lbs VOC/Gallon Less Exempt 3.47
---	--

SECTION 10. STABILITY and REACTIVITY

Stable, Hazardous polymerization will not occur.

STABLE

Strong acids, caustics, oxidizers, Avoid uncontrolled exposure to Epoxy Resin, Amine, Isocyanates.

None known, other than Sec. #2 and Sec #5

Hazardous polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Mixture Toxicity

Inhalation Toxicity LC50: 31mg/L

Component Toxicity

106-42-3

XYLOL

Oral LD50: 4,029 mg/kg (Rat) Inhalation LC50: 4,740 ppm (Rat)

Blood Eyes Kidneys Liver Central Nervous System Skin GI Tract Respiratory System

Effects of Overexposure

CAS Number Description % Weight Carcinogen Rating

Avoid breathing vapors

Oral: N.D.A.
Dermal: N.D.A.
Inhalation: N.D.A.

SECTION 12. ECOLOGICAL INFORMATION

No ecotoxicity data was found for the product

Component Ecotoxicity

XYLOL 96 Hr LC50 Pimephales promelas: 7.2 - 9.9 mg/L [static]; 96 Hr LC50
Oncorhynchus mykiss: 2.6 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 2.6 mg/L
[static]; 96 Hr LC50 Poecilia reticulata: 8.8 mg/L [semi-static]
48 Hr EC50 Daphnia magna: 3.55 - 6.31 mg/L [Static]
72 Hr EC50 Pseudokirchneriella subcapitata: 3.2 mg/L [static]

SECTION 13. DISPOSAL INFORMATION

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

SECTION 14. TRANSPORT INFORMATION

UN1263 Paint Related Material; Packaging Group III: Hazardous Class 3
NMFC 14998002; Flammable Liquid; Class 92.5

Agency Proper Shipping Name UN Number Packing Group Hazard Class

SECTION 15. REGULATORY INFORMATION

OSHA:29 CFR 1910.1200 Haxardous Chemical "Irritant", Sensitizer
TSCA: Ingredients listed
SARA III: Sec311 & 312 Immediate Health Haxard; Sec313 Chemicals above de minimus level: None
CA PROP. 65 NOTICE WARNING:

CANADIAN REGULATORY INFORMATION

WHMIS; Haxard Classification: D2B Skin Sensitizer. Refer to SDS for specific warnings
WHMIS Symbols: Stylized T.
WHMIS Trade Secret Registry Numbers: None
Hazardous Products Act Information: This product SDS contains ingredients which are Controlled and/or on the Ingredient Disclosure List (HPA sections 1
State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING!
This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

106-42-3 XYLOL 40 - 50%

The following chemicals are classified under SARA 313 Toxic Release Invetnory (TRI):

106-42-3 XYLOL 40 - 50%

Country Regulation All Components Listed
Toxic Substance Control Act (TSCA) Yes

SECTION 16. ADDITIONAL INFORMATION

Hazardous Material Information System (HMIS)

HEALTH	<input type="text" value="0"/>
FLAMMABILITY	<input type="text" value="0"/>
PHYSICAL HAZARD	<input type="text" value="0"/>
PERSONAL PROTECTION	<input type="text"/>

HMIS & NFPA Hazard Rating

Legend

* = Chronic Health Hazard


0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH

National Fire Protection Association (NFPA)



Date revised: 2022-06-07

Date Prepared: 6/7/2022

Reviewer Revision