

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

1 Identification

- · Product identifier
- Trade name: Ameripolish 3D Color Juice E Colorant Part B
- · Other means of identification: No other identifiers
- Recommended use and restriction on use
- · Recommended use: Colorant for Concrete
- · Restrictions on use: For professional use only.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Ameripolish, Inc. 120 Commercial Ave Lowell, AR. 72745 USA

(479) 725-0033

Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07

· Signal word: Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash thoroughly afterhandling.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Getmedical advice/attention.
P337+P313 If eye irritation persists: Getmedical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

(Cont'd. on page 2)

Page: 1/10



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 1)

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:	
Component 1	Trade Secret	Trade Secret
Component 2	Trade Secret	Trade Secret
Component 3	Trade Secret Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	Trade Secret
Component 4	Trade Secret	Trade Secret
Component 5	Trade Secret	Trade Secret

Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

After eye contact:

Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Causes eye irritation.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Cramp

Coughing

- · Danger: May be harmful ifswallowed.
- Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 3)

Page: 2/10



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 2)

Page: 3/10

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Open and handle receptacle with care.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Keep out of reach of children.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 3)

Page: 4/10

8 Exposure controls/personal protection

· Control parameters

Control parar	neters	
· Components w	rith limit values that require monitoring at the workplace:	
Component 1		
PEL (USA)	Long-term value: 10* 15** 5*** mg/m³	
	*Fume; Rouge: **Total dust, ***respirable	
REL (USA)	Long-term value: 5 mg/m³	
	Dust & fume, as Fe	
TLV (USA)	Long-term value: 5* mg/m³	
	*as respirable fraction	
EL (Canada)	Short-term value: 10** mg/m³	
	Long-term value: 5* 10*** 3**** mg/m³	
	*dust & fume**fume; Rouge: ***total dust****resp.	
EV (Canada)	Long-term value: 5* 10** mg/m³	
	*respirable, including Rouge;**total dust	
LMPE (Mexico)	Long-term value: 5* mg/m³	
	A4, *fracción respirable	
Component 2		
PEL (USA)	Long-term value: 3.5 mg/m³	
REL (USA)	Long-term value: 3.5* mg/m³	
TI \ / /LICA \	*0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction	
EL (Canada)	Long-term value: 3 mg/m ³	
EL (Cariada)	IARC 2B	
EV (Canada)	Long-term value: 3.5 mg/m³	
	Long-term value: 3* mg/m³	
LIVII L (IVIEXICO)	A3, *fracción inhalable	
Component 4	7 to, maddid minarable	
PEL (USA)	Long-term value: 15* 5** mg/m³	
I LL (OOA)	*total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³	
TILL (OG/I)	*total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
Component 5	TEV William	
PEL (USA)	Long-term value: 15*; 5** mg/m³	
1 22 (00/1)	*Total dust; ** Respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³	
1122 (0071)	as Al*Total dust**Respirable/pyro powd./welding f.	
TLV (USA)	Long-term value: 1* mg/m³	
(- /	as Al; *as respirable fraction	
	i ·	(Cont'd. on page 5)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 4)

Page: 5/10

EL (Canada) Long-term value: 1.0 mg/m³

respirable, as Al

EV (Canada) Long-term value: 10 mg/m³

total dust

LMPE (Mexico) Long-term value: 1* mg/m³

A4, *fracciòn respirable

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray. Wash hands before breaks and at the end of work.

- Engineering controls: No relevant information available.
- **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Liquid

Color: According to product specification

Odor: Slight.

Odor threshold: Not determined.
 pH-value: Not determined.
 Melting point/Melting range: Not determined.

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

		(Cont'd. of page 5)
· Boiling point/Boiling range:	Not determined.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits Lower: Upper: · Oxidizing properties:	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density: Relative density: Vapor density: Evaporation rate:	Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Soluble.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity Dynamic: Kinematic: · Other information	Not determined. Not determined. No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions Reacts with strong acids.
- · Conditions to avoid Avoid acids.
- Incompatible materials Strong acids
- · Hazardous decomposition products Possible in traces.

(Cont'd. on page 7)

Page: 6/10



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 6)

Page: 7/10

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 >2000

- Primary irritant effect:
- On the skin: Irritant to skin and mucous membranes.
- On the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

Present in trace quantities: 98-83-9.

Component 2	Trade Secret	2B
98-83-9	2-phenylpropene	2B
· NTP (Natio	onal ToxicologyProgram):	
None of the ingredients are listed.		
· OSHA-Ca (Occupational Safety & Health Administration):		
None of the	e ingredients are listed.	

Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes and skin.

May be harmful if swallowed.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 7)

Page: 8/10

- · Additional ecological information
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- * Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number	N. () ()
DOT, ADR, IMDG, IATA	Not regulated.
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	Not regulated.
· Packing group	
DOT, ADR, IMDG, IATA	Not regulated.
· Environmental hazards	
· Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex I	ll of
MARPOL73/78 and the IBC Code	Not applicable.

(Cont'd. on page 9)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 8)

Page: 9/10

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

Component 5 Trade Secret

· TSCA(Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- Chemicals known to cause cancer:

Reference to carbon black is based on unbound respirable particles and is not generally applicable to product as supplied.

Present in trace quantities: 98-83-9.

Component 2	Trade Secret

98-83-9 2-phenylpropene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

Present in trace quantities: 98-83-9.

Component 2	Trade Secret	2B
98-83-9	2-phenylpropene	2B

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Component 2 Trade Secret

· Canadian Domestic Substances List(DSL):

All ingredients are listed.

(Cont'd. on page 10)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 02, 2017 Revision: November 02, 2017

Trade name: Ameripolish 3D Color Juice E Colorant Part B

(Cont'd. of page 9)

Page: 10/10

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision November 02, 2017 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com