



SAFETY DATA SHEET

1. Identification

Product identifier Spartacote Fast Fix Part A
Other means of identification None.
Recommended use Repair product.
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information
Company name LATICRETE International
Address 1 Laticrete Park, N
Bethany, CT 06524
Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com
Emergency phone number Call CHEMTREC day or night
USA/Canada - 1.800.424.9300
Mexico - 1.800.681.9531
Outside USA/Canada
1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards
Acute toxicity, inhalation Category 4
Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2
Sensitization, respiratory Category 1
Sensitization, skin Category 1
Carcinogenicity Category 2
Specific target organ toxicity following single exposure Category 3 respiratory tract irritation
Specific target organ toxicity following repeated exposure Category 2 (Respiratory tract, Lung)
OSHA defined hazards Not classified.

Label elements



Signal word Danger
Hazard statement Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs (Respiratory tract, Lung) through prolonged or repeated exposure.
Precautionary statements
Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Use only outdoors or in a well-ventilated area.

Response	If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polymethylene polyphenyl isocyanate	9016-87-9	100

Constituents

Chemical name	CAS number	%
Solvent Naptha (petroleum), Heavy Aromatic	64742-94-5	1 - 20
Methylene diphenyl diisocyanate	101-68-8	40 - 70

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Note: CAS 101-68-8 is an MDI isomer that is part of CAS 9016-87-9.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

Skin contact

Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention.

Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions.

Most important symptoms/effects, acute and delayed

Irritating to eyes, respiratory system and skin. Sensitisation. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Environmental manager must be informed of all releases.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing mist or vapour. Persons susceptible for allergic reactions should not handle this product. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Ceiling	0.2 mg/m3
		0.02 ppm
Constituents	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3
		0.02 ppm
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	PEL	400 mg/m3
		100 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	TWA	0.005 ppm	
Constituents	Type	Value	Form
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.005 ppm	
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Ceiling	0.2 mg/m3
		0.02 ppm
	TWA	0.05 mg/m3
		0.005 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Constituents	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m ³
		0.02 ppm
	TWA	0.05 mg/m ³
		0.005 ppm
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	TWA	100 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	Brown liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Brown.
Odour	Hydrocarbon-like.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Forms crystals below 10°C.
Initial boiling point and boiling range	Decomposes prior to boiling.
Flash point	> 204.0 °C (> 399.2 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	< 0.00001 mm Hg (25 °C)
Vapour density	8.5

Relative density	1.24 (20° C)
Solubility(ies)	
Solubility (water)	Reacts with water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Dynamic viscosity	100 - 150 cPs @ 25 °C
Explosivity	Not explosive.

10. Stability and reactivity

Reactivity	Diisocyanates react with many materials and the rate of reaction increases with temperature as well as increased contact; these reactions can become violent. Contact is increased with stirring or if the other material mixes with the diisocyanate. Diisocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of solid polyurea. Reaction with water will generate carbon dioxide and heat.
Chemical stability	The product is stable under normal conditions of use, storage and transport.
Possibility of hazardous reactions	Hazardous polymerisation can occur.
Conditions to avoid	High temperatures.
Incompatible materials	Strong bases. Alcohols. Oxidizing agents. Amines. Metal compounds. Water.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides. Cyanides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Harmful if inhaled.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics Irritating to eyes, respiratory system and skin. Sensitisation. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure.

Information on toxicological effects

Acute toxicity Harmful if inhaled.

Components	Species	Test results
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 10000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 490 mg/m ³ , 4 Hours
<i>Oral</i>		
LD50	Rat	> 10000 mg/kg
Constituents	Species	Test results
Methylene diphenyl diisocyanate (CAS 101-68-8)		
Acute		
<i>Inhalation</i>		
LC50	Rat	> 2.24 mg/l, 1 Hours

Constituents	Species	Test results
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 5.28 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation		
Respiratory sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available.	
Carcinogenicity	Suspected of causing cancer.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Methylene diphenyl diisocyanate (CAS 101-68-8)	3 Not classifiable as to carcinogenicity to humans.	
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	3 Not classifiable as to carcinogenicity to humans.	
NTP Report on Carcinogens		
Not listed.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not regulated.		
Reproductive toxicity	No data available.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (Respiratory tract, Lung) through prolonged or repeated exposure by inhalation.	
Aspiration hazard	No data available.	
Chronic effects	Prolonged exposure may cause chronic effects.	
Further information	No other specific acute or chronic health impact noted.	

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	In the atmospheric environment, material is expected to have a short tropospheric half-life, based on calculations and by analogy with related diisocyanates.
Bioaccumulative potential	Bioconcentration potential is low (BCF < 100 or Log Pow < 3).
Mobility in soil	No data available.
Mobility in general	The product is insoluble in water.
Other adverse effects	Material reacts with water.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methylene diphenyl diisocyanate (CAS 101-68-8) Listed
Polymethylene polyphenyl isocyanate (CAS 9016-87-9) Listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire hazard - No
Pressure Hazard - No
Reactivity hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Polymethylene polyphenyl isocyanate	9016-87-9	100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene diphenyl diisocyanate (CAS 101-68-8)
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Methylene diphenyl diisocyanate (CAS 101-68-8)
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

US. New Jersey Worker and Community Right-to-Know Act

Methylene diphenyl diisocyanate (CAS 101-68-8)
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Methylene diphenyl diisocyanate (CAS 101-68-8)
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

US. Rhode Island RTK

Methylene diphenyl diisocyanate (CAS 101-68-8)
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

US. California Proposition 65

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 12-October-2015

Revision date -

Version No. 01

NFPA ratings



References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)
IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.

MATERIAL SAFETY DATA SHEET

Hazard Rating: Least - 0	Slight - 1	Moderate - 3	High - 3	Extreme - 4
HMIS H-1, R-0, F-2				
Section 1				

HP Sparatcote, Inc. 810 Brickyard Circle #1 Golden, CO 80403
 866-966-1329 - Fax 303-534-9242
 Date Revised: August 2005 Emergency Phone 866-966-1329

Section 2 Hazardous Ingredients/Sara III Information

Product Name: **HP Spartacote Fast Fix Part B**

Hazardous

Components	CAS #	Occupational Exposure	Limits	Vapor Pressure
		OSHA PEL	ACG1H TLV MFG	mm Hg/temp
* Napthelene	91-20-3	10 pm	10 ppm	
Petroleum Hydrocarbon	64742-94-5	n/e	n/e	2.3 392F

* Indicates toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372

Section 3 Physical and Chemical Characteristics

Boiling Pt: > 300° F

Vapor Density: Heavier than Air

Solubility in Water: N/A

Specific Gravity (H₂O=1): 1.0

Evaporation: Slower than Ether

Appearance and Odor: Mild Aromatic Odor - thin liquid

Section 4 Fire and Explosion Hazard Data

Flash Point: 245° F Method Used: PMCC

Flammable Limits in air by volume - lower: N/A Upper: N/A

Extinguishing Media: Foam CO₂ Dry Chemical

Special Fire Fighting Procedures: Wear self contained breathing apparatus with positive pressure mode, face piece, boots, gloves(Neoprene), goggles, protective clothing.

Unusual Fire and Explosion Hazards: Closed containers may rupture due to high temperature and induced pressure.

Section 5 Reactivity Data

Stability: Stable

Conditions to Avoid: Heat, open flame and sparks

Incompatibility - materials to avoid: Strong oxidizing Agent

Hazardous Decomposition / By Products: Carbon Dioxide, Carbon Monoxide, Nitrogen Oxide trace amounts of Hydrogen Cyanide.

Hazardous Polymerization: Will not occur.

Section 6 Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: Inhalation of mists and vapors can cause dry throat and cough, dizziness, nausea, headache and fatigue. MDI can induce respirator sensation with asthma-like conditions/symptoms.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Repeated skin contact may cause irritation. Eye contact will cause irritation - flush with water for 15 minutes and get medical assistance.

Skin Absorption Health Risks and Symptoms of Exposure: Repeated skin contact can cause reddening, swelling and blistering.

Ingestion Health Risks: Oral toxicity low level, can cause nausea, vomiting, diarrhea and/or burns mouth.

Carcinogenicity: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

Medical conditions generally aggravated by exposure: Skin and eyes sensitization.

Emergency and First Aid Procedures: Eye: Flush with water for 15 minutes. Inhalation: Take person to fresh air. If difficulty in breathing persists provide oxygen and get medical attention immediately. Skin Contact: Wash with soap and water. Ingestion: Do not induce vomiting. Consult Physician immediately.

Section 7 Precautions: Safe Handling and Use

Spilled Product: Eliminate ignition sources like heat, open flame and sparks, ventilate area of spill and dike area. Cover the spill with inert absorbent and place into proper containers.

Disposal: Dispose of per Federal, State and local law permits.

Storage: Keep in cool dry area away from heat and open flame or sparks

Other precautions: Individuals with respirator problems to isocyanates must not be exposed to vapors or spray mist containing isocyanates.

Section 8: Control Measures

Respiratory Protection: None required under normal ambient conditions where work areas are adequately ventilated. If TLV of product or any component is exceeded, a NIOSH/MSH approved respirator is recommended in the absence of environmental control.

Ventilation: Good general ventilation should be sufficient for most conditions.

NIOSH/MSH or approved respirator with organic cartridge recommended for acid/organic vapor when airborne exposure is excessive.

Protective Gloves: Chemical Resistant Natural Rubber

Eye Protection: Chemical Safety Goggles

Clothing: Long sleeves, Lab coat or aprons.

Avoid unnecessary exposure to vapors and mists. Use protective equipment and work with an eye wash station nearby.

Regulator Information: TSCA (Toxic Control Substances Act Chemical Substance Inventory); All components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response, Compensation and Liability Act); under CERCLA, certain releases to the air, land or water may be reportable to the National Response Center at (800) 424-8802. Circumstances surrounding the release and cleanup determine report ability. This product is subject to CERCLA reporting requirements.

SARA TITLE III (Superfund Amendments and Reauthorization Act); Under the provision of Title III Section 313 of 1986, this product contains chemicals which do not exceed the minimum reporting level established by the above regulation.

Proposition 65 (California Safe Drinking Water & Toxic Enforcement Act of 1986); Based on information currently available, this product contains chemicals showing limited evidence for carcinogenicity and/or sufficient evidence in animals.

DOT Information: Not Regulated

Disclaimer

The data set forth in this sheet is based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the HP Spartacote products. No warranty is made with respect to the accuracy of the information provided by this company's suppliers and disclaims of all liability of reliance thereof.

DOT: This substance is considered non-hazardous for air transport.

IATA: This substance is considered non-hazardous for air transport.