

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Compilation date: 01/02/2015

Revision date: 16/02/2022

Revision No: 4

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: CANDY DYE BORDEAU

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: CREATIVE PAINT LTD

24/6 DRYDEN ROAD  
BILSTON GLEN IND. EST.  
LOANHEAD  
MIDLOTHIAN  
EH20 9HX

Email: [Hello@creativepaints.co.uk](mailto:Hello@creativepaints.co.uk)

### 1.4. Emergency telephone number

Emergency tel: 0131 440 9804 (Main Telephone number)  
(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H332; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Skin Irrit. 2: H315; -: EUH208

Most important adverse effects: Contains 2, 3-epoxypropyl neodecanate. May produce an allergic reaction. Flammable liquid and vapour. Causes skin irritation. Harmful if inhaled. Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Label elements:

Hazard statements: EUH208: Contains 2, 3-epoxypropyl neodecanate. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H332: Harmful if inhaled.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

GHS09: Environmental

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 2



**Signal words:** Warning

**Precautionary statements:** P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/Bond container and receiving equipment.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a if you feel unwell.

P332+313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing.

P370+378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391: Collect spillage.

P403+235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to hazardous waste according to local and regional regulations.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous ingredients:**

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 3

## CYCLOHEXANONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-631-1	108-94-1	-	Flam. Liq. 3: H226; Acute Tox. 4: H332	30-50%

## XYLENE

215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	10-30%
-----------	-----------	---	--	--------

## AMINES, C10-14-BRANCHED AND LINEAR ALKYL, BIS(2,4-DIHYDRO-4-((2-HYDROXY-4-NITROPHENYL)AZO)-5-METHYL-2-PHENYL-3H-PYRAZOL-3-ONATO(2-))CROMATE(1-)

285-082-8	85029-57-8	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	10-30%
-----------	------------	---	--	--------

## N-BUTYL ACETATE

204-658-1	123-86-4	-	Flam. Liq. 3: H226; STOT SE 3: H336; -: EUH066	1-10%
-----------	----------	---	---	-------

## 1-METHOXY-2-PROPANOL

203-539-1	107-98-2	-	Flam. Liq. 3: H226; STOT SE 3: H336	1-10%
-----------	----------	---	-------------------------------------	-------

## AMINES, C10-14-BRANCHED AND LINEAR ALKYL, BIS(2,4-DIHYDRO-4-((2-HYDROXY-4-NITROPHENYL)AZO)-5-METHYL-2-PHENYL-3H-PYRAZOL-3-ONATO(2-))CROMATE(1-) (1:1)

284-628-2	84961-40-0	-	Acute Tox. 4: H302	1-10%
-----------	------------	---	--------------------	-------

## 2-METHOXY-1-METHYLETHYL ACETATE

203-603-9	108-65-6	Substance with a Community workplace exposure limit.	Flam. Liq. 3: H226	1-10%
-----------	----------	--	--------------------	-------

## 2, 3-EPOXYPROPYL NEODECANATE

-	26761-45-5 247-979-2	-	Skin Sens. 1: H317; Muta. 2: H341; Aquatic Chronic 2: H411	<1%
---	-------------------------	---	---	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Do not use solvents or thinners.

**Eye contact:** Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Remove any contact lenses. Consult a doctor.

**Ingestion:** Consult a doctor. Do not induce vomiting. Keep at rest.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Keep patient warm and at rest. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious place in recovery position and seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be absorbed through the skin.

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 4

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Water spray. Alcohol resistant foam. Dry chemical. Carbon dioxide. Use water spray to cool containers. Do not use water jet.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** As the product contains combustible organic components, fire will product dense black smoke containing hazardous products of combustion. Exposure to decomposition products may be a hazard to health. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Solvent vapours are heavier than air and may spread along floors. Ensure adequate ventilation. Wear a mask, gloves and protective clothing. Evacuate the area immediately. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

**Environmental precautions:** Do not allow to enter sewers/surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean with detergents. Avoid solvents. Contain spillage. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Clean contaminated surface thoroughly. Dispose of as hazardous waste.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 15.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid vapour concentration higher than the occupational exposure limits. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Earth any equipment used in handling. Do not eat or drink in work area. Avoid contact with skin, eyes and clothing. Avoid contact and inhalation of vapours. Thoroughly mix before use. After use, store in a well-sealed container. Prevent the formation of flammable or

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 5

explosive concentrations of vapour in air. This product should only be used in areas from which all naked lights and other sources of ignition have been excluded.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Ensure lighting and electrical equipment are not a source of ignition. Keep away from direct sunlight. Keep away from sources of ignition. Keep container tightly closed. Store containers upright to prevent leakage. Store between 5C and 35C in a dry, well ventilated place.

## 7.3. Specific end use(s)

**Specific end use(s):** Paints, varnishes and enamels. Coloured clearcoat.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

#### CYCLOHEXANONE

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	10 ppm	20 ppm	-	-

#### XYLENE

UK	220 mg/m <sup>3</sup>	441 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

#### N-BUTYL ACETATE

UK	724 mg/m <sup>3</sup>	966 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

#### 1-METHOXY-2-PROPANOL

UK	375 mg/m <sup>3</sup>	560 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

#### 2-METHOXY-1-METHYLETHYL ACETATE

UK	274 mg/m <sup>3</sup>	548 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is exhaust ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

**Respiratory protection:** Respirator with combination filter for vapour/particulate (EN 141).

**Hand protection:** Protective gloves. Ensure gloves are manufactured/tested in accordance with BS EN 374. Wash hands after use.

**Eye protection:** Safety glasses with side-shields. Chemical resistant goggles.

**Skin protection:** Protective clothing. Antistatic boots.

**Environmental:** Prevent from entering in public sewers or the immediate environment. If the product contaminates rivers, lakes or drains inform respective authorities.

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 6

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Bordeaux

**Odour:** Solvent like.

**Flash point°C:** >23 - 55

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition. Flames.

### 10.5. Incompatible materials

**Materials to avoid:** Oxidising agents. Strong alkalis. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide. In combustion emits toxic fumes of carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. Emits dense black smoke.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### CYCLOHEXANONE

ORL	MUS	LD50	1400	mg/kg
ORL	RAT	LD50	1620	µl/kg
SCU	RAT	LD50	2170	mg/kg

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 7

## XYLENE

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

## N-BUTYL ACETATE

ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	10768	mg/kg

## 1-METHOXY-2-PROPANOL

IVN	RAT	LD50	4200	mg/kg
ORL	MUS	LD50	11700	mg/kg
ORL	RAT	LDLO	3739	mg/kg

## 2-METHOXY-1-METHYLETHYL ACETATE

IPR	MUS	LD50	750	mg/kg
ORL	RAT	LD50	8532	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. The product may be absorbed through the skin.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** No data available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** No data available.

[cont...]

# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 8

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

**Other adverse effects:** This product contains substances dangerous to the environment. (See section 3).

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** This product should not be allowed to enter drains, water courses or the soil. Must not be disposed together with household waste. Dispose of waste and residues in accordance with local and regional regulations.

**Waste code number:** 150110

**Disposal of packaging:** Uncleaned packaging: Disposal must be made according to official regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1263

### 14.2. UN proper shipping name

**Shipping name:** PAINT

### 14.3. Transport hazard class(es)

**Transport class:** 3

### 14.4. Packing group

**Packing group:** III

### 14.5. Environmental hazards

**Environmentally hazardous:** Yes

**Marine pollutant:** No

### 14.6. Special precautions for user

**Tunnel code:** D/E

**Transport category:** 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

[cont...]



# SAFETY DATA SHEET

CANDY DYE BORDEAU

Page: 9

## Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.