SNAKE SPRAY CAN

Compilation date: 08/10/2015

**Revision date:** 16/02/2022

Revision No: 4

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SNAKE SPRAY CAN

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: CREATIVE PAINTS LTD

24/6 DRYDEN ROAD BILSTON GLEN IND. EST. LOANHEAD

LOANHEAD MIDLOTHIAN EH20 9HX

Email: Hello@creativepaints.co.uk

#### 1.4. Emergency telephone number

Emergency tel: 0131 440 9804 (Main Telephone number)

(office hours only)

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319; Flam. Aerosol 1: H222; STOT SE 3: H336; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin

irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

#### 2.2. Label elements

Label elements:

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





#### SNAKE SPRAY CAN

Page: 2

Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P261: Avoid breathing spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label).

P312: Call a if you feel unwell.

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P403: Store in a well-ventilated place.

P405: Store locked up.

P501: Dispose of contents/container to waste in accordance with local regulations.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

## DIMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-065-8	115-10-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	30-50%

SNAKE SPRAY CAN

Flam. Liq. 3: H226; STOT SE 3: H336;

-: EUH066

N-BUTYL ACETATE

5.3. Advice for fire-fighters

Section 6: Accidental release measures

6.2. Environmental precautions

6.4. Reference to other sections

6.1. Personal precautions, protective equipment and emergency procedures

6.3. Methods and material for containment and cleaning up

123-86-4

204-658-1

**XYLENE** 

Page: 3

10-30%

215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	1-10%
NAPHTHA SO	LVENT			
232-489-3	8052-41-3	-	Asp. Tox. 1: H304	1-10%
2-METHOXY-1	-METHYLETHYL	ACETATE		
203-603-9	108-65-6	Substance with a Community workplace exposure limit.	Flam. Liq. 3: H226	1-10%
BUTAN-1-OL				
200-751-6	71-36-3	-	Flam. Liq. 3: H226; Acute Tox. 4: H302; STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H336	1-10%
1-METHOXY-2	2-PROPANOL			
203-539-1	107-98-2	-	Flam. Liq. 3: H226; STOT SE 3: H336	1-10%
	id measures of first aid meas	ures		
2. Most impor	tant symptoms a	nd effects, both acute and delaye	d	
3. Indication o	of any immediate	medical attention and special trea	atment needed	
ion 5: Fire-fi	ghting measure	9S		
1. Extinguishi				
2. Special haz	ards arising from	the substance or mixture		

# Section 7: Handling and storage

SNAKE SPRAY CAN

Page: 4

## 7.1. Precautions for safe handling

## 7.2. Conditions for safe storage, including any incompatibilities

# 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Hazardous ingredients:**

#### **DIMETHYL ETHER**

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL		
UK	766 mg/m3	958 mg/m3	-	-		
N-BUTYL AC	ETATE					
UK	724 mg/m3	966 mg/m3	-	-		
XYLENE						
UK	220 mg/m3	441 mg/m3	-	-		
2-METHOXY-	2-METHOXY-1-METHYLETHYL ACETATE					
UK	274 mg/m3	548 mg/m3	-	-		
BUTAN-1-OL	BUTAN-1-OL					
UK	-	154 mg/m3	-	-		
1-METHOXY-	1-METHOXY-2-PROPANOL					
UK	375 mg/m3	560 mg/m3	-	-		

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Aerosol
Colour: Various

Odour: Perceptible odour

Flash point°C: <0

## 9.2. Other information

Other information: No data available.

SNAKE SPRAY CAN

Page: 5

Section 10: Stability	and reactivity
-----------------------	----------------

10.1. Reactivity

10.2. Chemical stability

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Hazardous ingredients:**

## **N-BUTYL ACETATE**

ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	10768	mg/kg

## **XYLENE**

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

## 2-METHOXY-1-METHYLETHYL ACETATE

IPR	MUS	LD50	750	mg/kg
ORL	RAT	LD50	8532	mg/kg

## **BUTAN-1-OL**

IVN	RAT	LD50	310	mg/kg
ORL	MUS	LD50	2680	mg/kg
ORL	RAT	LD50	790	mg/kg

# 1-METHOXY-2-PROPANOL

IVN	RAT	LD50	4200	mg/kg
ORL	MUS	LD50	11700	mg/kg
ORL	RAT	LDLO	3739	mg/kg

SNAKE SPRAY CAN

Page: 6

## Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

## Symptoms / routes of exposure

## Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

## 12.3. Bioaccumulative potential

## 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

# Section 13: Disposal considerations

### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

# 14.1. UN number

UN number: UN1950

## 14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

## 14.3. Transport hazard class(es)

Transport class: 2

## 14.4. Packing group

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

# 14.6. Special precautions for user

SNAKE SPRAY CAN

Page: 7

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H226: Flammable liquid and vapour.

H229: Pressurised container: May burst if heated

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.