



Pressure Washers

INDEX:

Electric Pressure Washers - Pages 2-10

PWE2000

PWE2300

PWE3000

Gas Pressure Washers - Pages 11-22

PWF2701SH

PWF3200SH

PWF3600SH

PWF4200SH

- **High Output:** 2000 PSI @ 1.2 GPM for outstanding cleaning power
- **Electric Powered:** Equipped with an AC plug and push button starting system for quick and convenient use
- **Robust Pump:** Three piston axial pump for durable, long-term use
- **Extra Long Hose:** 25' long co-extrude high pressure hose provides an easy to move workspace
- **Nozzles & Soap Tank:** 4 Pro-Style nozzles - including turbo nozzle and integrated soap tank for efficient cleaning power
- **Compact & Lightweight:** Weighs only 28.7 lbs / 13.0 kg, allowing for convenient storage and effortless portability
- **Portable Design:** 8" never flat wheels provide excellent portability




**Turbo
Nozzle:
Included**



PWE2000


Rubber Grip




Extra Light Frame




4-Piece PRO Style Nozzles Included



Accessory Panel



High Pressure Hose



Push Button Start



Easy To Use Quick Connector



8.0" Flat Free Wheel




Trigger Gun and Wand



Integrated Soap Tank



Three Piston Axial Pump with Aluminum Head




PWE2000

Max Pressure (PSI)	2000
Max Flow (GPM)	1.2
Motor Type	120V, 14.5 A, 60 Hz
Starting System	Push Button
Power	AC, Electric
Pump Type	Axial, Three Piston
Hot / Cold Water	Cold
Hose	25' - High Pressure
Chemical Injector	Yes
Handle	Fixed / Snap Pin Installation
Wheel	Flat Free 8"
Turbo Nozzle	Yes
Accessories Included	Tools, Manual, Nozzle Cleaning Tool, Quick Start Guide
Warranty (Residential)	2 Year
Unit Weight	28.7 lbs / 13.0 kg
Shipping Weight	34.2 lbs / 15.5 kg
Unit LxWxH	18.5 x 18.9 x 29.8 in / 47.0 x 48.0 x 75.8 cm
Carton LxWxH	18.9 x 14.4 x 18.5 in / 48.0 x 36.5 x 47.0 cm
UPC	850016881014

PWE2000



Turbo
Nozzle:
Included



INCLUDED



Manual, Nozzle Cleaning Tool,
Quick Start Guide



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE



- **High Output:** 2300 PSI @ 1.2 GPM for outstanding cleaning power
- **Electric Powered:** GFCI equipped power cord with push button starting system for quick, safe and convenient use
- **Automatic Shutdown System (ASS):** Automatically shuts off the pump when trigger is not engaged to save energy
- **Robust Pump:** Axial cam pump with stainless steel piston
- **Extra Long Hose:** 25' long co-extrude high pressure hose provides an easy to move workspace
- **Extra Long Power Cord:** 35' multi-layered power cord for user ease and safety
- **Nozzles & Soap Tank:** 4 Pro-Style nozzles - including turbo nozzle and integrated soap tank for efficient cleaning power
- **Compact & Lightweight:** Weighing in at only 40.1 lbs / 18.1 kg allows for convenient storage and easier portability
- **Portable Design:** 8" never flat wheels provide excellent portability




**Turbo
Nozzle:
Included**



PWE2300

Rubber Grip



Extra Light Frame



4-Piece Pro-Style Nozzle Set with Turbo Nozzle - All Included



Ergo Trigger Gun with Stainless Steel Wand




Push Button Start



35' High Pressure Hose



Axial Cam Pump With Stainless Steel Piston



GFCI 35' Power Cord - Included



Integrated Soap Tank



Easy To Use Quick Connector






8" Flat Free Wheel



Pressure	2300 PSI
Flow Rate	1.2 GPM
Water Temperature	Cold
Motor	13.5A 120V AC
Pump	Axial Cam Pump with Stainless Steel Piston
Spray Gun	Ergonomic Index Pull
Automatic Shutdown System (ASS)	Yes
On-board Panel	Yes
High Pressure Hose Length	25 ft
Power Cord Length	35 ft
Quick Connect Nozzles	0°, 25°, 40°, Soap & Turbo Nozzle
Gun Holder	Yes
Hose Hanger	Yes
GFCI Electric Cord	Inline GFCI Power Cord For Use On All Exterior Outlets
On-board Detergent Tank	Yes
Frame	Welded Steel
Wheel	Large 8" Flat Free
Accessories	Nozzle Cleaning Tool, Manual, QSG
Warranty	2 Years
Carton LxWxH	18.9 x 14.8 x 17.9 in / 48.0 x 37.5 x 45.4 cm
Unit Weight (Net)	40.1 lbs / 18.1 kg
Shipping Weight	46.3 lbs / 21.0 kg

PWE2300



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE



- **High Output:** 3000 PSI @ 1.1 GPM for outstanding cleaning power
- **Electric Powered:** GFCI equipped power cord with push button starting system for quick, safe and convenient use
- **Robust Pump:** Axial cam pump with stainless steel piston
- **Extra Long Hose:** 35' long co-extrude high pressure hose provides an easy to move workspace
- **Extra Long Power Cord:** 35' multi-layered power cord for user ease and safety
- **Nozzles & Soap Tank:** 4 Pro-Style nozzles - including turbo nozzle and integrated soap tank for efficient cleaning power
- **Compact & Lightweight:** Weighing in at only 39.0 lbs / 17.6 kg allows for convenient storage and easier portability
- **Portable Design:** 10" never flat wheels provide excellent portability




**Turbo
Nozzle:
Included**



PWE3000

Rubber Grip



Extra Light Frame



4-Piece Pro-Style Nozzle Set with Turbo Nozzle - All Included




Ergo Trigger Gun with Stainless Steel Wand



Push Button Start



Axial Cam Pump With Stainless Steel Piston



Integrated Soap Tank



35' High Pressure Hose



GFCI 35' Power Cord - Included



10" Flat Free Wheel




Easy To Use Quick Connector



Pressure	3000 PSI
Flow Rate	1.1 GPM
Motor	15A, 120VAC, DC Brushless Motor
Pump	Axial Cam Pump with Stainless Steel Piston
Spray Gun	Ergonomic Index Pull
Lance	Stainless Steel Wand with Brass Connector
On-board Panel	Yes
High Pressure Hose	35 ft Multi-Layer
Power Cord Length	35 ft Extended Length Cord
GFCI Protection	Inline GFCI Cord for Use On All Exterior Outlets
Gun Holder / Hose Hanger	Yes
Quick Connect Nozzle Tips	0°, 25°, 40°, Soap - Includes Turbo Nozzle
On-Board Detergent Tank	Yes - .6 gal / 2.3 l
Frame	Welded Steel
Wheel	Large 10" Flat Free
Accessories	Allen Wrench - Turbo Nozzle - Open End Wrench Nozzle Cleaning Tool – Manual – Quick Start Guide
Warranty	2 Years
Unit LxWxH	18.4 x 18.1 x 32.5 inch / 46.8 x 46.0 x 82.5 cm
Carton LxWxH	18.9 x 17.1 x 17.7 inch / 48.0 x 43.5 x 45.0 cm
Unit Weight (Net)	39.0 lbs / 17.6 kg
Shipping Weight (Gross)	45.2 lbs / 20.5 kg

PWE3000



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE




- **High Output:** 2700 PSI @ 2.3 GPM for outstanding cleaning power
- **Performance Series Engine:** 196cc OHV horizontal shaft engine
- **Robust Pump:** Three piston axial pump with aluminum head for durable, long-term use
- **Extra Long Hose:** 25' long co-extrude high pressure hose provides an easy to move workspace
- **Quick Connect Wand and Nozzles:** 4 Pro-Style nozzles for easy connection and cleaning management
- **Heavy Duty Frame Construction:** Built tough with durable powdercoat finish
- **Portable Design:** Cart Frame design with fixed handle and 12" never flat wheels provide excellent portability



PWF2701SH


Rubber Grip



Accessory Panel



4-Piece PRO Style Nozzles Included



Trigger Gun



High Pressure Hose



196cc OHV Engine



Three Piston Axial Pump with Aluminum Head



Cart Style Frame with Toolless Snap-In Handle



12.0" Flat Free Wheel





Model Number	PWF2701SH
Max Pressure (PSI)	2700
Max Flow (GPM)	2.3
Engine Type	Senci Single Cylinder 196cc - 4 Stroke OHV
Starting System	Recoil Start
Fuel Type	Gasoline
Low Oil Shtdown	Yes
Certification	EPA
Oil Type and Capacity	10W-30 - 600ml
Pump Brand	WTL
Pump Type	Axial, three piston
Hot / Cold Water	Cold
Lubrication Method	Splash
Chemical Injector	Yes
Handle	Fixed / Snap Pin Installation
Wheel	Flat Free 12.0"
Included	Oil, Funnel, Spark Plug Wrench, Manual, Nozzle Cleaning Tool, QSG
Warranty (Residential)	2 year
Carton LxWxH	21.5" X 19.1" X 21.9" inch
Unit Weight	57.0 lbs
Shipping Weight	61.0 lbs
UPC	850013862597

PWF2701SH

INCLUDED

Oil, Funnel, Spark Plug Wrench, Manual, Nozzle
Cleaning Tool, Quick Start Guide



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE



- **High Output:** 3200 PSI @ 2.4 GPM for outstanding cleaning power
- **Performance Series Engine:** 208cc OHV horizontal shaft engine
- **Robust Pump:** Axial Cam with Stainless Steel Pistons and Relief Valve
- **Extra Long Hose:** 25' long co-extrude high pressure hose providing kink resistant flexibility and ease of use
- **Quick Connect Wand and Nozzles:** 4 Pro-Style nozzles for easy connection and cleaning management
- **Solid Frame Construction:** Easy to use, balanced, welded steel frame with automotive finish
- **Portable Design:** 12" never flat wheels provide excellent portability
- **Professional Cleaning Tools:**



Turbo Nozzle
Included




**7-in-1
Multi-Function
Nozzle**
Included




PWF3200SH

Rubber Grip



Accessory Panel



4-Piece PRO Style Nozzles Included



Trigger Gun and Wand



25' High Pressure Hose



Axial Cam with Stainless Steel Pistons



208cc OHV Engine



12.0" Flat Free Wheel



Integrated Soap Tank





Model Number	PUF3200SH
Pressure	3200 PSI
Flow Rate	2.4 GPM
Certification	EPA - CARB
Engine	208cc Horizontal High Performance
Capacities: Gasoline - Oil	Gasoline: 3.7 Qt / 3.5 L Oil: 20.2 Oz / 0.6 L
Pump	Axial Cam with Stainless Steel Pistons and Relief Valve
Spray Gun	Ergonomic Index Pull
Lance	Stainless Steel Lance with Brass Connectors
On-Board Storage Panel	Yes
High Pressure Hose	25ft Multi-Layer
Gun Holder and Hose Hanger	Yes
Quick Connect Nozzle Tips	0°, 25°, 40° and Soap
On-Board Detergent Tank	Yes
Frame	1.25" Diameter, Welded Steel
Handle	Quick Release
Wheel	Large 12" Flat Free
Accessories	Oil Bottle - Funnel - Nozzle Cleaning Tool - Turbo & 7-in-1 Cleaning Attachments - Spark Plug Wrench - Manual
Warranty	3 Year
Unit LxWxH	19.9x18.0x38.0 inch
Carton LxWxH	22.8x21.8x22.6 inch
Unit Weight (Net)	64.0 lbs
Shipping Weight	70.5 lbs
UPC	850016881168

PWF3200SH

INCLUDED

Turbo & 7-in-1 Nozzle Attachments, Oil, Funnel, Spark Plug Wrench, Nozzle Cleaning Tool, Manual



www.a-ipower.com
 10887 Commerce Way, Unit A
 Fontana CA 92337- 8240



Phone: 855-888-3598
 Fax: 909-930-3719
 support@a-ipower.com
 Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE




- **High Output:** 3600 PSI @ 2.5 GPM for outstanding cleaning power
- **Performance Series Engine:** 223cc OHV horizontal shaft engine
- **Robust Pump:** Axial Cam with Stainless Steel Pistons and Relief Valve
- **Extra Long Hose:** 25' long co-extrude high pressure hose providing kink resistant flexibility and ease of use
- **Quick Connect Wand and Nozzles:** 4 Pro-Style nozzles for easy connection and cleaning management
- **Solid Frame Construction:** Easy to use, balanced, welded steel frame with automotive finish
- **Portable Design:** 12" never flat wheels provide excellent portability
- **Compact Storage:** Foldable handle for convenient storage




PWF3600SH

Rubber Grip



Accessory Panel



Trigger Gun and Wand



4-Piece PRO Style Nozzles Included



25' High Pressure Hose



Axial Cam with Brass Head and Relief Valve



223cc OHV Engine



Integrated Soap Tank



12.0" Flat Free Wheel



Model	PWF3600SH
Max. Pressure	3600 PSI / 248 BAR
Gallon per Minute	2.5 GPM / 9.5 LPM
Cleaning Power	9000
Engine	223cc / SC230
Starting System	Manual / Manual
Fuel Capacity	0.92 Gal / 3.50L
Oil Capacity	0.63 Qt / 600 ml
Warranty	3
Emission Certification	EPA / CARB
Length	23 in / 584 mm
Width	18 in. / 458 mm
Height	24 in / 610 mm
Shipping Weight	72 lbs / 32.6 kgs

PWF3600SH

INCLUDED

Oil Bottle - Funnel - Nozzle
Cleaning Tool - Spark Plug Wrench - Manual



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE




- **High Output:** 4200 PSI @ 4 GPM for outstanding cleaning power
- **Performance Series Engine:** 420cc OHV horizontal shaft engine
- **Annovi Reverberi Pump:** Industrial grade AR Tri-Plex pump with brass head for heavy duty use
- **Extra Long Hose:** 50' long co-extrude high pressure hose provides an easy to move workspace
- **Quick Connect Wand and Nozzles:** 5 Pro-Style nozzles for easy connection and cleaning management
- **Wheelbarrow Frame Construction:** Built tough with durable powder coat finish
- **Portable Design:** 12" never flat wheels provide excellent portability



PWF4200SH

5-Piece PRO Style Nozzles Included



50' High Pressure Hose



Trigger Gun and Wand



Three Piston Axial Pump with Brass Head



12.0" Flat Free Wheel



420cc OHV Engine





Model Number	PWF4200SH
Max Pressure (PSI)	4200
Max Flow (GPM)	4
Engine Type	Single Cylinder 420cc - 4 Stroke OHV
Starting System	Recoil Start
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	No
Oil Type and Capacity	10W-30 - 600 ml
Pump Brand	Annovi Reverberi
Pump Type	Tri-Plex, Brass Head
Hot / Cold Water	Cold
Lubrication Method	Splash
Chemical Injector	Yes
Handle	Fixed / Snap Pin Installation
Wheel	Flat Free 12"
Accessories Included	Oil, Funnel, Spark Plug Wrench, Manual, Nozzle Cleaning Tool
Warranty (Residential)	3 Year
Carton LxWxH	28.1" X 24.2" X 23.8"
Unit Weight	132.0 lbs.
Shipping Weight	146.0 lbs.
UPC	850013862306

PWF4200SH

INCLUDED

Oil, Funnel, Spark Plug Wrench, Manual, Nozzle Cleaning Tool



www.a-ipower.com
 10887 Commerce Way, Unit A
 Fontana CA 92337- 8240



Phone: 855-888-3598
 Fax: 909-930-3719
 support@a-ipower.com
 Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE

