




- **Performance Series Engine:** 223cc OHV engine with Cast Iron Sleeve & Low Oil Shutdown
- **High Output:** 5,000 starting watts - 4,000 running watts
- **Run Time:** 4-gallon fuel tank for extended run time of 13.5 hrs. at 25% load
- **Digital Hour Meter:** For quick and easy run time reading
- **AC Outlets:** Complete with standard 20A-120V household duplex (5-20R) and 30A-120/240V Twistlock (L14-30R)
- **Heavy Duty Frame Construction:** Built tough with durable powder coat finish
- **Portable Design:** Easy to transport with folding handle and wheels



AP5000

4.0 Gal Tank Built-In Gauge
13.5 Hour Runtime

Multi-Features
Panel



Heavy Duty
Frame



Folding
Handle



Recoil Start 223cc
Engine



7.0" Flat
Free Wheel



Brushed Alternator
With AVR



AP5000


Engine Switch



Hour Meter



L14-30R
30A, 120/240V



Low Oil Indicator




5-20R
Duplex 20A, 120V



AP5000

Model Number	AP5000
Starting/Running Watts	5000/4000W
Certifications	EPA
AC Voltage	120/240V
Rated Speed/Frequency	3600rpm/60Hz
Total Harmonic Distortion (THD)	Standard
Grounding System	Neutral Bonded to Frame
Noise Level (dB)	68
Engine Type	Single Cylinder 223cc - 4 Stroke OHV
Starting System	Recoil Start
Low Oil Shtdown	Yes
Cast Iron Sleeve	Yes
Fuel Type	Gasoline
Oil Type and Capacity	10W-30 - 550ml
Alternator Type	Brushed with AVR
Tank	4.0 Gal
Runtime @25% Load	13.5 Hour
Handle	Single Folding
Wheel	Flat Free 7.0"
AC Outlets	1x5-20R Duplex (20A, 120V) - 1xL14-30R (30A, 120/240V)
Hour Meter	Yes
Included	Tool Kit (Spark Plug Wrench), Manual, Quick Start Guide
Warranty (Residential)	2 Year
Carton LxWxH	23.4x18.3x19.9 inch
Unit Weight	103.5 lbs
Shipping Weight	115.6 lbs
UPC	851217006411



www.a-ipower.com
 10887 Commerce Way, Unit A
 Fontana CA 92337- 8240



Phone: 855-888-3598
 Fax: 909-930-3719
 support@a-ipower.com
 Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE

