

Specifiers



HYDROTAP G5 BHA CELSIUS ARC BRUSHED CHROME

Order Code H58786Z01AU



FILTERED



UNFILTERED

BOILING

HOT & AMBIENT

Zip HydroTap Design Range CELSIUS Boiling Filtered water, plus Hot and Cold washing up water from a single tap. The system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 3 energy saving modes including ON/OFF timers and 2 hour sleep mode, antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.



Manufacturing Code H58786Z01AU

Capacity Residential

Disability Options Unavailable

Specifications

[Specification Sheet](#)

Tap Zip HydroTap Design Range CELSIUS ARC Tap (Brushed Chrome)

Water Pressure Min 170kPa - Max 700kPa

Water Connection 1/2" BSP (G1/2)

Water Supply Requirements Cold and Hot

Water Valves Integrated 500kPa Pressure limiting valve and Dual Check Valve

Power Rating 1.35kW 220-240V 50Hz

Power Supply 1 x 10 Amp socket outlet


Dimensions W280mm x D313mm x H333mm

Product Approvals WaterMark, RCM

WELS Rating 5 Star, 5.5 litres

Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)
-----------------	--

Download more resources

 [Download BIM Files](#)

Click the icons below to download individual files

Manuals

[Quick Guide](#)

[Tap Operation Label](#)

[Instruction Manual](#)

[User Manual](#)

Brochures

[Product Brochure](#)

[Installation Layout 3D/2D DWG](#)

[Installation Detail](#)

Certifications

[Filter Performance Images](#)

[Filter Performance Data](#)

Health Safety Image

Health Safety Download

Environment ISO Image

Environment ISO Download

Quality ISO Image

Quality ISO Download

CE Image

RCM Image

Watermark

Environmental Product Declaration Brochure

Environmental Product Declaration

WEL Certification
