

Specifiers



HYDROTAP G5 C ELITE PLUS BRUSHED GOLD

Order Code H5E788Z07AU



FILTERED

CHILLED

Zip HydroTap Design Range Chilled, Filtered water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology, and 0.2 micron water filtration.



Manufacturing Code	H5E788Z07AU
--------------------	-------------

Capacity	Residential
----------	-------------

Specifications

[Specification Sheet](#)

Tap	Zip HydroTap Design Range ELITE PLUS Tap (Brushed Gold)
Water Pressure	Min 250kPa - Max 700kPa
Water Connection	1/2" BSP (G1/2)
Water Supply Requirements	Cold
Water Valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Power Rating	0.17kW 220-240V 50Hz
Power Supply	1 x 10 Amp socket outlet
Dimensions	W280mm x D406mm x H333mm
Product Approvals	WaterMark, RCM, ARC
Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)

Download more resources

Click the icons below to download individual files

 [Download BIM Files](#)

Manuals

[Quick Guide](#)

[Tap Operation Label](#)

[Instruction Manual](#)

[User Manual](#)

Brochures

[Product Brochure](#)

[Installation Layout 3D/2D DWG](#)

[Installation Detail](#)

Certifications

[Filter Performance Images](#)

[Filter Performance Data](#)

[Health Safety Image](#)

[Health Safety Download](#)

Environment ISO Image

Environment ISO Download

Quality ISO Image

Quality ISO Download

ARC Image

ARC Download

CE Image

RCM Image

Watermark

Environmental Product Declaration Brochure

Environmental Product Declaration

HydroTap Clean SDS