

Revision date 11-Nov-2019

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name KITCHEN & BATHROOM SILICONE NC WHITE

Product Code(s)

30840077

30616186; 30616187; 30840077

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Carcinogenicity Category 2 - (H351)

Label elements

Health hazard



Australia - EN Page 1/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

Signal word

Warning

Hazard statements

H351 - Suspected of causing cancer

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	0 - <10
2-Butanone, oxime	96-29-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

General advice IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth immediately and drink plenty of water. Get medical attention if symptoms

occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Australia - EN Page 2/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Indication of any immediate medical attention and special treatment needed

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the No information available.

chemical

Special protective actions for fire-fighters

Special protective equipment for Firefighters should

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Revision date 11-Nov-2019

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Australia - EN Page 3/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

Incompatible materials Water. Bases. Acids.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves. Butyl rubber. Nitrile rubber. Ensure that the breakthrough time of

the glove material is not exceeded. Refer to glove supplier for information on

breakthrough time for specific gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid
Appearance Very viscous
Color White
Odor Slight Organic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
No data available
No data available
No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Vapor density No data available

Relative density 1.01

Water solubility Insoluble in water
Solubility(ies) No data available
Partition coefficient No data available
Autoignition temperature No data available
Decomposition temperature No data available
Kinematic viscosity No data available

Australia - EN Page 4/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

Dynamic viscosity 150000 - 250000
Explosive properties No information available
Oxidizing properties No information available

Other information

Solid content (%) No information available

VOC Content (%) 58 g/L

Density No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None. **impact**

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture.

Incompatible materials

Incompatible materials Water. Bases. Acids.

Hazardous decomposition products

Hazardous decomposition

products

2-Butanone, oxime.

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

InhalationMay cause irritation.Eye contactMay cause irritation.

Skin contact May cause irritation. May cause sensitization in susceptible persons.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms No information available.

Numerical measures of toxicity - Product Information

Australia - EN Page 5/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 19,153.40 mg/kg

 ATEmix (dermal)
 55,276.40 mg/kg

 ATEmix (inhalation-dust/mist)
 100.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O''-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
2-Butanone, oxime	=930 mg/kg (Rattus)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h
		(Oryctolagus cuniculus)	-
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Component Information					
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause sensitization in susceptible persons.

respiratory or skill sensitizati	on may bades conton	ization in edeceptible percent.	
Component Information			
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitizing
Sensitization			-

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia
2-Butanone, oxime	Carc. 2
96-29-7	

Reproductive toxicity

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard Not applicable.

Section 12: Ecological information

Ecotoxicity

Australia - EN Page 6/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

Ecotoxicity .

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O"-(methylsilylidyn		(Oncorhynchus		(Daphnia magna) OECD
e)trioxime	subcapitata) OECD 201	mykiss)Freshwater static		202
22984-54-9		(OECD guideline 203)		
2-Butanone, oxime	EC50: =83mg/L (72h,	LC50: =760mg/L (96h,	EC50 = 281 mg/L 17 h	EC50: =750mg/L (48h,
96-29-7	Desmodesmus	Poecilia reticulata)	EC50 = 950 mg/L 5 min	Daphnia magna)
	subspicatus)	LC50: 777 - 914mg/L		
		(96h, Pimephales		
		promelas) LC50: 320 -		
		1000mg/L (96h,		
		Leuciscus idus)		
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				

Persistence and degradability

Persistence and degradability Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	1.69
22984-54-9	
2-Butanone, oxime	0.65
96-29-7	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
1760-24-3	

Mobility

Mobility in soil No information available.

Mobility No information available.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

Australia - EN Page 7/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

No substance(s) listed on inventory

International Inventories

AICS
NZIOC
NOT Listed
ENCS
NOT Listed
IECSC
Listed
KECL
PICCS
Listed
Listed
Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 11-Nov-2019

Revision note

Australia - EN Page 8/9

KITCHEN & BATHROOM SILICONE NC WHITE

Revision Number 4 Supersedes Date: 10-Oct-2016

Revision date 11-Nov-2019

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 9/9