



## Siphon water jet, Tornado flushing

Waste is flushed by the use of high pressure jet nozzles, known as Tornado flushing. This system, while extremely efficient uses only a small amount of water with its Siphon water jet technology.



#### Super water saving toilet

The system features perfect flushing even with low water pressure (1.5kgs/cm2.20L/ min) with a considerable water saving of 3L for a half flush and 4.5L for a full flush.



#### Hi-tech wireless remote

Auto flush is available by wireless remote control.



### Ergonomic seat design

Toilet seat design has been relatively conventional for the past 20 years, but the new Tankless digital toilet introduces an advanced square design with a wider seat. This has been ergonomically designed to meet the comfort needs of our contemporary human body.



#### Seat sensor

The seat sensor detects when you sit down on the seat and allows the toilet to flush when you leave.



## Night light

The LED light is designed to light up the bowl making it easier to use at night.



## S-Trap / P-Trap Compatible

Less cost against wall-hung toilet system.






## Auto flushing

A small flush of about 3L will be used if the seat is occupied for less than 25 seconds.


A full flush of about 4.5L will be used when the seat is occupied for over 25 seconds. Dual auto flush is available by seat sensor after the user stands up.



The seat temperature is adjustable.

## Soft Close

The seat and lid close down softly.




# IMPORTANT - Installation


Water pressure: Minimum 150kpa maximum 750kpa with 20L per minute minimum flow

#### Installation:

To be carried out by a licensed plumber. Installation as per local region, council plumbing specifications and plumbing codes additional back flow device may be a requirement



## Wall drain P-Trap




180mm - Standard Set out (P-Trap)

### Electrical:


Standard 10 amp power point required









## **Floor drain S-Trap**



200mm-350mm - Ceramic Pan (S-Trap) 80mm-200mm - Acrylic Pan (S-Trap)





Product Model		Kright	Prince'	Queen	King
Product Dimension		Pan: Ceramic or Acrylic	Pan: Ceramic or Acrylic	Pan: Ceramic	Pan: Ceramic or Acrylic
Closnsing	Posterior Wash	N/A	•	•	•
	Feminine Wash	N/A	•		•
	Enema	N/A	•		•
	Kid	N/A	N/A	N/A	N/A
	Oscillating	N/A	•	•	•
	Pulsating	N/A	•	0	•
	Rhythm	N/A	100		
	Nozzie Position	N/A	5 Level	5 Level	5 Level
	Water Pressure	N/A	5 Level	5 Level	5 Level
Comfortable	Water Heating	N/A	Preheated	Preheated	Preheated
	Heated Seat		•	0	
	Dry	N/A	•		•
	Deodorant	N/A			
	Water Temperature	N/A	3 Level	3 Level	3 Level
	Seat Temperature	N/A	3 Level	3 Level	3 Level
	Dry Temperature	N/A	3 Level	3 Level	3 Level
	Remote control	•	•		
	Auto Flushing	•	•		•
	Damper		•		Auto Open/Close
	Power Saving	•	•	•	•
Sale	Seat Sensor		•	0	•
	Burn Protecting	•	•	•	•
	Emergency Button	•	•		•
	Anti Bacterial Seat		•		•
	Nozzie Cleaning	N/A	•	•	•
		_	-	-2	4

N/A

Night Light

.