

Xylo Bathroom Accessories







Toilet Roll Holder

Shown here right facing height 30 / width 130 / depth 75

XYSTRH-LF (Left Facing) XYSTRH-RF (Right Facing)



Horizontal Hand Towel Rail

height 36 / width 30 / depth 300

XYHTR-HZ



Horizontal Toilet Roll Holder

height 36 / width 30 / depth 115

XYSTRH-H7



Double Toilet Roll Holder

Shown here right facing height 30 / width 240 / depth 80

XYDTRH-LF (Left Facing) XYDTRH-RF (Right Facing)



Spare Paper Holder

height 310 / width 30 / depth 80

XYSPH





Shown here right facing height 30 / width 310 / depth 80

XYHTR-LF (Left Facing) XYHTR-RF (Right Facing)



Robe Hook height 36 / width 20 / depth 35

XYRH



Single Towel Rail

height 30 / depth 75

XYSTR230 (width 230) XYSTR350 (width 350) XYSTR450 (width 450)

XYSTR650 (width 650)

XYSTR900 (width 900)



Double Towel Rail

height 30 / depth 140

XYDTR650 (width 650) XYDTR900 (width 900)



Towel Rack

height 30 / depth 315

XYTR450 (width 450) XYTR600 (width 600)



Soap Dish

Polished Solid Surface height 20 / width 110 / depth 90

XYSD



Shelf

Polished Solid Surface height 20 / depth 120

XYSH300 (width 300) XYSH450 (width 450) XYSH600 (width 600) XYSH750 (width 750)

XYSH900 (width 900)



Heated Towel Rails

height 30 / depth 75

TRH5-45x3 (width 450) TRH5-65x3 (width 650) TRH5-90x3 (width 900)



Through Glass Fixing Kit

XY7TGFK (10 mm hole required)



Glue Only Fixing Kit

XYZGOFK



Plasterboard Fixing Kit

XYZPLFK









DOUBLE FIXING SYSTEM

Xylo accessories come standard with our unique Double Fixing System, which includes a precision drilling fixture and a diamond drill bit to effortlessly and accurately drill holes through even the hardest of vitrified tiles. In addition, all products ship with high quality Hilti® wall plugs, stainless steel screws and a tube of epoxy glue for a secure and enduring installation. Standard installation system suitable for tiled or masonary walls only. Optional fixings for Glass, Plasterboard and a Glue-Only installation (No drilling) are available on request.





Xylo Heated Towel Rails







TRH5-45

Individual rails

TRH5-45x3

3 rails & in-wall kit

Watts: 10 / rail Height 30, width 450, depth 75



TRH5-65

Individual rails

TRH5-65x3

3 rails & in-wall kit

Watts: 14 / rail Height 30, width 650, depth 75



TRH5-90

Individual rails

TRH5-90x3

3 rails & in-wall kit

Watts: 18 / rail

Height 30, width 900, depth 75

Superior Materials

STANDARD



Mirror Polished Stainless Steel 304

AVAILABLE ON REQUEST



Brushed Stainless Steel 304



Matt White / Black Blanc & Noir



Custom Colours (Available on request)



Electroplated e.g. Satin Chrome

Dry Internal Heating Element


Replaceable dry heating elements in each rail

Rails reach optimal heat when covered by towel

Non-heated version available

Back Plates available on request

Simplified Installation



Ultra Safe 12V power can be installed in wet areas

Electrical connection can be made at either end

MDF template & Diamond drill bit supplied

In-wall kit included

Note: This is a 12V device - provision must be made for a servicable location of the supplied Transformer. Please consult your electrician.









Xylo Heated Towel Rails come standard with a 10 year warranty (one year onsite), which covers faults in construction, material and assembly. After the first year, Avenir will replace or make repairs based on the faulty item being returned to our factory. Freight costs are also covered under this warranty for 10 years, however the labour to remove / install after the first 12 months should a fault occur is not covered by this warranty.

