



## NOTES

ALL DIMENSIONS ARE O/C FROM CABLE SUPPORTS.

## PARALLEL ORIENTATION

MINIMUM HORIZONTAL SPACING IS DETERMINED BY THE SPACE REQUIRED TO NAVIGATE A BOTTLE INTO AND OUT OF THE RINGS WITHOUT INTERFERING WITH ADJACENT COLUMNS.

3

PULL BOTTLE CLEAR OF BOTH RINGS

	VERTICAL SPACING CAN BE TWO BOTTLE DENSITY OPTIONS: LITE OR MAXIMUM. SPACING AWAY FROM THE WALL IS VARIABLE BUT IS SUGGESTED AS SHOWN.		TROSECT
			The Ring Standards and Order Form
	PERPENDICULAR ORIENTATION		CLIENT
	PUNT FACING OUT		Genuwine Cellars
	MINIMUM HORIZONTAL SPACING IS DETERMINED BY	THE ANCHORS.	PROJECT MANAGER
	VERTICAL SPACING CAN BE TWO BOTTLE DENSITY OPTIONS: LITE OR MAXIMUM.		Incore in the local
	SPACING AWAY FROM THE WALL IS VARIABLE BUT IS	SUGGESTED AS SHOWN.	
	CORK FACING OUT		DESIGNER
	MINIMUM HORIZONTAL SPACING IS DETERMINED BY INTO AND OUT OF THE RINGS WITHOUT INTERFERING TO FIT A HAND AND BOTTLE BETWEEN THE COLUMNS	WITH ADJACENT COLUMNS (SPACE REQUIRED	СР
	VERTICAL SPACING CAN BE TWO BOTTLE DENSITY O	PTIONS: LITE OR MAXIMUM.	DRAWING
	SPACING AWAY FROM THE WALL IS DETERMINED BY THE NEED TO PUSH THE BOTTLE TOWARDS THE WALL FOR EITHER STORAGE OR REMOVAL FROM THE RING ARRAY.		Spacing Standards
	HARDWARE		REVISION
	THE RING STEEL AIRCRAFT CABLE, BRUSHED ALUMINUM BASE A ALUMINUM TENSION MOUNT ANCHORS.	ND NECK RINGS WITH RUBBER INSERTS, BRUSHED	
	INSTALLATION NOTES		DATE
	BLOCKING IS REQUIRED BEHIND FINISHED SURFACES AT ALL ANCHOR POINTS. THE RING IS DESIGNED WITH BLOCKING CONSIDERED TO BE STRUCTURAL 2X4 WOOD JOISTS (MIN.) TIED INTO THE EXISTING STRUCTURE. CONSIDERATIONS FOR INSTALLATION OF THE RING INTO DIFFERENT FINISH MATERIALS ARE THE RESPONSIBILITY OF THE CONTRACTOR / INSTALLER. FOR EXAMPLE, TILE SURFACES REQUIRE SPECIAL BITS TO DRILL THROUGH THEM. SUPPLY OF THIS BIT AND ANY OTHER SPECIALTY ITEMS THAT MAY BE REQUIRED IS UNDER THE SCOPE OF THE CONTRACTOR / INSTALLER. CABLES MUST BE PROPERLY TENSIONED FOR PROPER PERFORMANCE. TEMPLATES FOR CABLE ANCHORS CAN BE PROVIDED UPON REQUEST.		19/12/2017
			SHEET A1.0
			APPROVED BY
	CABLE LENGTHS ARE SENT OVERSIZED TO ACCOMM DIMENSIONS.	ODATE INCONSISTENCIES IN AS-BUILT VERTICAL	Signature
			Date of Approval
ΓLE	IN STORAGE POSITION	ROTATE BOTTLE CLEAR OF FIRST RING	Copyright Notice:

## Copyright Notice:

All content included in these drawings such as text, graphics, togos, images, designs, and sketches is the property of Genuwne Cellars and is protected by infernational copyright laws. The compliation of all content on this drawing is the exclusive property of Genuwne Cellars, including all authorship and moral (ights, and is protected by international copyright laws.

REPRODUCTION OF ANY WINE CELLAR DESIGN IS STRICTLY PROHIBITED. COPRIGHT TO ALL DESIGNS AND CUCIES, INCLUDING AUTHORSHIP AND MORAL RIGHTS, REMAINS WITH GENUWINE CELLARS.

NOT FOR MANUFACTURING



343 Gunn Road

Box 56 Gr. 512 RR5

Winnipeg, MB

R2C 2Z2

204.668.8101 office

204.667.3571 fax

info@genuwinecellars.com

Ge

PROJECT