## BLACKBURN DRUG

## PHONE: 307-201-1159 L FAX: 307-201-1553 BLACKBURNDRUG.COM 545 N CACHE - UNIT 10-S JACKSON WY 83001

Patient Name	DOB
ADDRESS	
Allergies	<del></del>
SILDENAFIL IMMEDIATE RELEASE 100 MG TROCHES (N  TAKE 1/4 (25 MG) TO 1 TROCHE (100 MG) 1 H  # 100 MG TROCHES	MEN) IOUR PRIOR TO SEXUAL ACTIVITY AS NEEDED
_	
TADALAFIL IMMEDIATE RELEASE 20 MG TROCHES (ME TAKE ¼ (5 MG) TO 1 TROCHE (20 MG) 1 HO # 20 MG TROCHES	·
SILDENAFIL 1% CREAM (MEN)  APPLY TOPICALLY TO PENIS 30 MINUTES PI #30 ML	rior to sexual activity as needed
TADALAFIL 1% CREAM (MEN) APPLY TOPICALLY TO PENIS 30 MINUTES PI #30 ML	rior to sexual activity as needed
SILDENAFIL 1% OIL (WOMEN)  APPLY TOPICALLY TO CLITORAL SKIN 30 M #30 ML	inutes prior to sexual activity as needed
OXYTOCIN NASAL SPRAY 5U/ACTUATION (WOMEN) USE 1–2 SPRAYS NASALLY UP TO THREE TIM #15 ML	ies daily as needed
<ul><li>(WRITE TESTOSTERONE)/DHEA</li><li>☐ APPLY 1/10TH OF 1 ML TO CLEAN DRY SKIN</li><li>☐ #9 ML FOR A 90 DAY SUPPLY</li></ul>	
Physician Name	DATE
Signature	DEA