



Product name

Universal 3-jaw puller with selfcentering jaws

For removing bearings, gears, discs, etc.

Art. No. 45-4

Series 45

EAN 4021176016776



	Technical attribute	Metric	Imperial
\Box	Spread	23 - 250 mm	7/8 - 9 7/8 inch
ŢŢ	Depth	200 mm	7 7/8 inch
	Hexagon drive (male)	24 mm	
max.	Maximum load	9,5 t	10 US t
max.	Maximum torque	200 Nm	147.5 ft lb
$\overline{\nabla, \nabla}$	Weight	4.18 kg	
± †	Space below	12 mm	1/2 inch
→ -	Space next to it	17 mm	3/4 inch
x	Number of jaws	3	3

45-4 Product data sheet www.kukko.com



Technologies



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



AUTOGRIP

The jaws clamp and center automatically.

45-4 Product data sheet www.kukko.com



Spare part

Art. No.	Product name
45-4-T	Cross-beam
45-4-200-S	3 pulling arms (set)
44-4-206	Cross-beam internal bushing, with spindle
623260	Mechanical pressure spindle.

Accessories

Art. No.	Product name
K-600-025	Set of interchangeable pressure pads for KUKKO pressure screws

45-4 Product data sheet www.kukko.com