



Product name

PULLPO" ball bearing puller set











To remove grooved ball bearings without causing damage and without having to dismantle the shaft.

Art. No. K-70-A

Series K-70

EAN 4021176058851



	Technical attribute	Metric	Imperial
	Ball bearing ISO	6000-6006; 6200-6205; 6300-6304	6000-6006; 6200-6205; 6300-6304
	Inner diameter of ball bearing	10 - 30 mm	3/8 - 1 3/16 inch
	Outer diameter of ball bearing	26 - 52 mm	1 1/32 - 2 1/16 inch
	Hexagon drive (male)	13	13
	K-70 jaw length	70 mm	2 3/4 inch
	Number of jaws	6	6
	Number of rings	7 St. / pcs.	7 St. / pcs.
	Diameter of support ring	19 - 38 mm	3/4 - 1 1/2 inch
	Counter-pressure pad for extraction of ball bearing with hollow shaft.	10 - 42 mm	3/8 - 1 5/8 inch
	Weight	1.91 kg	



Technologies



PULLPO

The special cross-beam shape enables safe and easy mounting and automatic clamping of the jaws via leverage transmission.



Spare part

Art. No.	Product name
70-01-T	Cross-beam
70-011	3 narrow replacement jaws without rings
70-012	3 wide replacement jaws without rings
610120	Spindle
70-01-R	Complete ring set
700117	Small pressure pads

Accessories

Art. No.	Product name
22-0-1	Slide hammer device
G-22	3-K handle for slide hammers