



ACX Light

Antonio Citterio, 2023



ACX Light without armrests



ACX Light with height-adjustable armrests

All measurements are pursuant to EN 1335-1:2020
 More detailed information is found in the chapter 'Explanation of measurements'.

Seat mechanism: synchronised mechanism with automatic weight adjustment and two backrest resistance settings (hard or soft). Equipped as standard with seat height and seat depth adjustment. Optionally available with or without synchronised forward tilt (can be disengaged). Mechanism can be locked in upright sitting position. Seat mechanism matches frame colour (deep black).

Seat upholstery: polyurethane foam. Seat cover in Silk Mesh spacer fabric, colour nero.

Backrest: back frame with semi-closed shell and transparent netweave cover. Frame made of polypropylene in deep black. Optional height-adjustable lumbar cushion.

Armrests: height-adjustable. Armrest supports made of polyamide in deep black. With PU-foam-free (F) pads in deep black. Optionally available without armrests.

Base: five-star base in polyamide (deep black) with double castors (Ø 60 mm).

Packaging: standard delivery assembled in plastic bag. On request and at extra charge: delivery assembled in cardboard box or semi-assembled in compact box (final assembly steps by trained specialists).

ACX Light

Antonio Citterio, 2023

vitra.

| ACX Light | Article no. | without VAT in JPY* |
|--|-------------------|------------------------|
| assembled | 433 001 00 | |
| Backrest X-Net nero, seat Silk Mesh nero | | 75,000 |
| partially assembled | 433 001 01 | |
| Backrest X-Net nero, seat Silk Mesh nero | | 77,000 |
| Surcharges mechanical elements | | |
| without lumbar support | 01 | 0 |
| with lumbar support | 02 | 3,000 |
| Surcharges mechanical elements | | |
| without forward tilt, with seat depth adjustment | 11 | 0 |
| with forward tilt, with seat depth adjustment | 12 | 7,000 |
| Seat | | |
| standard seat | 21 | 0 |
| Surcharges armrests | | |
| without armrests | 31 | 0 |
| height-adjustable armrests F | 33 | 17,000 |
| Base | | |
| five-star base, plastic | 41 | 0 |

| Technical textile | Frame (ACX Light) | Castors |
|-------------------|-------------------|--|
| . Silk Mesh | 12 deep black | 02 castors hard, braked for carpet 03 castors soft, braked for hard floor |


Silk Mesh Home/Office (ACX Light)

vitra.



Silk Mesh is a three-dimensional spacer fabric. Thanks to the air cells in the regular honeycomb structure, the fabric not only provides a comfortable cushioning effect but also ensures a pleasant seating climate. Silk Mesh is extremely robust and well suited for use in office environments.


| | |
|---------------------|---|
| Material | 33% polyamide, 67% polyester |
| Weight | 300 g/m ² (8.8 oz/y ²) |
| Width | 170 cm +/- 3 cm (67") |
| Abrasion resistance | 100,000 Martindale |
| Fastness to light | Type 6 |
| Pilling | Grade 4-5 |
| Fastness to rubbing | Grade 4-5 dry and wet |



66
nero



53
soft grey



12
deep black



12
deep black

Frame (ACX Mesh,
ACX Soft)

Frame (ACX Light)

