

590 23½" 490 19½" 500-780 19½" 420-490 16½"-19½" 502 23 500-780 19½" 420-490 16½"-19½" 502 23 503 25 504 305 505 305 505 305 505 305 505 305 506 305 507 305 508 305 5

500.780 1934°3034°4
490 1914°4
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°
420.490 1514°

ACX Mesh with 3D armrests

ACX Mesh with fixed armrests

ACX Mesh with height-adjustable armrests

Seat mechanism: synchronised mechanism with automatic weight adjustment and two backrest resistance settings (hard or soft). Equipped as standard with seat height and seat depth adjustment. Optionally available with or without synchronised forward tilt (can be disengaged). Mechanism can be locked in upright sitting position. Seat mechanism matches the frame colour (deep black or soft grey).

Seat upholstery: polyurethane foam or PU-foam-free padding with formfit seat (F). Knit or fabric seat cover.

Backrest: back frame with semi-closed shell and slightly transparent knit cover. Frame made of polypropylene (deep black or soft grey). Optional height-adjustable lumbar cushion.

Armrests: height-adjustable armrests or 3D armrests with adjustable height, width and depth. Armrest supports made of polyamide in deep black or soft grey (to match frame colour). With PU-foam-free (F) pads in basic dark (for frame colour basic dark) or dim grey (for frame colour soft grey). Available either with fixed armrests in polypropylene (deep black or soft grey to match frame colour) or without armrests.

Base: five-star base made of polyamide in deep black or soft grey (to match frame colour), with double castors (Ø 60 mm).

Packaging: standard delivery assembled in plastic bag. On request and at extra charge: delivery assembled in cardboard box or semi-assembled in compact box (final assembly steps by trained specialists).



ACX Mesh	Article no.	without VAT in JPY*
assembled	433 002 00	
Backrest Knitted Mesh, seat Grid Knit		94,000
Backrest Knitted Mesh, seat fabric F30		85,000
partially assembled	433 002 01	
Backrest Knitted Mesh, seat Grid Knit		96,000
Backrest Knitted Mesh, seat fabric F30		87,000
Surcharges mechanical elements		
without lumbar support	01	0
with lumbar support	02	3,000
Surcharges mechanical elements		
without forward tilt, with seat depth adjustment	11	0
with forward tilt, with seat depth adjustment	12	7,000
Surcharges seat		
standard seat	21	0
formfit seat F	22	8,000
Surcharges armrests		
without armrests	31	0
fixed armrests	32	10,000
height-adjustable armrests F	33	17,000
3D armrests F	34	25,000
Base		
five-star base, plastic	41	0

Fabric F30	Frame (ACX Mesh, ACX Soft)	Castors
. Plano	12 deep black 53 soft grey	02 castors hard, braked for carpet 03 castors soft, braked for hard floor

Knitted Mesh (ACX Mesh)







Quilted Knit (ACX Soft)





Grid Knit (ACX Mesh, Soft)






X-Net (ACX Light)





Plano Home/Office, F30 (ACX Mesh, ACX Soft)

vitra.



80

coffee

63

red/poppy red

red/coconut

info@vitra.com | EN 2023

03

parchment/ cream white